BBC · MASTER · ELECTRON · A3000 · ARCHIMEDES

JULY 1990 £1.60

BBCACORN



EVOLUTION evolving genetic

algorithms on the BBC micro and Archimedes



EDUCATION

primary problems of the technology

National Curriculum



PROGRAMS

image processing, crazy characters

plus Hints and Tips special



REVIEWS


games, Arc video digitiser, ArchiTeX

Premier, Instigator and Chaos



Growing panes with your Beeb and Master sideways Ram








SPECIAL OFFER
PRICE
PRICE
See below for details

HOW TO IMPROVE YOUR IMAGE



i-SCAN is the only scanner which has been specifically designed for the Archimedes. Future expansion capabilities for higher resolution and colour are already designed into the system.

i-SCAN consists of a scanning unit, expansion card, leads and software. The scanning unit has a precision motor driven paper transport mechanism which is more accurate than hand held scanners. i-SCAN can handle documents from postage stamp size up to A4 width. A full A4 page can be scanned in less than 20 seconds.

Other Archimedes scanners only produce monochrome images which are processed to produce a grey scale effect. i-SCAN images have 16 true grey levels and a resolution of 200 dots per inch (dpi), this is effectively equivalent to 800 dpi monochrome.

Software supplied with the package is completely Risc OS compatible. The scanned area is selectable to minimise memory used and subsequent editing. A window displays the scanned image where it can be enlarged or reduced. Programmable contrast adjustment caters for difficult images such as pencil drawings.

Images are saved as sprite files which can be used with !DTP, !Paint, !Draw and any other Risc OS application. Industry standard TIFF compressed files will soon be supported.



This image was scanned by i-SCAN

i-SCAN is supplied complete with expansion card, leads and software. All items carry a full one year guarantee.

For a limited period i-SCAN will be available for £579 plus VAT (usual price £679). Desktop publishing software is available at a special offer price when purchased with i-SCAN.

Please telephone Staines (0784) 451192 for more information.

i-SCAN is manufactured by Irlam Instruments Limited, 133 London Road, Staines, Middlesex TW18 4HN.



Archimedes is a registered trademark of Acorn Computers.



OVERSEAS MEDIA DISTRIBUTORS LTD

OM HOUSE, 139-141 DOMINION ROAD, GLENFIELD, LEICESTER LE3 8JB TEL: [0533] 877733 FAX: [0533] 873999



MINIMUM ORDER VALUE £12.50

OMD DISKS =

● TOP QUALITY ● CERTIFIED ● GUARANTEED ● 100% ERROR FREE ● LABELS SUPPLIED

	Ref.	25	50	100	200
3½" DSDD 135TPI	D6010	£19.50	£33.50	£59.50	£115.00
3½" DSHD 1.44MB	D6011	£48.50	£89.00	£175.00	£325.00
5¼ " DSDD 40/48T	D6020	-	£21.90	£39.50	£72.50
5¼ " DSQD 80/96T	D6022	-	£24.50	£45.50	£85.00
5¼" DSHD 1.2MB	D6021	-	£42.50	£80.00	£155.00
5¼ " COLOURED	D6120	-	£26.50	£49.00	£92.00

GET £2.50 OFF any other product when you order OMD DISKS

DISK = STORAGE SYSTEMS

- AVAILABLE FOR 3½" OR 5¼"
- LOCKABLE
- · ANTI-
- STATIC SMOKED





STACKABLE = STORAGE SYSTEMS £24.50



150 CAP. 3½" Ref. A0084 180 CAP. 5¼" Ref. A0194

COMPATIBLE . PRINTER RIBBONS

AMSTRAD 8256	R7410	£3.90
AMSTRAD DMP2000/3160	R4820	£2.75
AMSTRAD DMP4000	R4260	£4.50
CANON PW1080	R2230	£4.25
CITIZEN 120D	R4880	£4.25
EPSON LQ800	R4370	£3.90
EPSON LX 80/56	R4540	£2.90
EPSON MX/FX/RX80/FX/		The same of the same of
LX800	R2730	£2.90
NEC P2200	R8440	£4.50
PANASONIC KXP1081	R2280	£4.50
PANASONIC KXP1124	R9040	£4.90
SHINWA CP80	R6981	£4.50
STAR NL10	R7610	£3.90
STAR LC10	R8610	£3.90
STAR LC10 (Colour)	R8696	£7.90
STAR LC24-10	R8680	£4.50

BUY 10 GET 1 FREE MANY OTHERS AVAILABLE - PLEASE CALL

ACCOUSTIC HOODS

- REDUCES PRINTER NOISE TREE QUALITY MADE HOODS TRIAL AVAILABLE
- 12 MONTHS GUARANTEE



PRICES FROM £128.00 PLEASE CALL FOR DETAILS

PRICES INC. VAT & DELIVERY

MATCHING PRINTER STAND £99.00

COMPUTER PAPER =

11×91/2" 60GSM Ref. P0101 Box of 2000 £15.90

PERFECT A4 85GSM Ref. P0301 Box of 1000 £13.90

COMPUTER LABELS

SELF ADHESIVE TRACTOR FED Packed 2000 3½"×17/16" **£11.90** 1, 2 or 3 across 4"×17/16" **£12.90**

BRANDED DISKS

SONY Dysan

3 1/2 " DSDD 135T £13.90 DSHD 1.44MB £29.50

5 1/4 " DSDD 40/48T £8.50 DSHD 1.2MB £13.90

QUANTITY DISCOUNTS 3 BOXES £3.00 OFF 5 BOXES £10.00 OFF 10 BOXES £30.00 OFF

Verbatim

EXTERNAL DISK DRIVES .

ARCHIMEDES

31/2" 80 TRACK £159.00 Ref. X1140 £183.00 51/4" 40/80 TRACK Ref. X1141

All with internal PSU, buffered interface, cable and rear panel.

BBC COMPATIBLE FLOPPY DRIVES AVAILABLE. PLEASE CALL FOR DETAILS.

PRINTERS =

CITIZEN	Ref.		STAR	Ref.	
120D	H0100	£149	LC10	H0000	£169
SWIFT 24	H0101	£320	LC10 (Colour)	H0001	£219
PRODOT 9	HO102	£399	LC24-10	H0002	£269
HQP 40 (Colour)	H0103	£265	FR10	H0003	£370
PANASONIC			NEC		
KXP 1081	H0200	£165	P2t	H0300	£325
KXP 1180	H0201	£185	P6t	H0301	£508
KXP 1124	H0202	£265	P7t	H0302	£665
FREE I	BOX OF PA	APER & C	ABLE WORTH £	23.80	

MANUAL DATA SWITCHES

● LONG LIFE ROTARY SWITCH
MECHANISM • NO POWER
REQUIRED • FULL SHIELDING
ALL LINES ARE CONNECTED
• FEMALE CONNECTORS

	Ref.	36pin	Ref.	25pin
2 way	X0001	£17.50	X0011	£16.50
4 way	X0003	£22.50	X0013	£21.50
X way	X0004	£24.50	X0014	£23.50

AUTOMATIC PRINTER SHARERS

	Ref.	Parallel	Ref.	Serial
2 computers/1 printer	X0101	£45.00	X0111	£47.00
4 computers/1 printer	X0102	£75.00	X0112	£77.00
8 computers/1 printer	X0103	£95.00	X0113	£97.00
2 computers/2 printers	X0150	£115.00	X0160	£125.00
4 computers/2 printers	X0151	£140.00	X0160	£150.00

INTELLIGENT PRINTER BUFFERS

BUFFER RAM	STATUC IN	DICATOR	- DIMIT		ANDC: CO	DV CODE	TEED & D	ALICE
PARALLEL	Ref.	64K	Ref.	128K	Ref.	256K	Ref.	512K
1 input/1 output	X0210	£125	X0220	£160	X0230	£195	X0240	£275
PARALLEL 1 input/1 output 3 input/1 output	X0211	£160	X0221	£195	X0231	£215	X0241	£295
					nnectors as			

PRINTER CONTROL CENTRE

SOFTWARE DRIVEN
 KEYBOARD CONTROL

	Ref.	256K	Ref.	512K	Ref.	IMB
2 INPUTS/2 OUTPUTS	X0300	£285	X0302	£425	X0304	£730
4 INPUTS/2 OUTPUTS	X0301	£320	X0303	£455	X0305	£760

CABLES =

	Ref.	
PARALLEL 25 PIN/36 PIN	A0801	£7.50
25 PIN MALE/25 PIN MALE	A0804	£8.50
25 PIN MALE/25 PIN FEMALE	A0805	£8.50
SE DINI MALE/36 DINI MALE	ADROE	to EU

KEYBOARDS

HIGH QUALITY 101 KEYS TACTILE "CLICK" KEY SWITCHES REF: X100 ENHANCED FOR AMSTRAD 1512/1640 £72.50


REF: X1001 REPLACEMENT FOR IBM XT/AT (OR COMPATIBLE) £55.00

PRINTER STANDS



UNIVERSAL Ref. A0201

Securely holds any printers wide or small. Made of molded plastic. £10.50



WIRE

Ref. A0202

Made of safety plastic coated £12.50 steel wire

Made of moulded plastic. Feeds and refolds paper

SPACE

SAVER



underneath the printer. Takes up hardly more space than the printer itself.

YUS-25A for 80 col. printer. Ref. A0203 £27.90 YUS-25B for 130 col. printer. Ref. A0204 £32.50

MOBIL F Rugged steel frame.

Height adjustable basket for output paper & base shelf for input paper. Self assembly - includes

80 COL Ref. A0205 £65.00 132 COL. Ref. A0206 £79.00




COPY HOLDERS



Desk Top Ref. A0301 £7.90 With adjustable arm 80 Column Ref. A0302 £13.50 132 Column Ref. A0303 £19.50

KEYBOARD DRAWER




Stores keyboard under the CPU or monitor safely out of the way of dust and dirt. £29.50

DUST COVERS

IN ROAD			331 0	OVERS			
IBM PC XT/COMP	2PC	C0110	£9.50	Amstrad PCW 9512	2PC	C0104	£9.50
IBM PX AT/COMP	2PC	C0109	£10.50	Amiga A500	1PC	C0102	£5.50
IBM PS/2	2PC	C0111	£10.50	Atari 1040 STFM	1PC	C0108	£5.50
Amstrad PC 1640/1512	2PC	C0107	£10.50	Printers 80 Col*	1PC		£4.50
Amstrad PC 2086	2PC	C0106	£10.50	Printers 132 Col*	1pc		£5.50
Amstrad PC W8256	3PC	C0103	£13.50	*Please specify printe	er		

PIPEDREAM 3





PipeDream 3 breaks down the barriers between word processor, spreadsheet and database. You can include numerical tables in your letters and reports, add paragraphs to your spreadsheets, and perform calculations within your databases.

Based on PipeDream 2, the best-selling integrated package for the Archimedes, PipeDream 3 has been completely re-written to take full advantage of RISC OS - if you can use RISC OS, you can use PipeDream 3. It is fully multi-tasking and multi-windowing, so you can work on many documents at once and instantly move information between them. And since PipeDream 3 can automatically load and save most popular file formats, including VIEW and First Word Plus, switching to it from other programs has never been easier.

Power, flexibility, speed, ease of use. PipeDream 3. Breaking down the barriers.

For a free brochure, see your Archimedes dealer, or phone us on 0954 211472 or return the coupon.

PipeDream 3 is for all Archimedes computers with RISC OS and 1Mbyte of RAM.

PipeDream 3 costs £147.00 +VAT.

Major features include:

- many documents loaded at once
- intuitive RISC OS user interface
- displaying and printing of pictures within text
- built-in 93,003 word spelling checker
- file compatibility with PC & Z88 PipeDream and BBC View Professional
- background recalculation
- keystroke compatibility with Z88 & PC PipeDream
- Z88 filing system

- automatic loading of VIEW, ViewSheet, Lotus, First Word Plus, Tab and CSV files
- automatic saving of VIEW, Lotus, Acorn DTP format, Tab and CSV files
- · multi-field sorting
- use of all available fonts
- 62 spreadsheet functions
- external references for 3-D modelling
- macro file recorder
- slot protection

For a free brochure, complete and return this coupon
PipeDream 3 □ View Professional □
Name
Addense

Colton Software, Broadway House,149-151 St. Neots Road, Hardwick, Cambridge CB3 7QJ, England. Fax: 0954 211607 Tel: 0954 211472

Post code

AU/7/90

All trademarks acknowledged. The chart in the screen shown above was produced by sending numbers from PipeDream 3 to Lingenuity's Presenter 2 and then loading the resulting graph back into PipeDream 3.

Colton Software, Broadway House, 149-151 St. Neots Road, Hardwick, Cambridge, CB3 7QJ, England.

Fax. 0954 211607 Tel. 0954 211472

BBCACORN

JULY 1990 ISSUE No 96



OBJECTIVES



NEWS	
MUSIC	15
COMMS	17
EDUCATION	19
NEXT MONTH IN BAU	21
LETTERS	23
QUESTIONS AND ANSWERS	26
ACORN CUSTOMER HOTLINE	27
RISC REVUE	30
EIGHT BITS	57
COVER FEATURE	
WINDOW SHOPPING	64
Now's the time to stop being jealous of all you friends. This windowing environment for the BI	r Arc-owning BC micro and

Master evens out the odds a little. Just point and press!

PICTURE POWER Part three of image processing deals with blob analysis	6
SEX AND THE SINGLE MICRO Evolving genetic algorithms on the Beeb	7
GOING CRAZY You can meet all sorts of outrageous characters on the Beeb	7

PRIMARY OBJECTIVES 78 Coming to terms with the technology National Curriculum

HINTS AND TIPS SPECIAL 81 Five pages packed with classic gems from the past

YELLOW PAGES	8
SPECIAL OFFERS	105-11
OPEN PLAN	110
Make what you like of Premier from Circle Software	

Instigator, the Arc system	manager from Dabs, gets the once over
BIRDSEYE VIEW	120

BIKDSEAE AIEM The Hawk V9 - a colour video digitiser to watch out for

WELL WORDED 122 The power user's approach to DTP, typified by ArchiTeX

ALL IN ORDER 126 Making sense out of the world of Chaos

GAME SHOW 128 Battle Tank, Bug Hunter and Maddingly Hall come under scrutiny

FREE AND EASY Another look at software that won't hurt your wallet

SOFTWARE SHOWCASE 134 **ADVERTISERS INDEX** 135

END USER The Arc makes these students jump in the gym



126 ALL IN ORDER



131

136



IN THE FOREFRONT OF A3000 UPGRADES



"PRES's range of add-ons offers tremendous advantages. The system can grow with your pocket, it offers security and strength but most importantly it offers choice." (AU Feb.90)

The starting point is the monitor plinth, probably (we feel definitely) the best on the market @ only £24.95 (plus VAT), from there ... System Housing, Hard Disc Upgrade, Additional $3\frac{1}{2}$ " Disc Drive, Additional $5\frac{1}{4}$ " Disc Drive, Podule Case, Dedicated A3000 Disc Buffer, 1770 DFS for BBC Emulator & DFS Filer for Desktop, plus more to come! (the last three products can be added independently of the other items)

Contact your local dealer or call PRES direct on 0276 72046 for advice on upgrading your A3000. We have built our reputation on honest dealing on quality products with thousands of satisfied customers.



PRES POLICY

To provide the best possible service & assistance to users

Supply Acom based or Acom compatible products & to enable upward compati-

bility wherever possible.

3. Provide tested products with special attention to quality of design, components

& production.

**Only to cash cheques & credit card receipts when we know we can supply the

THE ADVANCED PLUS 3 MKII

The only fully compatible disc upgrade running Acorn's own filing system

COMPLETE PACKAGE ONLY £129 excl VAT; £148.35 Inc VAT (E+1)

ADVANCED PLUS 5

A unique interface for those wanting the maximum expansion from just one slot in the PLUS 1. £58.00 Ex VAT; £68.24 Inc VAT (E+1)

The plus 1 is the main expansion for the Electron as designed and originally produced by Acorn. The only currently advertised addition to the Electron that is a fully compatible, cased unit, that we can recommend for future upgrades, i.e. disc upgrades such as AP3.

£50.00 Ex VAT; £57.50 inc VAT

ADVANCED PLUS 6 . . . a fully buffered 6 ROM expansion module for the Electron user.

£33.00 excl VAT; £37.95 Inc VAT UPGRADE SERVICE for the original Acorn Plus 1 to Advance Plus 1 and AP6.

£40.00 excl VAT; £46.00 inc VAT

ADVANCED ROM ADAPTER 2

An Acorn approved cartridge containing a card with special 'zero' profile sockets.

£13.00 excl VAT; £14.95 Inc VAT(M,W,+1)

ADVANCED BATTERY-BACKED RAM

A standard Acorn approved cartridge but 32K (2×16K) of sideways RAM, inc. Software Protect Facility.

£39.00 excl VAT; £44.85 Incl VAT (M, E+1)

DISC INTERFACES

(Plus One required)

AP3 INTERFACE: As supplied with AP3 package. Price £52.00 ex VAT £59.80 Inc VAT

AP4 INTERFACE: A fully Acorn compatible disc interface

Price £60.83 ex VAT £69.95 Inc VAT AP34 INTERFACE: Get the best of both

filing systems

Price £69.55 ex VAT £79.98 Inc VAT

ADVANCED PLUS 2 ROM

We feel this is one of the best, low cost, additions we have produced for the Electron & +1 user, especially for Plus 3, AP3 & ABR users.

£11.00 ex VAT; £12.65 Inc VAT

ADVANCED PLUS 7

An internal battery-backed RAM upgrade for the Advanced Plus 6.

£39.50 ex VAT; £45.42 Inc VAT (M, B, E+1)

USER PORT

A low cost unit for those who just require a user port interface.

£19.99 ex VAT; £22.95 Inc VAT

ADFS VERSION 1.1

Suitable for existing Plus 3 or A.P.4 users. £14.95 ex VAT; £17.19 Inc VAT

ADFS EØØ

For Electron users with either Plus 3 or A.P.4 and 32K of S/W RA, i.e. ABR £14.95 ex VAT; £17.19 Inc VAT;

5.25" ADFS (manual avail. sep.) £14.00 ex VAT £16.10 inc VAT

5.25" DFS (2 discs+ ADFS manual) £19.00 ex VAT; £21.85 inc VAT

AP4 MOD

The Mine

This converts an AP3 to an AP34 (ie DFSE00) supplied as a two chip set, full documentation and fitting instructions.

£21.74 ex VAT. £25.00 Inc. VAT (E1)

ADVANCED COMPENDIUMS - ON DISC

Vol. 1 Croaker Invaders Jet Power Jack Felix in the Factory Bandits@3 Killer Gorilla **Bumble Bee** Stock Car

Vol. II Rubble Trouble Felix and the Fruit Moonraider Monsters Swan Frenzy

Cyberton Mission Escape Moonbase Alpha

Vol. III Adventure Danger UXB Chess Positron Galactic Felix and the Evil Weevils Swoop Command





Vol IV

	Vol V	
Snooker	Qwak	Revenge
Meteros	Monsters	Video
Arcadians	Magic Mushrooms	Bug Blaster

Cosmic Camouflage Starship Command Guardian Maze Killer Gorilla 2 Stranded Constellation Frak

Vol. VI **Planetoid** World Geography Zalaga Fruit Machine Alien Dropout Centibua Invaders Percy Penguin

> 3.5" £9.99 ex VAT each volume; £11.49 Inc VAT 5.25" £8.99 ex VAT each volume: £10.34 inc VAT

DISC DRIVES

+VAT Ex VAT Cumana 5.25" dbl/sided 40/80 track, switchable, inc. psu £113.00 £129.95 Cumana 5.25" single/sided 40 track, inc psu. £112.17 £129.00 PRES Special 3.5" double £78.00 £89.70 ided 80 track, Inc. psu.

VIEW CARTRIDGE

The Acornsoft word processor for the Electron and Plus 1. Inc full documentation£14.95

VIEWSHEET CARTRIDGE

the Acornsoft spreadsheet for the Electron and Plus 1, Inc full documentation£14.95

VIEW & VIEWSHEET

Both products as above 'special price' £19.95

SPECIAL PACKAGE PRICES

OI LUIAL I AUIN	TUL I II	IULU
	Ex VAT	Inc VAT
AP1+AP3	£165.00	£189.75
AP1 + AP6	£77.00	£88.55
ABR+3.5" ADFS EØØ	£48.65	£55.95
ABR+5.25" ADFS EØØ	£46.95	£53.99
ABR+5.25"		
DFS (ADFS EØØ)	£51.00	£58.65
AP5+ Music 5000	£152.17	£175.00
AP7 + 3.5" ADFS EØØ	£49.52	£56.95
AP7+5.25" ADFS EØØ	£48.65	£55.95
AP7+5.25" DFS		
(ADFS EØØ)	£52.13	£59.95
AP4+CS400	£147.78	£169.95
AP1+AP4+CS400	£189.00	£217.35

ACCESSORIES

ELECTRON POWER SWITCH £3.96 ex VAT; £4.55 Inc VAT

(E) **AP3 2nd DRIVE LEAD** £5.96 ex VAT; £6.85 Inc VAT (E) PLUS 3 2nd DRIVE ADAPTOR

£6.91 ex VAT; £7.95 Inc VAT (E) Panasonic KX-P1081 Printer Ribbon

£5.50 ex VAT; £6.32 Inc VAT

ELECTRON ADVANCED USER GUIDE Further reading and information for the

Electron User £5.00 ADFS Guide Manual (E)

ADVENTURE GAMES ON DISC 3.25" ADFS £6.95 ex VAT per Disc; 7.99 Inc VAT Per Disc (E)

PRINTER

Panasonic Matrix with NLQ

Including Ribbon Cable and Courier delivery £146.96 ex VAT; £169.00 Inc VAT (M,B,E+ 1)

NEW PRODUCT

ADVANCED BASIC EDITOR Available Cartridge £32.00 ex VAT £36.80 inc VAT Rom Module £24,95 ex VAT £28.69 inc VAT (M,B,E+1)

'It is probably the most powerful software to be released for the Electron for a long time. I can fully recommend this most useful package FU/SFPT/89

MUSIC 5000 £99.00 ex VAT; £113.85 inc VAT

(E+1)

NEW PRODUCT

A new 1Mhz Bus low cost cartridge - £19.99 ex VAT; £22.99 + VAT (E+1)

DISCS

(E)

3.5" in plastic library box - ideal for	or
Plus 3 users	£19.95
5.25" 10 dble/sided dble/dens	£12.99
5.25" sing/sided sing/dens	£8.99
5.25" Twin Gift Pack	

All items on this page are available mail order only. Prices include UK delivery & VAT (subject to availability). Please send or phone your order to





(in event of any query please include your tel. no. P.R.E.S. LTD., PO. Box 319, LightWater, Surrey, GU18 5PW. Tel: 0276 72046 (24 hr). Fax: 0276 51427 Product Oty

• • • • • • • • • • • • • • • • • • • •
(Ref A7

OUATION Professional Desktop Publisher

The Best Solution

Ovation provides a single solution to all of your desktop publishing and word processing needs. Combining the most useful and powerful features from DTP systems costing much more, you will find Ovation has just about everything you could want. Ask your dealer for a demonstration – you won't be disappointed.

Text Editing

Text may be typed in straight away just like a word processor, without the need for any complicated frames or styles. When a page is full, text will simply flow onto the next page. In addition you may add any number of frames to the page, each with its own 'story'. Frames may be linked together causing the 'story' to flow from frame to frame.

Adding Style

A 'style' is the font, size, justification, leading, indent etc. of a piece of text. Ovation allows any number of styles to be

defined, named and then applied to paragraphs at the press of a key. Styles may be re-defined at any time, and the changes will automatically flow through the entire document. In addition, local styles may be applied to any



highlighted block by simply selecting the font, size, style and format from the menus.

Frame Handling

Ovation has many advanced frame features, such as linked text frames with auto-flow, repel text, definable frame borders and a step-and-repeat facility. Unique on the Archimedes, is our parent/child system for frames and lines. This system allows you to copy and paste frames with embedded child frames and lines, as single items. This allows diagrams, forms, tables etc. to be copied or moved with ease.

The Instinctive DTP

Ovation is supplied with a tutorial and complete user guide, although you probably won't need to refer to it very often. Ovation makes full use of the RISC OS multi-tasking environment to provide a formidable array of features that are easy to learn and instinctive to use. A quick reference card is also included, which lists all the keyboard and mouse short cuts.

Other Features

Multi-tasking/multi-documents
 No hardware protection

Ovation: Introduction

- Full WYSIWYG display with variable view
- Fast built-in spelling checker (requires 2Mb)
- Printer drivers for Epson, PostScript, LaserJet, and Integrex printers
- Import Draw and Sprite files. Features include: scale, crop, fit-to-frame
- Master pages for each chapter
- Cut/copy/paste using clipboard
- Multiple columns
 Find and replace
- Automatic headers and footers
- Supplied with 4 outline fonts (13 faces)
- Variable (& fractional) font sizes 1pt to 500pt
- Supports coloured text, frames and borders
- Stylesheets and customised start-up
- Definable frame borders
- Linkable text frames
- Supplied with full range of clipart
- Variable size, style and colour lines
- Manual and auto hyphenation (requires 2Mb)
 And much, much more.....

Excellent Value

At only £99 plus VAT Ovation represents better value for money than any other DTP on the Archimedes/A3000. But don't be mislead by price. We are confident you will be impressed, and offer a full refund if not completely satisfied. Educational discounts and site licences are available.

Only £99.00

(+£3 carriage) plus VAT

Available directly from Beebug or from your local dealer. Please phone for a full specification.

Beebug Ltd.,

117 Hatfield Rd, St. Albans, Herts, AL1 4JS BEEBUG

Tel: (0727) 40303 Fax: (0727) 60263

If you wish to order directly, cheques, credit cards and official orders are all welcome.

DELPHI LISP ON SHOW

Acorn R140 Unix workstations recently featured at Europal, the first European Conference on applications of Lisp. The workstations were used in workshop sessions running Delphi Common Lisp, and as one of the event sponsors, Acorn provided workstations for tutorial and advanced workshop sessions.

ACORN ENTERS THE LAND OF OZ

Acorn has announced that it is to set up a sales and marketing operation in Australasia.

Following a fact-finding mission by Acorn's MD Sam Wauchope in February, Acorn is seeking the acquisition of Acorn's existing distributor, Barson Computers Australasia, and its New Zealand subsidiary.



Commenting on the move, which has been planned for the past two years, Wauchope said; 'Australasia has always been important to us, and we are underlining our commitment to our existing customers as well as opening up new business possibilities. We are also keen to market the expertise of the many independent software and peripheral developers.'

Acorn has had a presence in Australasia since 1983, and is the only computer manufacturer whose products are recommended by all Australian state education authorities.

Acorn is on (0223) 245200.

NEW RISC OS IN '90

Acorn is developing a substantially enhanced version of the Risc OS operating system used on the Archimedes range and the A3000.

BBC Acorn User understands that the new version will be launched next year.

The new 2Mb Risc OS will be supplied on four 4Mbit Rom chips and will include enhanced versions of !Draw, !Edit and !Paint in the Rom.

Other 'additions include multi-tasking versions of ADFS, RamFS and SCSI filing systems which allow copying and backup as a 'background' task while other programs are used.

The desktop has been enhanced in several ways, including new menu options, greater help facilities and the ability to define which program is run when the machine is turned on.

A complementary option allows the user to save the status of an application and desktop settings when the machine is turned off.

Also included is a new applications directory icon which will allow the user to run applications which are held in the firmware.

As well as the three major applications, an improved version of Basic which supports higher precision maths and co-processor support, a number of fonts and a dot-matrix printer driver will also be included on the Rom.

All three standard applications have been improved. !Edit incorporates auto-reformatting of columns, !Draw now features interpolation and has numerous keyboard short-cuts as well as the ability to auto-scroll a window when dragging the mouse – like Impression.

!Paint now features the ability to shear a sprite and all three applications will now use extra sprite routines such as scaling, mode translation, and dithering when changing down to a lower screen mode.

The version of Risc OS will be supplied as standard with the new machines that Acorn plans to launch next year.

An upgrade option priced between £80-£110 will be available for all Archimedes machines, including the A3000 and 300 series.

The latter will need to be modified slightly in order to take the larger Rom chips but some peripheral manufacturers have already been briefed about this.

Acorn is keeping exceptionally quiet about the whole matter and BAU understands this is at least partly because the list of modules to be included in the new Risc OS has not been finalised.

David Janda


TAB YOUR DESIGNS

Devon-based Tap Consortium has released *Tabs*, a 3D modelling software package on the Arc.

Tabs allows outlines of 3D objects to be designed onscreen, and then printed in a form that allows the paper to be folded into the desired object.

The model is printed together with folding tabs, on any printer supported by the Risc OS printer drivers. The files produced by *Tabs* are !*Draw* compatible, and can be loaded into packages such as Arcol for detailed design work and colouring.

Tabs costs £57.50 for a single machine version, or £280 for a site licence. Tap Consortium is on (0822) 613868.





Editor Geoff Bains. Production Editor Pauline McLernon. Technical Assistant Paul James. Education Editor Lisa Hughes. Editorial Assistant Christina Neal. News David Janda. Ad Manager Roger Mullins. Deputy Ad Manager Duncan Pringle. Sales Executives Richard Power, Matthew Thistle. Ad Production Liz Walsh, Production Manager Jennifer Jeffrey. Managing Editor Ellen Brush. Publisher Seamus Geoghegan. Publishing Director Michael Potter. Editorial Director Christopher Ward.

Manager Jennifer Jeffrey. Managing Editor Ellen Brush. Publisher Seamus Geoghegan. Publishing Director Michael Potter. Editorial Director Christopher Ward.

Manager Jennifer Jeffrey. Managing Editor Ellen Brush. Publisher Seamus Geoghegan. Publishing Director Michael Potter. Editorial Director Christopher Ward.

Manager Jennifer Jeffrey. Managing Editor Ellen Brush. Publisher Seamus Geoghegan. Publishing Director Michael Potter. Editorial Director Christopher Ward.

Manager Jennifer Jeffrey. Managing Editor Ellen Brush. Publisher Seamus Geoghegan. Publishing Director Michael Potter. Editorial Director Christopher Ward.

Manager Jennifer Jeffrey. Managing Editor Ellen Brush. Publisher Seamus Geoghegan. Publishing Director Michael Potter. Editorial Director Christopher Ward.

Manager Jennifer Jeffrey. Managing Editor Ellen Brush. Production Liz Walsh. Produc



Tel: (0772) 421984 Fax: (0772) 622917

See us on Stand 90 at the: BBC ACORN

7th - 9th September 1990 BBC ACORN
USER
SHOW
'90







9am - 5.30pm. Mon-Sat

Acorn Computers

NEW PRODUCT!	
A3000 Learning Curve Pack	£639.00
Includes: Standard Applications Disks	SPERING CORVE
Manuals, Introductory Video, PC	Brite
Emulator, First Word Plus & Genesis.	五
BBC Master 128K	£359.00
A3000 (1Mb)	£540 00

BBC Master 128K	£359.00
A3000 (1Mb)	£549.00
A3000 with 2Mb	£619.00
A3000 Learning Curve Pack	£639.00
A3000 Learning Curve with 2Mb	£719.00
A410/1 (1Mb Ram)	£999.00
A410/1 with 4Mb	£1149.00
A420/1 (2Mb Ram, 20Mb HD)	£1349.00
A440/1 (4Mb Ram, 50Mb HD)	£1899.00
Monitors	

14101111010	
Acom Colour Monitor	£200.00
(If bought with Acorn Computer)	£191.00
Philips Colour Monitor	£215.00
Taxan MultiVison 775 (0.28 d.p.)	£429.00
Taxan Viking II (19" Mono, MS)	£749.00
Oak 20" Col. Multi-Sync (0.31d.p.)	£1299.00
12" Hi-Res. Green Screen	£85.00

A300 Accessories

Acom 20Mb Hard Disk & Controller	£369.00
ComputerWare ST506	
20Mb Hard Disk & Controller	£369.00
40Mb Hard Disk & Controller	£509.00
50Mb Hard Disk & Controller	£639.00
3½" 2nd Floppy Drive	£105.00

A400/1 Accessories

Items marked with an * can also be used or	n A300 Model
1Mb Ram Upgrade	£69.00
Arm 3 Upgrade (30 MHz)	£585.00
C/Ware 20Mb Hard Drive (ST506)	£189.00
HCCS 40Mb Hard Drive (ST506)	£289.00
HCCS 50Mb Hard Drive (ST506)	£489.00
C/Ware 45Mb Hard Drive (SCSI)	£479.00
C/Ware 75Mb Hard Drive (SCSI)	£599.00
Larger Capacity Drives are available of	on request
SCSI Controller	£189.00
Com. Con. Scan-Light Mk II A4	£399.00*
Com. Con. Sheet Feeder for above	£100.00*
Com. Con. Scan-Light Junior	£185.00*
Acom Midi Expansion card	£65.00*
3½" 2nd Floppy Drive	£120.00

BBC A3000 Accessories

Morley 1Mb Ram Upgrade	£129.00	
Morley 3Mb Ram Upgrade	£349.00	
HCCS 1Mb Ram Upgrade	£85.00	
Serial Upgrade	£18.00	
Acorn Monitor Stand	£27.00	
PRES Monitor Stand	£24.95	
PRES System Housing	£64.95	
PRES Podule Case	£14.95	
PRES Disk Buffer Board	£48.95	
PRES DFS Filer	£19.95	
PRES 3½" Drive	£75.00	
PRES 51/4" Drive	£95.95	
PRES 20Mb Hard Drive	£429.50	
Oak 45Mb Hard Drive (SCSI)	£655.00	
Oak 70Mb Hard Drive (SCSI)	£1055.00	
Computerware 20Mb Hard Drive	£429.00	
PRES Prices include assembly of System Housing components where applicable		

No Carriage Charges

Printers

1 11111010	
Star LC10	£134.00
Star LC10 Colour	£172.00
Star LC24-10	£199.00
Star LC24-15	£339.00
Citizen 120D+ (Parallel)	£115.00
Citizen 120D+ (Serial)	£126.00
Citizen Swift 24	£279.00
Panasonic KX-P1124	£229.00
Epson GQ5000 Laser (6ppm)	£899.00
512k Memory Module for GQ	£89.00

3½" 880K disks starting from only 39p

Bulk Diskettes

All our Disks come complete with labels etc. and are 100% certified error free. In the rare event that a disk fails it will be replaced immediately.

1	2000	-		4
O	13	n	п	г

250

500 1000

100



51/4	DS/DD 96tpi	£6.75	£13.00	£24.00	£55.00	£105.00	£200.00	

50



214	DS/DD 880K	£9.75	£19.50	£39.00	£87.50	£160.00	£310.00
3 1/2	DS/DD 880K Sony Bulk	£17.50	£32.50	£62.00	£142.50	£275.00	£500.00

Discounts available for trade orders - Phone for prices

Software (Archimedes)

C.C. Impression D.T.P.	£119.00			
Tempest D.T.P.	£104.00			
PC-Emulator	£94.00			
(If Bought with Computer)	£60.00			
Interdictor (Combat Flight Simulator)	£26.00			
Fun School 2 (All ages)	£14.75			
C.I.S. Hyperpack	£74.95			
C.I.S. Mini Packs (1 - 4)	£21.95			
4th Dimension Games:				
E-Type	£14.75			
E-Type Extra 100 Miles	£13.00			
Arcade Soccer	£14.75			
The Olympics	£14.75			
U.I.M.	£21.95			
Apocalypse	£21.95			
Man-At-Arms	£14.75			
Nevryon NEW	£14.75			
Inertia NEW	£14.75			
Freedom Fighter Out Soon	£18.45			
Large Selection of Software available				

Printer Ribbons

i illitor i tibbolio	
(Ribbons supplied are compatible unless	otherwise stated)
Amstrad DMP2000/3160	£2.15
Amstrad PCW8256	£3.20
Epson LX80	£1.80
Epson FX80	£2.70
Canon PW1080A	£3.40
Citizen 120D	£2.95
Panasonic KXP1080,1124	£3.45
Star LC10	£2.25
Star LC10 4 Colour Branded	£5.75
Star LC24/10 or 15	£3.50

Cables (Archimedes)

Acom & Philips Monitor + Audio 2m	£8.65
Printer Cable 2m	£5.25
Arc to BBC Serial 2m	£6.95
Arc Keyboard Extension Cable 2m	£7.75

Books (No VAT)

Programmers Reference Manuals	£75.00
BASIC V Guide	£18.95
A3000 Technical Guide	£28.95
Basic V: A Dabhand Guide	£9.95
Archimedes First Steps	£9.95

Please make all cheques payable to:

Orion Computers Limited

Department EC6, 17 Carlton Road, Leyland,
Preston, PR5 1LP.

As from 6th August 1990 our new address will be

Units 18e & 18f, Boxer Place
Moss Side Employment Centre,
Leyland, Preston, PR5 3QL.
All offers subject to availability.
Educational Purchase Orders Welcome.

Carriage on Export Orders charged at cost.

All Prices Exclude VAT.
Please add VAT @ 15% to all prices

Minimum Order Value £10.00 Minimum Credit,Order Value £15.00

All Prices Include Carriage

Computers 2-3 Days
Add £5.50 for next day delivery
Other Items upto 7 days

Please Note This is only a small selection of our

products.

PANASONIC PRINT WIDE

Panasonic Business Systems has updated its range of dot-matrix printers with the introduction of a 24-pin, wide column model costing £525.

The KX-P1624 comes with five resident fonts in a variety of print sizes.

Panasonic claims the unit has a draft printing speed of 192cps, and letter quality printing at 63cps.



The unit can accept stationery from the rear, front or bottom with push and pull tractors, and incorporates single sheet feeding, paper parking and zero tearoff facilities.

Other features include IBM and Epson emulations and a 12K text buffer.

Panasonic is on (0344) 853550/1/2.

BEEB CONTROL ON AN ARC

Aberdeen-based Science Frontiers has launched a dual port expansion card for the Archimedes 300 and 400 series.

At £97.69 the podule has two eight-bit bi-directional input/ output ports and two hardware timers using the 65C22 VIA.

The podule provides two BBC micro compatible user ports, and can be used to control a variety of existing external devices or user-constructed ones in the same way as the BBC micro.

The dual-port podule can be used from Basic, C, Arm using SWI calls or Sheila OSBytes *FX 150/151. Routines to control the device are supplied on Rom.

Science Frontiers is on (0224) 642765.

R140 APPLICATIONS SHOPPER **MADE EASY**



A portable application development tool which runs under a variety of operating systems has been ported to the Archimedes.

Dataflex, from the company of the same name, combines a database with the speed and flexibility of a fourth-generation language. It was demonstrated at the Which? Computer Show in April, and will run on an Acorn R140 Unix workstation.

The package can be used to create a flat file database or customise applications using relational database techniques.

Because the package was written with a 4GL, it can be used by inexperienced users without any training.

According to the authors, Dataflex has been used to create hundreds of applications, many of which have been sold in their own right. (Dataflex Ltd produces a catalogue listing these applications.)

Dataflex is on 071-729 4460.

The Computer Shopper Show, which is to be held from December 6-9, has moved to a new location.

SHOW MOVE

This year the show will be held in the Wembley Conference Centre where the organisers Blenheim Database Exhibitions, expects 50,000 people to attend.



Last year 3,000 visitors had to be turned away from the show at Alexandra Palace, and appeals were made on local radio for people not to turn up due to overcrowding.

RISC OS ECONET TELETEXT SERVER

Econet specialist XOB has released a Risc OS teletext server for the Archimedes range for £235.75.

TSERV-RISC runs as a multitasking application within the desktop environment of an Archimedes or A3000.

The software is capable of sending teletext pages to BBC model B, Master or Archimedes micros stationed on the network.

The server can accept requests from any terminal software running on any Econet station.

Pages are downloaded from a Morley teletext adaptor connected to a host computer, and requests from many stations can be accepted simultaneously as a queuing system is used.

The server is a full Risc-ware application and so the computer running it may also be used for other applications at the same time. XOB is also selling the package without the adaptor for £100.

XOB is on 032-784 364.

Education specialists 4Mation is currently putting the finishing touches to what it claims will be the third stage in electronic publishing.

The first stage was the wordprocessor. The second was DTP, and the third is Poster.

Poster features the ability to treat a piece of text as a putty-



like object which can be squeezed, stretched and distorted. Text, or any type of Draw file can be placed into what could be called a 'mould'

The border facility allows borders to surround any object, or group of objects, and a number of decorative borders are supplied as standard.

Documents can vary in shape, and if they are larger than the printer can handle the document is printed with thin marks showing where to cut.

Poster costs £102.35 with 20 outline fonts, or £73.60 without.

Poster will work with any printer if a Risc OS driver is available and any package which reads Draw files will import Poster documents.

4Mation can be contacted (0271) 45566.

NEWS IN BRIEF

Two new graphic packages are available for the Archimedes range for users in higher education, engineering and research.

FAM from FEGS in Cambridge provides finite element modelling pre- and post-processing.

Two FAM packages are currently available; FAMbuild for modelling and analysis, and FAMresult for display and graphical presentation of results.

GINO from Intelligent Interfaces has been implemented to run under Risc OS, using high-resolution colour modes. It comes as three modules. Details from Acorn on (0223) 245200.

• Panasonic has released the KX-P4420 laser printer at £1604.25.

The unit has a print speed of eight pages per minute, and is compatible with HP Laserjet Series II software.

Two font card slots allow the use of a selection of optional fonts. Panasonic is on (0344) 853552.

 Apologies to Morley Electronics for reporting in the June issue that the company's User Port podule costs £9. In fact it costs £48.

DIARY DATES

9-11 July. Acorn Networks '90 - fifth computer networking conference, Keele University, Staffordshire. Contact: Sarah Scott on (0223) 245200.

20-22 July. British Music Fair, Olympia, London, Contact: Westland Associates on 071-730 7852. Will display music software.

7-9 September, BBC Acorn User Show, Westminster Exhibition Centre, London. Contact: Safesell on (0737) 814084.

25-28 September. Business Computing '90, Earls Court, London. Business and trade exhibition only. Contact: Montbuild on 071-486 1951.

UNIX GOES FREELY O STAFFS POLY

Acorn Computers and Crewe based Acorn dealer 3SL have donated 10 R140 Unix workstations to a new laboratory in the computing department of Staffordshire Polytechnic.

The poly has one of the largest computer science departments in the UK with 80 staff and 1000 students.

The department is the largest in the polytechnic and provides courses for a wide range of computer science and business management studies.

The new R140 workstations are the first Risc-based machines at the polytechnic which run the Unix operating system.

The machines will be used for many applications, one of which will be to teach students about high-speed Risc comput-



ing architecture, now adopted by most major manufacturers.

The 10 R140 workstations are networked together using standard Ethernet communications and provide access to the department's mainframe computer. This allows students to work individually while also gaining experience of programming and operating networked systems.

It's with a great deal of sadness that the staff of BBC Acorn User bid farewell to the editor, Geoff Bains and to the technical editor, Rob Miller.

Geoff joined BAU in early 1989 from editing Electronics Today International.

A keen Beeb enthusiast for many a year, Geoff put his unique touch of individualism to the mighty tome you hold before you now.

Ever since he liberated a spare dish from Jodrell Bank, Geoff has set his sights on higher things, and so leaves us to become editor of What Satellite - a wire-head's alternative to The Sky at Night.

When asked why he was leaving Bains said; 'I need a break from computing.' This we know to be a pack of lies, as he's marked himself down for a load of reviews.

All that is known about Rob

Miller's past is that he was a good deal tidier when he joined than when he left three years later. Rob escalated to the dizzy height of technical editor (and other transcendental planes) through hard work (see photo), good humour, CDs, comics and other nefarious methods which we are not allowed to describe. Rob leaves to become a fulltime Kent-based country mouse, and intends to earn the occasional crust by freelance writing and computer programming.

Replacing Rob is Paul James who joins the team as technical assistant. Paul comes from the Isle of Wight and he's a wirehead of the first magnitude, and is just as tidy as Rob was three years ago - welcome aboard!



The Latest 2 Magazines

RISC User

The most popular magazine devoted solely to the Archimedes range of computers and the new



BEEBUG Magazine

The largest magazine dedicated entirely to the BBC Model B and Master series.



Risc User offers 10 magazines a year, which typically contain:

News on the world of Archimedes Reviews of the latest products Tutorial series for beginners Utilities, routines and advanced programming techniques Ready to run applications Hardware articles Programs and articles on sound and graphics

Postbag for your letters and answers to your questions Hints and tips on programming Technical queries and expert answers

The programs published in each magazine, plus additional bonus items are also available on disc.

And here are some of the articles and series you missed in the last few months:

Mastering the Wimp – series on Wimp programming Beginning 'C' – series on the C language

Assembler Workshop – all about
ARM Assembler
Under the Lid – hardware series
CD ROM for the Archimedes
Watchdog Anti-virus
Using Draw Files in Basic
Desktop File Loader
Review of Multi-sync Monitors
Scanners for the Arc
PSION and Z88 to Arc
Into the Arc – series for beginners
Arcade – latest games for the Arc

With your subscription you will receive not only 10 magazines a year, but you will benefit from a professional organisation with 9 years of experience in software, hardware, computing publications and support.

- Showroom with friendly professional staff, where you can try out the latest software and hardware.
- BEEBUG's own quality software and hardware, with special discounts for magazine subscribers.
- Alarge range of other products, and a Retail catalogue mailed free to magazine subscribers.
- Speedy mail-order service.
- Trade-in service should you wish to upgrade your equipment.
- Workshop repairs by qualified staff.

BEEBUG FOR THE BEC MICRO & MASTER SERIES

BEEBUG FOR THE BEC MICRO & MASTER SERIES

BEEBUG FOR THE BEC MICRO & MASTER SERIES

DEPARTMENT OF THE BEC MICRO & MASTER SERIES

SO THE BEC MICRO & MASTER SERIES

WILLIAM FOR THE BEC MICRO & MASTER

BEEBUG offers 10 magazines a year packed with:

News from the BBC world Reviews and product surveys Ready to run applications Utilities and handy routines Tutorial articles and beginner's

Workshop for the more advanced programmer

Games and games reviews
Postbag with answers to your
questions

Hints and tips on programming

I would like to subscribe to RIS latest 2 issues Free	C User Magazine, and receive in addition the
I would like to subscribe to BE latest 2 issues Free [EBUG Magazine, and receive in addition the
I would like a joint BEEBUG latest 2 issues of each Free	and RISC User subscription, and receive the
	otion rates (1 year): £16.90 UK, BFPO, Ch.I, £31 America + Africa, £34 Elsewhere
	and BEEBUG (1 year): £25 UK, BFPO, Ch.I, £46 America + Africa, £51 Elsewhere
I enclose a cheque for £pounds sterling, drawn on a U	(all cheques must be in K Bank) or,
Please debit my Access/Visa a	ccount No.
Card Expiry Date	Signature
Name	
Address	The second secon

The magazine programs, plus some bonus items are also available on disc.

These are some of the items published in the last few issues:

First Course – beginners series of articles

Practical Assembler – series for Assembly language

programmers
512 Forum – a series for users of the
PC emulator

PC emulator Edikit – a library of useful routines for Basic programmers

BEEBUG Education Upgrading to an Archimedes ADFS Desktop

Music Programming in Ample
Writing a compiler
Using the ROM Filing System
Curve Fitting

Games Reviews

Post Code



PROFESSIONAL COVERS FOR THE BBC MICRO RANGE

o DUST o COVERS

DIRECT FROM THE LEADING MANUFACTURER

Tailored from the best quality ivory coloured nylon that has been coated with polyurethane to which an anti-static inhibitor has been added. These fabric covers are tastefully finished with brown piping. They are washable and can be ironed with a cool iron.

COVERS FOR THE FOLLOWING COMPUTERS

ARCHIMEDES	£10.50
ACORN A3000 (keyboard)	
with Monitor	£10.50
BBC COMPACT SET	£10.50
(Please state whether colour or monochrome	monitor.)
BBC MASTER	£5.00
BBC B/B+	£5.00

MATCHING COVERS FOR PRINTERS, MONITORS AND DISC DRIVERS
A large range of covers for printers, monitors and disc drives are

available to match the computer cove	rs.
PRINTERS COVERS FROM	£5.50
MONITOR COVERS FROM	£6.50
DISC DRIVE COVERS FROM	£3.50

If you have a specific requirement please do not hesitate to contact us as we will be delighted to help.

Prices include VAT and First Class Postage. All our covers are unconditionally guaranteed. Please make cheques out to:



BBD Computer Dust Covers Dept. 64 The Standish Centre **Cross Street** Standish, Wigan WN6 0HQ



Callers and Dealer inquiries welcome

TEL: 0257 425839 ext 64 FAX: 0257 423909

EXPANDING PROGRESSIVE COMPUTER COMPANY **URGENTLY REQUIRE:**

SERVICE ENGINEERS

To work at their Reading and Oxford premises.

Experience of repair to component level of Acorn and/or IBM PC compatibles required.

SALES EXECUTIVE

To be based at the Reading office. Previous experience of computer sales required. Knowledge of the education market an advantage.

PROGRAMMERS

Relational database programmers required. Experience of Omnis (Blyth Software) an advantage.



For further information write in the first instance to Sarah Fussell, M E Electronics, 4 Weighbridge Row, Cardiff Road, Reading, Berkshire, RG1 8LX.

AUCTION LIST OF STOCK TO BE SOLD BY END JUNE or as listed after.

Category	Title	Model	Format	RRP	Price	Offer	Description
Book	BBC Revealed		144 pp		2.00		Famous Jermy Rushton book or BBC.
3ook	Building blocks		140 pp		2.00		For games programmers.
Book	Discover M/code		155 pp	6.95	2.00		Learn machine code on the BB0
Book	Functional Forth		116 pp	5.05	2.50		Understanding your BBC via
3ook	S-Pascal		67 pp		2.00		Forth. Describes feature of Acornsoft Pascal
Business	Accounts Package B		Disc		25.00		Comprehensive pack with utilitie
Business	Beta-Account	B/Master	Disc 40T		5.00		Comprehensive pack that delike
Business	Easiledger	В	Cassette		5.00		
Business	Flying Start	Archimedes	Disc	84.96	30.00		
Business	Invstat Mailist	B	Cassette		5.00		Invoice and statements.
Business	Office Master	B/Master	Cassette Cassette		5.00 5.00		
Business	Sales/Purchase	B/Master	Disc 40T		20.00		Accounts paskage
Business	Ultracalc	B/Master	ROM		20.00		Accounts package. Spreadsheet.
COMMS	Prism Pack	B/Master	ROM		5.00		As supplied through Micronet.
COMMS	Termulator	B/Master	ROM	32.00	5.00		
COMMS	U-Connect	Archimedes	Disc 3.5*	52.13	25.00		
Database	AMX Database	B/Master	Disc		12.00		Use the Arc to speak to the worl
Database	Merlin	B/Master	Disc 5.25*	Sec. 10	10.00		
OTP OTP	AMX Pagemaker AMX Stop Press	Master B/Master	ROM	43.43	20.00		
OTP Utility	AMX Utility	B/Master B/Master	Disc 5.25* Disc 5.25*	36.80 13.00	10.00		
OTP Utility	AMX XAM	B/Master	Disc 5.25*	21.73	10.00		
Education	Factfile 500	B/Master	Disc 5.25	7.35	4.50		
Education	History Quz	B/Electron	Cassette	7.00	4.95		Chasial
Education	Reading Pack	Compact	Disc	17.95	8.50		Special
Game	Chess	B/Master	Cassette	9.95	5.00		
Game	Dart	В	Cassette		5.00		
Game	Doctor Who	B+/Master	Disc 5.25*		5.00		Offer of
3ame	Doctor Who	B/Master	ROM/Cassette		5.00		Olici ol
3ame	Doctor Who Elite	Compact	Disc	8.65	5.00		
Game Game	Elite	B/Master Compact	Cassette Disc 3.5*	12.95	5.00		Software
Game	Starship Command	B/Master	Cassette	19.95	7.50		Soliware
Same	Trivial Pursuit	B/Master	Disc 5.25*	29.99	8.50		
Graphics	AMX 3D Xicon	B/Master	Disc 5.25*	21.70	10.00		
Graphics	AMX Design	B+/Master	ROM + Disc	60.86	25.00		at just the
Graphics	AMX Paintpot	B/Master	Disc 5.25*	13.00	7.50		at just the
3raphics	AMX Superart	B/B	ROm & Disc	39.10	19.50		
3raphics	AMX Superart	Master	Disc 5.25*	39.10	19.50		price to
3raphics	Artroom	Master	Disc ADFS	Mary Mary	15.00		price to
3raphics tardware	GXR Acorn Cartridge System	B+ only	ROM	24.00	10.00		
fardware	Lighttpen	Master		13.87	5.00		
anguage	COMAL	B/Master	ROM	39.00	20.00		suit you.
anguage	FORTII	B/Master	ROM	32.00	10.00		Jan. 1 Jan.
anguage	ISO Pascal	B/Master	ROMs	69.00	30.00		
anguage	LISP	В	Cassette	10.00	10.00		
anguage	LISP	Master	Cartridge	18.40	10.00		
anguage	LOGO Acorn	B/Master	ROMS	69.00	20.00		
.anguage	Micro Prolog	B/Master	ROM	79.95	25.00		
ASCAL.	Pascal Generator	B/Master	Disc 5.25*	30.00	15.00		Produce machines code from
ASCAL. Music	Studio 8	Compact					
Personal	Know Your Own	B/Electron	Disc Cassette		10.00		
Itility	6502 Dev. Pack	6502 2nd P	Disc 5.25*		5.00		Get to know your own personality Machine Code aid.
Julity	Accelerator	B/Master	ROMS	59.00	25.00		Complie BASIC into machine code.
Jtility	BASIC Editor	В	ROM	24.00	10.00		Well known programmers aid.
Itility	BROM Plus	B/Master	Disc 5.25*	30.00	15.00		programmets and.
Jtility	Floppy-wise +	В	ROM		10.00		Utilities for disk users
Itility	Icon Master	B/Master	ROM	29.56	10.00		
Julity	Lightpen Utility	B/Master	Disc 5.25*		5.00		
Itility	RAMROD Clare	В	ROM		5.00		212
Itility Itility	Securi-Kit Welcome Pack	B	Disc/ROM	0.00	5.00		Protect your software.
		B/Master	Cassette Dics 5.25*	0.00	1.00 5.00		Original introduction pack.
Mordorne I Ha							
Nordproc Ute Nordproc Ute	Wordease Wordease	B/Master	ROM	24.00	5.00		

Please send your credit card number and bid against the items required to:

Micro-Ald. Kildonan Courtvard. Barrhill, GIRVAN. S. Avrshire, KA26 0PS. Tel 0465-82288



ARCHWAY 4GL lets YOU unleash the huge program power of RISC OS and the ARM easily and quickly. Build powerful multi-window applications with pop-up menus, icons, mouse control, etc. of a professional quality. Programs are fully RISC OS multi-tasking and appear on the icon bar. All using BBC

ARCHWAY 4GL provides a total environment for program creation including tools, shell program with run-time code, extensive examples and a library of functions and procedures.

An in-depth user guide takes you gently step-by-step through a progressive series of some 50 program building sessions from complete beginner to advanced level. All examples are on disc ready to run.

The complete system (V1.2) comes on 4'800k discs with a 500-page ring bound user guide. You need an Archimedes or A3000 with 1M or more of RAM and fitted with RISC OS. One disc drive is sufficient. There is no extra licence fee to distribute copies of the run-time in your programmes.

"You get an excellent piece of software which will make the mountain of programming needed to operate the WIMP environment into a molehill".

— Archive, July 1989 - Archive, July 1989

"Archway is one of the most impressive and best value-for-money products that I have yet seen for the Archimedes... anyone who wishes to write RISC applications in BASIC 5 would have to be quite insane NOT to enlist the aid of this remarkable package"

- A&B Computing, February 1990



4 CLARENCE DRIVE, EAST GRINSTEAD, WEST SUSSEX RH19 4RZ Telephone (0342) 328188



5

5

Cheques/POs/official orders or Access/Visa number and expiry date, 24-hour 'phone for Credit Card orders.



S

5

5

G

S

5

5

G S

G

G

999

G

S

S

99999999999999

OLOURJETT32

HIGH PERFORMANCE COLOUR INK JET PRINTER

(compatible with IBM pc, BBC micro, Nimbus etc.)

- PRINTS ALL 64 SCREEN COLOURS FROM CGA AND EGA USING **OPTIONAL INTEGREX SOFTWARE**
- EMULATES OTHER PRINTERS (IBM 3852, PJ1080A and QUADJET)
- **OVERHEAD TRANSPARENCY PRINTING** *
- 80 + 132 COLUMN OPERATION, A4 WIDTH
- **UP TO 1280 DOTS/LINE ADDRESSABLE**
- **FULL VIDEOTEX CAPABILITY**
- OPTIONAL BUFFERED RS232 (INTERNAL) *

HIGHLY VERSATILE

TEXTILE PRINTING INK CARTRIDGES

NOW AVAILABLE





EDUCATIONAL DISCOUNTS AVAILABLE

CHURCH GRESLEY, BURTON ON TRENT STAFFS DE11 9PT

Tel (0283) 551551 Fax (0283) 550325 Telex 341727 INTEGX


PUBLIC SECTOR CUSTOMERS: FOR SPECIAL PRICING CALL 0603 695051

LIGHT

SCAN-LIGHT 3000

can-Light 3000 is the only scanner designed specifically for the Archimedes A3000. The package consists of an internally fitting expansion board, power supply, software on board and a 400 dpi hand-held scanner.

Since the fully RISC OS compatible software is supplied in ROM on the expansion board, it can be started without the need to load anything from disc - it is always instantly available. The software is simple to use and has many advanced features; • Choice of monochrome or grey-scale scans · Scan resolutions of 100, 200, 300 or 400 dpi. • Unique grey-map control allowing total control over the brightness and contrast after the picture has been scanned (there is also a brightness control on the scanner). This even allows pictures to be inverted (you can scan photographic negatives) • Image manipulation facilities for picture smoothing and enhancement . Integration with other RISC OS applications allowing pictures to be transferred directly to other programs, such as Paint, Draw, Impression etc.



The Archimedes is a computer that can handle both graphics and text with equal ease, and Scan-Light is the best way to obtain pictures for the computer - ideal for capturing photographs, artwork or graphics of any sort.

£189.00 + VAT (£217.35 incl.)







Computer Concepts Ltd

Gaddesden Place, Hemel Hempstead, Herts. HP2 6EX. Tel (0442) 63933 Fax (0442) 231632





MORE MIDI MAYBE

In anticipation of the day when we are all using our computers to make MIDI music, it's worth remembering that MIDI was initially developed only to allow one keyboard to talk to another.

Musicians' demands, programming ingenuity and expectations of the system have far exceeded its original intentions.

However, the IMA (International MIDI Association) is considering further developments to the system and has polled its members to ask their opinions on 14 possible new enhancements.

As a taster, we've jotted down a number of the more interesting ideas:


- The ability to send standard MIDI files over MIDI.
- The ability to send Ascii over MIDI (for remote naming).
- The ability to request a System Exclusive dump from an unknown synthesiser.
- The ability to switch between cartridge, disc and internal memory.
- Agreement on generic registered parameters for things like velocity sensitivity.
- The ability to order a synth to save a voice into a specific memory location.
- The ability to remotely control every front panel function via MIDI.

The IMA also asked how important MIDI implementation was when purchasing new hardware and software.

This is a very good question indeed as I suspect most synths are bought purely for their sound with the assumption that they will 'work fine' via MIDI.

However, as the list indicates, users are becoming increasingly aware of MIDI's limitations. Manufacturers are beginning to implement functions in non-standard ways and if this practice continues it can only lead to confusion.

The problem is that if MIDI were to be designed now from scratch, it would be quite a dif-



My sincere apologies to both readers and to Pandora for any misleading information which has appeared in this column. In spite of many declarations, assertions, prognostications and promises, the !Inspiration software has not yet appeared. By the time you read this...

Rest assured, I will write not one more word of it until I have a copy in my sticky fingers.

Meanwhile perhaps you'd like to contact the real culprits: Pandora Technology can be found at 9 St Marks Place, London W11 1NS. Tel: 071-221 9653.

ferent system to the one that we know.

But as so much investment has already been put into the present system, no one can afford to dispense with it and, in the process, make millions of pounds worth of hardware and software obsolete.

So it looks as though the MIDI we know is here to stay and enhancements – may they soon appear – will have to fit into and around the present protocol.

AMPLE BBC REPEATS

Michael Harbour has written to remind us of a useful Ample technique to use when programming chord accompaniments. It's to use X to restrike a note or a chord. For example:

c(EG) x(XX) x(XX) will play:

C(EG) C(EG) C(EG)

If you define a strike word and an off word as follows:

"x" [x (xx)] "y" [^(^^)] then it enables you to write accompaniment patterns quite economically.

Last year Michael released an Ample album through Hybrid Technology called *Shivering Again*. He has followed this with a new album called *Ashes*, available for £4.95 from Hybrid Technology, 273 The Science Park, Cambridge CB4 4WE. Tel: (0223) 420360.

This month the yellow pages section contains a listing of a piece of music from *Ashes* (courtesy of Hybrid Technology) called 'Meanwhile Here Is Some Music' which uses this technique.

If you are experimenting with chord accompaniments don't forget the power of the strum or broken chords!

This can add extra life and depth to an accompaniment and is especially effective with piano and guitar sounds.

You can delay the onset of the notes in the brackets of a chord to produce a strum by adding a length setting just before them.

For example:

C(4, EGC)

In true Ample fashion you can also create a negative strum:

C (-4, EGC)

Don't forget, as each note plays on a different voice you can give each a different instrument, volume level and pan setting.

Ian Waugh

NEWS IN BRIEF

• Clares, of Armadeus fame, is developing a new music program for the Arc. Rhapsody will record music in real-time from a MIDI keyboard and convert it to standard music notation.

You can also use Rhapsody to play back the music via MIDI or through the Arc's own sound system. It should be available some time later this year.

• Amplinex member John Bartlett, famous for Jazz Discs, has a new album. Impressions has eight tracks in varying global styles, realised in Ample, in John's familiar style. It costs £3.50 from JS Software, 20 Crawley Avenue, Wellingborough, Northants NN8 3YH.

Armadillo's A-616 Sampler for the Arc is now available. Powerful editing features include reverse, fade in and looping. The 16-bit version is £1489.25 with an 8-bit version available at £189.75 or £195 with MIDI. Armadillo is on (0727) 5075.
 Greenweld, the electronic components company, has acquired three music programs for the BBC from AB Marketing. They are being sold at around a quarter of

The Mupados Recorder Tutor (£7.95) is well-known in education circles. Music Master (£14.95) is another recorder tutor with on-screen notation. The Micro Maestro pack (£4.95) has six backing tracks on a cassette with music displayed on screen to be played. Greenweld are at 443 Millbrook Road, Southampton SO1 0HX. Tel: (0703) 772501.

the original price.

If you have music news, tips or topics you'd like covered write to Ian Waugh at BBC Acorn User, 20-26 Brunswick Place, London N1 6DJ. I'd particularly like to hear of music projects using the Archimedes.

Computerware

Archimedes 410

Archimedes 410	
Archimedes 41 0/1	
1Mb RAM for 410	£69
3Mb RAM for 410	£199
20Mb hard drive (fast)	
40Mb hard drive (fast)	£349
50Mb hard drive (fast)	C470
COCL and (Asset)	14/9
SCSI card (Acorn)	£269
SCSI card (CW)	£169
Floating point unit	£529
Midi card	£65
Archimedes 3000	
Archimedes 3000 base unit	2500
A3000 'The Learning Curve'	
ASSOCIATION CUIVE	1099
A3000 + colour + plinth	£//9
1Mb RAM expansion	£139
3Mb RAM expansion	£399
20Mb hard disk (CW)	£399
Plinth (PRES)	£24
Serial upgrade	£19
User & Midi podule	£46
Floppy disk buffer	£26
Internal SCSI card	6160
external SCSI podule	C1 C0
Colore T/Mad date	1109
Colour TV Modulator	£26
Extras	
Mouse mat	£5
Keyboard cable extender	£6
Printer lead	£8
Floppy discs (10boxed, TDK)	£14
Special leads (made to order)	£10
Special leads (made to order)	£10
Marellana	
Monitors	
Acorn Colour	
Philips Colour	£180
Eizo 9060-SZ multiscan	£465
Books (no VAT)	
Acorn PRM	670
C: A Dabhand Guide	C1 4
BASIC V: A Dabhand Guide	£14
Asabias de Asabiand Guide	£9
Archimedes Assembly Language	£14
Archimedes Operating system	£14
BBC Basic Guide (Acorn)	£19
A3000 Technical Manual	£29
Econet Advanced User Guide	£5
Econet level 3 manager's Guide .	£5

Computerware Research Ltd.

Archimedes First Steps.....£9

9-11 Livestock Market

Hall Road Norwich Norfolk NR4 6DW 0603-507799

fax: 0603-507789

Upgrades

Aleph One ARM3 30MHz	£579
MEMC1a	£50
Atomwide APEC	£33
Atomwide VIDC enhancer	
Acorn I/O v2	
Acorn FPU	
A410/1 replacement floppy drive	
A300 replacement floppy drive	
Floppy disk Buffer	
20Mb hard drive (fast) for 300	
40Mb hard drive (fast) for 300	
45Mb SCSI drive only (18ms)	
75Mb SCSI drive only (18ms)	
105Mb SCSI drive only (18ms)	
210Mb SCSI drive only (18ms)	
External casing for above add	
SCSI podule bought with drive add	
1Mb RAM for A310	£345
3Mb RAM for A310	
SIVID FIAIVI IOI ASTO	. £320

Archimedes Software

Acorn DTP	£119
Impressions (CC)	£139
Pipedream 3	£129
ANSI C v3	
ISO Pascal	£139
PC emulator	£99
First Word Plus	£69
C-Front	£17
Disc-Tree	£39
Pro-Artisan	£89
Artisan 2	
Render Bender	£59
Interdictor	
Twin editor	
Font Starter Pack (for DTP)	
Newhall Font Pack (for DTP)	
Autosketch	£79
Hearsay	£56
UIM	
E-Type	
White Magic	
Presenter II	
Flying Start II	
Oak PDT (CAD system)	£320
RISC OS Companion	
Genesis	
Disc sharer (Econet only)	
Printer Spooler (Econet only)	£79

Printers

Panasonic KXP4450i laser £	1345
Panasonic KXP 1124	£249
Star LC10	£159
Star LC2410	£259
Printer Lead	£8

Terms & Conditions

Payment may be cash, cheque, credit card (VISA / ACCESS), bullion, US dollars. Goods are delivered free of charge via mail or courier depending on size. UK customers please add 15% VAT. Export no VAT, carriage at cost. Personal callers welcome.

Specifications / price subject to change without prior notice. Goods available subject to stock levels.

Specials

A310 RAM upgrades come complete with a MEMC1a. Prices include courier collection and delivery after fitting and testing at our premises.

A410/1 computers purchased at prices shown come with £110 credit (ex VAT) which can be used for further purchases at the same time.

A3000 computers (including The Learning Curve) receive a BBC BASIC guide and serial kit at no extra charge.

Coming Soon

3Mb RAM for A3000 8Mb RAM for 410/1

New A3000 Learning Curve

The new Learning Curve pack contains an A3000 computer, demonstration video, application suite discs, 1st Word Plus wordprocessor with spelling checker, PC Emulator, Genesis, Genesis applications and a Parents' guide to the National Curriculum

A310 = A440/1 ?

With the Computerware conversion kit for the A310 you get the following features ->

- ✓ MEMC1a
- Ability to accept large capacity OS ROMS
- ✓ 2Mb or 4Mb total memory (upgradable)
- ✓ Hard disc controller
- 4 slot backplane and fan
- ✓ 20Mb or 50Mb hard drive (fast)
- ✓ No soldering required

Econet

Econet module	£49
Lead set 10 station	£35
Econet starter kit	£86
Bridge	£179
Sockets per 5	
Filestore E01S (stacking)	
Filestore 40Mb	
Cable (100 m)	
Printer server EPROM	

Please note:
Prices exclude VAT @15%
Delivery in the UK free.



FASTER THROUGHPUT

When the BBC micro was first launched there were few modems on the market. The cheapest cost a couple of hundred pounds, and the baud rate was 300/300. The good old Beeb could easily cope with the incoming data.

Time has moved on, and modem technology has advanced a great deal. However, in the case of Acorn machines it seems that the hardware and software required to deal with the baud rates offered by today's high-speed modems is not good enough.

Let me explain. If legal OS calls are used the humble Beeb can easily cope with speeds up to 1200/1200 full duplex (both ways). Beyond that (2400 and 4800) and the Beeb starts to lose characters. One way around this is to ignore the OS and 'talk' to the serial chip directly – as did the *Zromm* from Modem Marketing. Not an ideal solution, but one that works.

For £1263.85 you can pick up an Archimedes 410/1 – state of the art technology. For around £1200 you can pick up a



Hayes V-series Ultra Smartmodem 9600 – also state of the art technology. The modem incorporates V.42bis error correction and data compression. The latter, under certain circumstances, gives an effective throughput of 38,400 baud. That's 3.75K going through the serial port of the Arc per second!

At £1200 very few people are going to spend money on a modem that costs more than their micro. But that situation is going to change within the next 18 months. PC compatibles are



Don't ask me where I get the pictures for the gag item each month, they just happen to come my way! This time it's none other than Mel Croucher. 'Who?' I hear you cry. Well Mel is currently being heralded as 'a cult within the personal computer industry' by none other than Bruce Everiss, late of Imagine, Code Masters and Games Machine. Bruce is promoting the Mel Croucher Computer Fun Line. Updated each week, Mel spouts on about the computer industry and the people involved in it. Beware, though, this is a premium rate service.

falling in price, and modem manufacturers have to do the same lest they price themselves out of the market.

Within the next year I predict that there will be around half a dozen 9600 baud modems incorporating V.42bis that cost between £500-£700. That's a very attractive price.

An Acorn bod I spoke to recently didn't think that the hardware of the serial port in the Arc could cope with 38.4Kbaud, never mind Risc OS (which would slow things down even further). I haven't done any specific tests (yet) to prove otherwise, but I will be disappointed if I find that the Arc cannot keep up with a V.32/V.42bis modem, especially since my £500 PC can.

Hardware manufacturers tend to underestimate the number of people who use modems, which is silly. It's hard to tell how many people actually use them on a regular basis, but a couple of factors will increase the The first is the falling price of high-speed modems. Secondly there is connectivity: More and more people are using online databases for a variety of reasons.

Acorn should ensure that the serial driver in Risc OS is up to the job of dealing with high-speed throughput. And, if the serial hardware is not up to the job, then amend it to make sure it is. That way, Acorn can be sure that the hardware manufactured today meets the needs of tomorrow.

HACKER CHARGED

Nicholas Whitely, a 21 year old self-confessed 'mad hacker' from Enfield has been convicted of causing £25,000 worth of damage to data held on university computers which are linked together via the Janet network.

Whitely has been accused of destroying valuable data over a six month period, and replacing it with childish and disturbed messages and threats.

David Janda

NEWS IN BRIEF

 My thanks to Ian Hambelton, sysop of Phase II. He informs me that I incorrectly printed details of his board in the feature on Shatternet boards in the May issue.

His board is both scrolling and viewdata and isn't part of the Shatternet network. He also points out that Channel-X network is no more. Phase II is on 081-330 7738.

• A point raised by Ian Hambelton relates to BB networks. He does not like the idea, and neither do I.

The majority of BBs are run on a voluntary basis, and as soon as someone starts to organise a network some of the fun goes out, and bureaucracy creeps in.

By and large this does not put off callers, but sysops themselves. Fewer sysops means fewer boards which results in fewer callers – and that's bad news for all.

 The item in the April issue concerning the 0401 Plus point-to-point Lirpa-1 multiplexer resulted in a number of readers sending me email.

The idea of using such a device to monitor unregistered modem users is beyond belief, hence the Lirpa-1 unit, which is 1 April backwards! Thanks to the person who sent a long message detailing the reasons why such a device couldn't work!

• A note from Chris Royle, sysop of the Sin Bin, informs

me that his BB software now supports full online editing facilities for all editors.

Chris has also released Premiere, the successor to CARBRS. It supports more

CARBBS. It supports more data storage and has more facilities. Prices range from £24 to £34. The Sin Bin is on (0532) 661536.

If you have any comms news, please send it to David Janda at BBC Acorn User or con-

at BBC Acorn User or contact him on Telecom Gold on 81:RED001 or on Prestel 919992492.

IMPRESSION £129 TEMPEST £101 OVATION £94

new LASERDIRECT Printer £949

Laser-quality printing at dot-matrix speed For Archimedes with at least 2Mbytes of ram

Acom DTP £115 Data Store Utility Disc 1 £12 *FontFX £10 Genesis £69 PipeDream 3 £127 Multistore £197 Presenter £35 Presenter Story £148 1st Word Plus £59 Panasonic KX-P1124 £225

*FontFX was used for the special effects in this advertisement - every DTP user should have one!

Prices include UK carriage but not VAT. Add at least £6 (Europe) or £12 (elsewhere) per item.



Fonts are 'hinted' for best results on all printers (with or without PostScript).

They work with all DTP programs and other applications which use the Acorn Outline Font Manager.

We supply the full EFF range at advantageous prices (and there are excellent discounts for Education). Or choose Beebug Font Packs 1, 2 or 3 for just £45.

Ask for our full price list. Send two first-class stamps if you need a copy of the EFF font catalogue. (£1 Europe, £3 elsewhere)

Have you designed outline fonts or other software for Archimedes computers? If so, we would be very pleased to hear from you.

Our FIRST FONTS are famous for turning 1st Word Plus into a scientific and foreign language word-processor, and for providing alternative dot-matrix and laser typefaces. And now you can do the same things with PipeDream, using our PIPEDRIVERS. Until 31st July you can buy two for the price of one, e.g. Maths plus French/ German (First Font or PipeDriver) for only £19. Specify your printer make and model and the subjects required.

AZGUAGES

WORDPOWER - "the best BBC word-processor"

Only £27! until 31st July

Specify computer and disc type. Archimedes version also available.

an

ACU3, 10 Frost drive, WIRRAL, Merseyside, England, L61 4XL Tel: 051-648 6287

Prices exclude VAT Official orders & credit cards welcome

THE THIRD NATIONAL

MICROS SPECIAL NEED EXHIB I

Sponsored by Apple TM Computers

The Exhibition will feature:

- Special children from eleven LEAs in England and Wales showing how they use computers
- national and regional bodies who have contributed to developments in this field
- fifty companies selected for the important contribution their products are making

Queen Elizabeth Hall, Oldham Tuesday to Thursday 9th, 10th and 11th Oct. 1990. Hours: Tues 7 Thurs 10-5pm, Wed 10-7pm

Organisers: National SEMERC, Fitton Hill CDC, Rosary Rd, Oldham OL8 2OF tel: 061 627 4469 fax: 061 627 2381

Home & Business Computers Sales & Service DigiSarva Ltd

For All Your ACORN/BBC Computer & Peripheral Requirements SPECIALISTS IN **UPGRADES/MIDI INTERFACE/REPAIRS &** SOFTWARE. Trade in your BBC B/Master/COMPACT for the new ARCHIMEDES A3000 or the A400/1 Series

SPECIAL OFFER

A3000+Colour mon+1MB RAM Upg + Acorn DTP £950+Vat A3000 "The Learning Curve"+Colour

mon+1MB RAM Upg £950+VAT

We can supply the package of your choice including printers & disk drives. We also cater for people with DISSABILITIES & SPECIAL NEEDS !PHONE/FAX FOR THE

BEST POSSIBLE DEALS!

* EXCELLENT AFTER SALES SERVICE * TEL/FAX: 081-360 0711 ACCESS/VISA Welcome

Evening & Weekend Service Available SHOWROOM OPENING SOON!







SOFTWARE FUNDING SCHEME

Dr Noel Thompson, chief executive of NCET, has announced which software developers are to share the £750,000 provided by the DES under the Educational Software Development Partnership scheme.

Over 120 bids were received from public and private sectors of the industry. Dr Thompson said, 'We were greatly encouraged by the large number of excellent software proposals which we received under this timely initiative. The educational software industry has responded with a high degree of originality and professionalism.'

He added, 'We were pleased to see that many of the developers recognised the importance of improving portability by programming in C, but we did not see much use of the new hypermedia environments which, for some applications, would not only reduce development time and costs but would also offer greater flexibility to users.'

Science, mathematics, technology, history, geography, modern languages, special needs and primary needs are all to be covered.

The accepted proposals address aspects of IT including communication, information handling, modelling and measurement and control.

Some areas were under-represented. These included English and language development and development of macros, files and support materials.

The recipients of funding are: The Advisory Unit, Autographics, Black Cat Software, Central Television, Plymouth Centre for Information Technology in Education, CWDE Software, ESM, Glentop Press, Leicester University School of Education, Logo 2000, Logotron, Resource, Widgit Software and King's College London.

MESU REPORT

More news of our favourite quango as HM Inspectorate has



The prizes in the sixth Times/Tandon International Newspaper Day competition were presented by Valerie Singleton at the Science Museum in May.

Pupils at Linlithgow Primary School, Linlithgow, West Lothian, were winners in the primary category for their paper Primary Press. The secondary category was taken by students at The King's School in Worcester who managed to produce two impressive editions of The King's Herald in one day.

Over 200 schools participated in the Newspaper Day, using stories sent via Campus 2000 to compile their papers. Judges commented that the standard of entries is rising each time the event is run.

published a report on the work of the Microelectronics Support Unit (MESU, now, of course, part of NCET) for the period April 1986 to early 1989.

The report is complimentary about the efficiency of MESU's information service; the training it has provided for new advisory teachers; its development of IT support materials, particularly in the humanities and the field of microelectronics systems; and the way in which it publicised its activities.

However, the report criticised some aspects of the unit's work, including the time it took for services and projects to get started, especially in its first year when expectations were high.

It said that MESU 'frequently sought to do too much, with insufficient delegation to outside agencies. Materials it published for advisory teachers were almost invariably late.'

Other criticisms are that its development priorities were not always well considered and that until mid-1988 it had made only

limited contact with providers of teacher education.

Noel Whalley of NCET was anxious not to appear defensive about the report. He said initial problems were due to a ninemonth delay in recruiting staff.

On the question of late publication, he commented, 'There may be an element of justifiacation in this criticism, [but] educational publishing is littered with materials which have been inadequately piloted and tested... HMI has testified to the high quality of these materials which could not have been achieved in a shorter time.'

Mr Whalley conceded the point about teacher education but said, 'Nevertheless, NCET has now been able to develop substantially its support for initial teacher trainers.

The report is available from the Department of Education and Science, Publications Despatch Centre, Honeypot Lane, Stanmore, Middlesex HA7 1AZ.

Lisa Hughes

NEWS IN BRIEF

• Deadline Plus is an advanced version of the schools' DTP program Deadline which comes with the resources to help you create a realistic newsroom.

Features include flexible four-column page layout, a number of fonts and headlines and the facility to load files from other packages.

Deadline Plus comes with an informative guide and can be used with the ITV Schools series Deadline.

It runs on the Master 128 with a double disc drive and costs £26.25. It is available from Mercury Educational Products, 8-10 Lower James St, London W1R 3PL.

 Computers in Education is a 40-minute video about surprisingly - computers in education. It is presented by TV personality Fred Harris and Andrew Neil, editor of The Sunday Times.

Although mainly aimed at parents, the video could be of use to schools, perhaps to show at a parents' evening alongside pupils demonstrating their skills. It costs £19.95 and is available from Taylor Made Distribution Ltd, Harrington Dock, Liverpool XL70 1AX.

· Four years ago Roger Keeling and Senga Whiteman wrote the introductory spreadsheet program Grasshopper. This proved popular with both primary and secondary schools and, since then, the authors have frequently been asked for examples of how to use spreadsheets in the classroom.

The book, Simply Spreadsheets, is a response to those requests. It gives sensible but imaginative advice on how spreadsheets can be used.

It costs £6 with discounts for LEAs on orders of 20 or more, from KW Publications, 42 Compton Drive, Streetly, Sutton Coldfield, West Midlands B74 2DB.

INVESTIGATOR

£24.95

Investigator is a disk utility program which is compatible with the Archimedes series of computers using either RISC-OS or Arthur operating systems.

Investigator has a fully WIMP front end and can perform the following on discs of many different formats:

- ▲ Examine the format of a disc in detail
- ▲ Edit the data stored on the disc
- ▲ Make backup copies of the disc
- ▲ Store the entire disc as an ordinary ADFS file

'...one of the most powerful protected disc copiers yet published for the Archimedes...Investigator certainly does the job well...for peace of mind where valuable protected software is concerned, Investigator should certainly be top of your list.'

Micronet

ARCTERM

£49.95

Arcterm is a communications terminal for the Archimedes providing unparalleled flexibility and speed in the field of Archimedes terminal software.


'... **Arcterm's** viewdata mode certainly looks the best ... **Arcterm** is one of the most comprehensive terminal packages around for any machine, let alone the Archimedes.'

Micronet

To purchase a Serial Port production either order direct from us at the address below (you can pay using Access, Visa, American Express or cheque), or contact your local dealer. If they don't have it, tell them to give us a call!


THE SERIAL PORT

Burcott Manor, Wells, Somerset BA 5 1NH Phone 0243 531194 Fax 0243 531196 THE SERIAL PORT



Coming soon to BAU... NEXT MONTH

STAND BY TO ATTACK



We're battling with the August issue at this very minute.

You'll be able to play our exciting tank battle simulation on the Arc, learning about fast 3D wire-framing in the process.

There's also a new series on Arm2 machine-code programming, plus our continuing series on image processing.

The Mandlebrot set puts in an appearance with the fastest, most colourful plot we've ever seen running on the Beeb.

The education pages are also looking lively next month, with a look at the popular Pip and Roamer floor robots. Plus, there's a look at some of the 'pretty' amazing patterns that children create with Craftshop.

For all comms enthusiasts,


the August issue is a must. We're calling on some of the country's many bulletin boards. Don't miss what we have to say.

If you're thinking of ditching your old printer, perhaps you should think about buying an ink-jet model. There are now many to choose from and BAU has the low down on the best and the latest in laseriets too.

All this and more. Wordwise Plus users won't want to miss what we have to say about Corplan and should you kit out your brain with the Knowledge Organiser?

Plus all the regular features latest news, letters, problems, Acorn hotline, yellow pages that go to make BBC Acorn User the biggest and the best.

DON'T MISS THE AUGUST **ISSUE - OUT 12TH JULY**



Single machine licence - £95 +VAT Site licence - £280 +VAT

uses standard printer drivers.



Full colour artistic design software networkable via Econet. ARCOL prints from A5 to A2 poster size using Integrex or Epson drivers.

Sophisticated palette and shading facilities allow painting with light. Inbuilt font and pattern editors. Digitiser tablet option.

Single machine licence - £50 +VAT Site licence - £250 +VAT Worksheet pack and disc - £12 +VAT (Free with site licence)

TAP Consortium software is available from:

ExpLAN, 34 Drake Gardens, TAVISTOCK, Devon PL19 9AT

(0822) 613868 Educational orders welcome.

AS IF IT WASN'T GOOD VALUEANYWAY

This month all Archimedes 3000 Curve, include free, fitted IMB RAM EXPANSION BOARD (RRP £130.00)

And all 400 series machines include free IMB RAM upgrade plus £50 off the peripheral of your cho

The Learning Curve

With BBC Micros making up over 85% of computers in British schools. Accorn have produced a new, purpose-built package for school and family learning, anticipating the new schools curriculum due to take full effect in the 90s and allowing use of most common

inflictioning in was said allowing use of most common business programs.

Comprising a A3000 computer • Applications software including Paint, Draw, Edit, Maestro (a musical program) plus games and utilities • 1st Word Plus a fully functional word processor • Genesis an applications suite combining information with creativity, animation, text, graphics and music • PC Emulator and DOS Software allowing access to most business PC software (Lotte 123, dlase III, etc) • Informative VIIS video cassette, • Welcome guide, user manuals and a parental guide to the schools National Curriculum, No school will be without it no home should either. Also avail—price £699.00 able with monitor & stand—Price £999.00

Archimedes Computers

	BASIC	MONO	COL.	M/SCAN
A3(XH)	599 (N)	693.00	799,00	1.520.00
A410/1	1,099,00	1.193.00	1.533.00	1,983.00
A420/1	1,499,00	1,593.00	2.088.00	2,538.00
A440/1	2,099,00	2.193.00	2,88,00	3,338,00
Add £	0.00 for Ph	illips CMS	s33 monito	r (inc. Aux/
	/puts. stere			

A3000 Upgrades

IMB A3000 memory upgrade, runs many applications more efficiently. A quality, board, simple and easy to £140.00 5" External drive Serial upgrade A3000 User/MIDI port

400 Series Upgrades

20MB Hard disc	209.00
40MB Hard disc	334.00
50MB Hard disc	525,00
410 upgrade TO 2 or 4 MB	

(ic. add 1 or 3 MB (a: £90/MB) £90.00 or £270.00 420 upgrade TO 4MB only (ic. add 3MB) £270.00

Software

IMPRESSION NOW AVAILABLE!!! Simply the best and most powerful package currently available for the Archimedes. Not strictly a W/P or a DTP, more a document processor, Packed with advanced features. All Ampsound advand letters produced using this package. We can't offer a better recommendation. Call for detailed brochure.

DIP	
ACORNDTP	£125.00
TEMPEST DTP	£113.00
HAND SCANNER AND SOFTWARE	£180,00
A4SCANNER AND SOFTWARE	£440,00

SPREADSHEET	
PIPEDREAM V.3	£140,00
SIGMASHEET	£57.00
DATABASES (Prequires SYSTEM DELTA	PLUS)
ALTERIORE:	1250.00

MULTISTORE
SYSTEM DELTA / V.2
GAMMAPLOT
REPORTER
MAILSHOT £65.00 £60,00 £34,00 GAMES GAMES
E-TYPE, ROAD RACER
HOLED OUT, GOLF
ARCADE SOCCER
U.L.M.
THE OLYMPICS
INTERDICTOR, FLIGHT SIMULATOR £16.00

ARMADEUS SOUND SAMPLING

ARMADEUS SOUND SAMPLING
Full-featured RISC OS multi-tasking application,
Real time wave-form image display, sample editing
(cut, reverse, echo, lade in/out, reseale, looping etc)
128-point real time spectrum analysis, replay stereo
effect, play samples via MIDI keyboard, sample upto
114-seconds on IMIB RAM, variable sample rate from
4KIIz-76KIIz, compatible with Armadeus sampler
board, Armadillo A448, A448b (mono version),
Wildvision ADC 1208, Unilab interface.

E69.00

£69.00 £175.00 Software + Sampler board



153a Victoria Street, St Albana Herta., AL1 3TA Telephone 0727 50075 Facsimile 0727 58977 ALL PRICES EXCLUDE VAT, P&P

£16,00 £25,00



Archimedes range (including the A3000) with data transfer Oak's high speed 16 bit SCSI podule offers a new level of performance for the entire


winchester storage may be fitted per machine, and seven SCSI rates of up to I.4Mb per second, a considerable increase over both ST506 and 8 bit SCSI controllers. Up to 2 Gigabytes of devices including 4 winchesters may be attached to the card.

with ADFS winchesters, and is compatible support is provided for other SCSI devices Risc OS desktop. It can work in tandem with the PC emulator. Low level (SWI) SCSIFS', and an icon and filer for the The card provides a new filing system (e.g. tape streamers, CD ROMS etc.)



with all necessary cabling and mounting hardware, and external drives are supplied in sturdy metal cases, colour matched to the Archimedes, and have their own power supply and fan. External Internal winchester kits are supplied as 'plug in and go' units, drives are also suitable for the A3000.

and utility program. Oak SCSI drives may be write protected for A comprehensive manual with easy to follow fitting instructions is provided with each system, along with a versatile formatting security.




subjected to rigorous quality control All Oak SCSI winchester drives are procedures, and each drive comes Internal Drives (inc. SCSI card) with its own test certificate.

£535.00 £655.00 £955.00 £1114.00 100Mb (HDEXARCI00SC) £1274.00 £1618.00 £2845.00 £4085.00 £15.00 External Drives (inc. SCSI card) £10.00 P&P external drives £375.00 20Mb (HDEXARC20SC) £1458.00 200Mb (HDEXARC200SC) £495.00 45Mb (HDEXARC45SC) £199.00 SIZMb (HDEXARCSIZSC) £795.00 80Mb (HDEXARC80SC) £199.00 300Mb (HDEXARC300SC) 20Mb (HDINARCZOSC) SCSI Card (SCSIARC) SCSI Card (SCSI3000) 45Mb (HDINARC45SC) 80Mb (HDINARC80SC) 100Mb (HDINARC100SC) 200Mb (HDINARC200SC) &P internal drivesloard

16 bit SCSI Controller Card and High Speed Winchester Drives

Tape Backup



reliable insurance against

streamers provide a

information to be backed data loss. Multi-tasking,

up from any Archimedes window software allows

filing system. Restoring

cartridges and high quality

Using 'DC600' type data tape drive units, Oak tape

large amounts of data.

deal means of backing up

Oak SCSI tape streamers, 150Mb capacities are the

available in 60Mb and

structure stored on the display can be shown in a window, and then the files to be tape, or a 'filer' type restored can be simply 'dragged' with the mouse to the

data from tape is simple. A tree viewer of the directory

Unattended backups may be triggered on a regular basis using destination filing system, or even into an application!

134: § 4: the inbuilt automatic wat existing files may be Prompts to prevent backup facility. overwriting of given during a accidental

F28ff.1

\$4749s 5 0

Tuesdag, 23 e

adfsiiPhilskinni. S.seriptfil

Beflat fetiperter Cartur

Appeat

Note: An Oak SCSI controller card is required. Drives are supplied with I free tape cartridge. restore as required.

C Burn da C Burn and J Burn and

Tape Streamers

£24.95 £27.95 £0.75 150Mb without SCSI card (TS150SCA) £1254.00 £15.00 56'666F £1354.00 60Mb without SCSI card (TS60SCA) 150Mb with SCSI card (TS150SC) 60 Mb with SCSI card (TS60SC) P&P on Tape Cartridges P&P on Tape Streamers 150Mb Tape Cartridge 60Mb Tape Cartridge

SCSI Tape Streamer

New Products

Gigabyte Tape Streamer

£3999 (p&p £15) Backup column. Front panel controls and an LCD display allow data storage with low media cost. The tapes are accessed using cassette, these SCSI devices provide exceptionally reliable bulk £35 (p&p £0.75) access to facilities such as tape formatting etc. which may be solution. Storing I Gb of data on a single Digital Audio Tape For those requiring vast amounts of storage for archiving of data, the new Oak Gigabyte Tape Streamers offer the ideal our Risc OS Tape Backup software described in the Tape performed off-line i.e. without tying up the computer. IGb Tape Drive (TSGIGA) IGb Cassette (TAPE1000)

Magneto-Optical Drive

£4800 (p&p £15) £300 (p&p £0.75) Optical drives store 560Mb of data on 5.25" optical media. The similar to compact discs, and are extremely rugged. They are drives are random access devices and behave as winchesters under the SCSI filing system. Data may be written, read and erased at will. The data cartridges are removable, looking The very latest technology in mass storage. Oak Magnetodouble sided with 280Mb of storage per surface. Magneto-Optical Drive (MAGOPT560) Data Cartridge (MAGOPTDISC)

A3000 Monitor Bridge

bridge is of steel construction and is finished in a robust powder access to the mains switch, disc drive and reset button. The A sturdy unit which bridges the A3000 whilst still allowing coat paint finish coloured to match the A3000.

Monitor Bridge (MSB01)

£19.85 (p&p £3)



Cross Park House Low Green

Fax: 0532 506868 Tel: 0532 502615 LS19 6HA Rawdon Leeds

All prices exclude Accepted Orders

Government

Send letters to BAU, 20-26 Brunswick Place, London N1 6DJ

LETTERS



UNCLEAR MANUALS

I have recently purchased an Archimedes 310. Unfortunately I find that some of the Risc OS manual is unclear, particularly the part on using the many variations of the *SET command.

All these commands appear very powerful but little information is given on using them.

I would also like to know how to set up my own applications directories so that I can place all of my Master programs in them and access them from the desktop.

Finally I have read somewhere of a font editor which was supplied with the early machines, where can I get hold of one so that I may design a few special characters?

C P Bignell West Sussex

The *SET commands are used to set system variables. They are like variables in a program but are available from within the operating system. Many of them have special meanings, for instance the time\$ variable holds the current date and time.

These commands are explained in more detail in the Risc OS programmer's reference manual.

The March '90 issue of BBC Acorn User had an article on setting up your own Risc OS applications directory. The Acorn DTP package uses the outline fonts, and an editor for these is available on Acorn's SID database.

PRETTY PICTURES

I feel some comment has to be made on the slow progress Acorn is making on developing the Archimedes. The machine is now over two and a half years old, with no major hardware changes (except the introduction of the A3000).

What the machine needs to keep it ahead of the competition is expansion. I expect the next big software push will be in the area of video graphics. The Macintosh has been in this market for approximately a year with its 24 bit colour card (16)



million+ colours). At the moment, it is the only personal computer offering this as an official upgrade. It cannot and should not be allowed to get further ahead.

Acorn has made a start with the Risc OS palette driver offering 24-bit resolution, but this was released nearly a year ago. Why has no hardware podule (or replacement VIDC chip) been produced or announced to utilise the machine's potential, or is this going to be left to the independent producers? Is it going to be a case of too little too late, like what happened with the PC podule?

S Ware Cheshire

We'll have to wait and see...

MUSIC MAESTRO

Earlier this year I purchased an A3000. I have dabbled with graphics and bought a few games but the application that interests me most is *Maestro*. However, the rose-coloured glasses I originally viewed it through are beginning to fade.

My version frequently corrupts the music after scrolling, which can be most frustrating. Also, more importantly, I would like more flexibility to place the eight channels where I like on the staves.

I would also like to change voices, introduce slurs, crescendos and so on, during a piece. Where do I start?

E R Davis

Maestro is supplied with the A3000 as a 'freebie' and although it can be useful it is really only a taster of what the A3000 can achieve in the music area. EMR is selling several packages that enable

the user to play and edit music on the computer, see the adverts in last month's BAU.

If you have other musical equipment, you may want to buy a MIDI sequencing package which, as long as this equipment has a MIDI interface, will allow you to control these instruments from your BBC A3000.

Also from Clares comes the Armadeus package which includes a sound sampler and the software which allows you to literally record sound and play it back through the speakers connected to your computer. For more information on music refer to the October 1989 issue of BBC Acorn User.

A MULTIPLE VIEW

In answer to the query about multiple copies using *View*, (Questions and Answers, May '90) the simplest soloution is to multiple print the file, having first saved it to disc. Thus, in the command screen you type:-

PRINT <filename>

<filename> etc.

(type the filename after the print command as many times as you need copies.)

The operation can be speeded up by using a single letter for the filename. For example, if the file was called X then:

PRINT X X X X [RETURN] would print the file four times.

Philip Foster Cambridge

...NOT HERE!

I read with interest the letter in the March '90 BBC Acorn User from A Walrus of Basingstoke regarding Public Domain software for the Archimedes and I must agree with him regarding the cost of advertising PD. To be able to afford to advertise you must charge a reasonable amount for your software and if you charge a reasonable amount, it cannot truly be called Public Domain. Catch 22.

I run a PD/Shareware library for the Archimedes and have come across the same problem. I cannot afford to advertise, and so do not attract a large number of orders. I could solve that by charging more for the software, but that wouldn't be in the true spirit of Public Domain. The only way I can attract new orders is by word of mouth.

One point I must disagree with is the suggestion that magazines such as *BBC Acorn User* act as PD distributors. The reason for this is that large companies have large overheads and no matter how much they try to keep within the spirit of PD, they will charge 'over the odds' for software. The best way to encourage PD software is to offer reasonable advertisement rates for those that can be seen to be offering a true PD service.

Peter Sykes Cleveland

OBSOLETE EQUIPMENT?

I have had an Acorn Electron for some years now and would like to redress the popularity balance by sticking up for this excellent machine even in these days of Risc architecture and 32-bit wizardry. My machine has served me well, only once breaking down, and then only with a minor problem.

I would suggest that many Archimedes owners never use them to their full potential, and have more money than sense.

Most reasonable computer applications including games are available for the Elk and I have never felt the need to purchase one of these new and frankly fangled machines.

I will continue to use my Electron until it breaks down completely, or I pass on – whichever comes first.

Peter J Honcap Beardsliton

Well said, sir...



When you're talking COMPUTERS talk to Microsnips

Whatever your needs, we have over 3,600 different computers and accessories in stock – all backed by the knowledgeable, highly professional service that has made us one of the most respected computer dealers in Britain.

So whether you're looking for hardware, software or just some expert free advice, consult the Computer specialists.

Talk to Microsnips.

CABLES

MCL005 (1 Metre) Attenuated 7 Pin Din Plug, 2 x 3.5 mm Jack Plugs, 1 x 2.5 mm Jack Plug (Metal Plugs) BBC-Electron Computer to Cassette £4.95 MCL029 (2 Metres), 24 Way Centronics Plug to 36 Way Centronics Plug. Printer Cable for BBC Master Compact. £15.95 MCL060 (1 Metre) Ribbon Cable, 26 Way IDC Socket, 26 Way Centronics Plug. BBC Computer to Centronics Printer. £8.95 MCL061 (2 Metres) Ribbon Cable. 26 Way IDC Socket, 36 Way Centronics Plug. BBC to Centronics Printer. £9.95 MCL136 (2 Metres) Plastic Phono Plug, Plastic Coax Plug, Replacement Computer to TV Cable. £1.95 MCL101 (1 Metre), 7 Pin Din Plug to 7 Pin Din Plug. BBC/Electron Computer to Cassette Recorder. £3.95 MCL105 (1 Metre) 7 Pin Din Plug, 2 x 3.5 mm Jack Plug/1 x 2.5 mm Jack Plug. BBC/Electron Computer to Cassette Recorder. £3.95 MCL136 (2 Metres), BNC Plug. Phono Plug. BBC/Electron Computer to Monochrome Monitor £3.95 MOD106 (2 Metres), 5 Pin Domino Plug, 25 Way D Plug. BBC/Electron Computer to Modem. This cable is for general use on various modems. £7.95 MASTER COMPACT to 3.5" & 5.25" drives. 25 Way D Plug to 25 Way D Socket + 34 Way IDC Plug. £17.95 MCL342 Archimedes to BBC Computer - Serial Cable 9W D to 5 Pin Domino. £7.95 MVDU-121 Archimedes/Scart. £8.95 MVDU01 (2 Metres), 6 Pin Din Plug, 6 Din Pin Plug, BBC/Electron computer to Microvitec RGB Monitor. €5.95 MVDU05 (2 Metres), 6 Pin Din Plug, Scart Plug, BBC/Electron Computer to Scart Television. Note: TV must be switched to AV mode. £7.95

MVDU45 (2.5 Metres) Coiled Cable, 6 Pin Din Plug, 7 Pin Din Plug.

BBC/Electron Computer to Ferguson MC01 Monitor.

£5.95

MVDU52 (2.5 Metres) Coiled Cable, 6 Pin Din Plug, 7 Pin Din Plug.

BBC/Electron Computer to Hitachi CT 1444 Monitor.

£5.95

MVDU103 (2 Metres), 6 Pin Din Plug, 8 Pin Din Plug,

BBC/Electron Computer to Philips colour monitor.

£5.95

Amazing Amiga A500 Offer!

Includes: Mouse – Handblaster Joystick – $5\,3\frac{1}{2}$ " disks – Mouse mat – plus over £200 worth of free software titles comprising top titles – **PLUS** T.V. modulator while stocks last. **£399.** Worth over £625 if bought separately.

Disk discount!

100 high quality bulk 51/4" DSDD disks With FREE lockable disk box to store them in. Money back guarantee. Only £35.95

World's no. 1 31/2" disk

(Memcon report). TDK MRP £33.95 for 10 £14.50 for 10 (introductory offer).

25 high quality bulk 31/2" DSDD disks

With FREE lockable disk box. Money back guarantee.

£26.95

Star buy! Only £230 + VAT

Normally £399.95 + VAT the Star LC24 10 multi-font 24 pin printer offers: 170 CPS draft – 7k buffer – automatic paper advance – revolutionary paper parking facility.

RING 051-630 3013 TO ORDER

or for FREE CATALOGUE
(Satellite catalogue also available)

Answerphone 6.00 p.m. - 9.00 a.m.

OVERSEAS CUSTOMERS NOTE Postgiro International accepted. NOT Postbank Postcheque. Books not taxable – Europe add £5. Non Europe add £10. We reserve the right to charge carriage at cost. UK POSTAGE AND PACKING. Items under £50 add £2. Items under £100 add £5. Items over £100 add £10 for Group 4 Courier ensuring delivery the day after the despatch. Overseas customers (Europe): Full price shown will cover carriage and free tax. Non Europe add 5% to total.











Personal Callers Welcomed

Making technology work for you:

37 SEAVIEW ROAD, WALLASEY, MERSEYSIDE L45 4QN 051-630 3013 051-630 5396 051-691 2008 FAX: 051-639 2714



Acheton

Alerion All in Boxing

Arcendium

Alps System
Alpha Base
Ancestry
Ansi C (Release 3)
ARC-COMM

ARC-PCB Arcade 3 Compilation (Zarkon

Arch Operating System Arch Assembly Lang Arch, Basic Compiler

Archimedes First Stens

Arctrivia Armadeus Armadeus Sound-

Artisan 2 HP Drive Artisan 2 Star LC10 Driver

Samp. Board Artisan 2

Assembler Atelier

Auto sketch V2

Cambridge Pa Casino Caverns Conqueror Control Panel COPS. NEW

Auto sketch V2 Avon Battletanks . . NEW Bug Hunter . . NEW Bumper Disc 1 (Educ) Bumper Disc 2 (Educ) Cambridge Pascal Casino

Invasion Mazey man & Bounce-a-Ball)

Corruption
Data Vision
Delta Cat (Joystick)

Euclid (RISC-OS)

Family Favourites Film Maker

Firehall 2 NFW

Financial Accountant

Fish Flying Start 2 Font Starter Pack Fortran 77 (Release 2) Freddy's Folly Fugltives Ouest Fun School 2 (0-6 yrs) Fun School 2 (6-8 yrs) Fun School 2 (8+ yrs)

GENESIS. . .NEW Gerber Plot

Hearsay Home Accounts Hoverbod

Instigator INTER-DICTOR ISO Pascal (Release 2)

Hoverbod

Ibix the Viking

Impression

(special price for May and June only)

Giant Killer Graph Box Graphic Writer Guild of Thieves

Deltabase
Desktop Publisher
Disc Tree V.2
Dust Cover A3000 Keyboard
Dust Cover Archimedes

AND Mercury Games

chimedes TITLE

91.94 19.95

14,95 32.00

34.44 £29.95

14.95 £11.95

14.95 £11.95

24.95 £19.95 £69.95

99.95 £89.95

90.85

19.95 14.95 17.95

17.95 19.95 19.95 79.95 24.95 19.95 24.95 17.20 19.95

149 95 6139 95 59.95 14.95 14.95 £54.95 £11.95 £11.95

228 85 6199 95

£79.95 £17.95 £11.95 £15.95 £15.95 £15.95 £19.95 £19.95 £17.95 £13.95 £13.95 £15.95

£11.95 £11.95 £27.95

£44.95 £69.95

£18 95 21.95 99.95

£89.95

69 95

79.95 £69.95 171.35 £154.95

195.00 £175.95

WI TOT CHEC

RSP SALE

29.95 £24.95

70.00 £59.95 £15.95

79 95

175.00 £154.00

125.00

79.95 29.95 29.95 69.00 49.95 14.95

171.35 £139.95 49.95 5.95 14.95

£24.95 £89.95 29.95 99.95

£26.95

£44.95

£3.95 £9.95

£19.95 £24.95

C89 95

£109.95 £15.95 £69.95 £24.95 £27.95 £59.95 £44.95 £11.95 £17.95

49.95 £44.95 34.95 £29.95 113.85 £99.95

L	KT191			rchimed	le	S
	TITLE	RSP	SALE	TITLE	RSP	SALE
	Jet Fighter	14.95	£11.95	(Customer responsible for installatation	1)	
	Keyword	29.95	£25.95	Rise in Crime	29.95	£24.95
	Knowledge Organiser	59.95	£54.95	RoboLOGO	69.95	259.95
	Logistix (includes manuals)	113.85	£99.95	Rotor NEW	24.99	£19.95
	Logistix Manual Part 1	10.00	£8.95	Scan Light Jnr. A3000	228.85	£199.95
	Logistix Manual Part 2	10.00	£8.95	Scan-Light Senior	16.35	£479.95
	Maddingly HallNEW	14.95	£11.95	School Administrator	79.95	£69.95
	Mailshot	39.95	£34.95	Sigma Sheet	69.95	£59.95
	Manchester United	24.95	£19.95	Software Dev. Toolbox	228.85	£199.95
	Maths Pack 1 (5-7)	11.95	£9.95	Solid CAD	99.95	£89.95
	Minotaur	14.95	£11.95	Solids Render	79.95	£69.95
	Missile Control	14.95	£11.95	Solid Tools	275.00	£249.95
	Mogul	20.00	£17.95	Spellmaster	44.85	£39.95
	Multistore	299.00	£244.95	Splice	30.00	£27.95
	Newhall Font starter pack	51.75	£46.95	Star Trader	17.95	£15.95
	Orion	14.95	£11.95	Stock Management	64.95	£54.95
	Overload	14.95	£11.95	Stranded	29.95	£24.95
	Pac Mania	19.95	£17.95	Super - Dump	24.95	£21.95
	PC Emulator	113.85	£113.85	System Delta Plus	79.95	
	Pipedream 3	171.35	£149.95	Symbol Font Pack	51.75	£44.95
	Plague PlanetNEW	11.95	£9.95	Talisman NEW	14.95	£11.95
	Presenter 2	45.94	£39.95	Terramex	19.95	
	Presenter Story	228.85	£199.95	The Pawn	29.95	
	(phone for release)			Things to do with numbers	24.95	£19.95
	Presentation System	49.95	£44.95	Things to do with Words	24.95	£19.95
	Pro Artisan	169.95	£89.95	Thunder Monk	14.95	£11.95
	Prolog	228.85	£215.95	Timewatch	34.44	£29.95
	Realtime Solids Modeller	149.95	£134.95	Tookit Module	39.95	£34.95
	Render Bender	79.95	£69.95	Trivial Pursuit	29.99	£26.95
	Render Bender -			Tween	30.00	£27.95
	Animated Discs	14.95	-	Twin	33.35	£29.95
	Reporter	39.95	£24.95	U-Connect	59.95	£49.95
	Repton 3	19.95	£17.95	View 3.0	59.80	£49.95
	Return to Doom	19.95	£17.95	Word Up Word Down	17.95	£15.95
	Risc Basic Compiler	99.95	£89.95	Wordwise A-Plus	23.00	£19.95
	Risc Forth	99.95	£89.95	World Class Leaderboard	29.95	£21.95
	RISC-OS Prog Ref Manual	And Sections	£79.00	Zarch	19.95	£15.95
	RISC-OS	33.35		Ask for our ARCHIMEDES PRODUCT		

JOYSTICKS

<u> </u>	
BBC/B + Master 128 and Electron with PLUS 1 Interface (15pin)	
COMPETITION PRO Arcade quality micro switches, 8 directional control, 2 fire buttons on base	£19.95
SUPERPRO AUTO Arcade quality micro switches, 8 directional control, triple action autofire & suction pads	£13.95
DELTA 3B TWINS 2 analogue lightspring action, hand-held joysticks wired to one plug	£19.95
DELTA 3B SINGLE Analogue, lightspring action joystick; can be used as either left or right-handed	£13.95
HARRIER Fire button on control handle, push bar fire & suction pads	£4.95
Joysticks for Electron with Commander 3 Interface (9-pin Atari type)	
ELECTRON COMMANDER 3 JOYSTICK INTERFACE & UTILITY SOFTWARE	£14.95
QUICKSHOT 11 TURBO 6 micro switches, thumb, trigger & auto fire, improved grip & suction pads	£12.95
BUY BOTH Interface & Turbo together for only £24.95	
DELTA 3S Hand-held, switched joystick, can be used as either left or right-handed	£12.95
CHEETAH 125 8 directional control solf contaring 2 fire buttons on base thumb 8 triager fire	COOE

- UNDER 6 YEARS Includes:SHAPE SNAP:- Colourful shape recognition
 FIND THE MOLE:- Experiment with number sizes
- TEDDY COUNT:- Ideal introduction to number
- WRITE A LETTER:- Creative fun at the keyboard

- COLOUR TRAIN: Play at spotting colours
 PICK A LETTER: Word building made easy
 SPELL A WORD: Enjoy naming the pictures
 TEDDY BEARS PICNIC: Move around a maze
- 6-8 YEARS Includes: NUMBER TRAIN:- Calculations made enjoyable
- NUMBER THAIN: Calculations made enjoyable SHOPPING: Which shops for which products? MATHS MAZE: Fun improving arithmetical skills TREASURE HUNT: Introduction to co-operates BOUNCE: Get to grips with angles PACKING: Discover tesselatin shapes CATERPILLAR: Wordbuilding challenge NUMBER 1 JUMP: Have fun practising tables WEFR 8 YEARS Includes:

- OVER 8 YEARS includes:

 BUILDING A BRIDGE:- Shape-fitting challenge

- BUILDING A BRIDGE: Shape-fitting challenge PASSAGE OF GUARDIANS: Enjoy anagrams UNICORN:-First steps in problem solving LOGIC DOORS: Mapping made easy SOUVENIRS: An introduction to travel CODE BOXES: Discover binary arithmetic MYSTERY MACHINE: Have fun breaking codes ESCAPE:- A final chech on progress

(PER LEVEL)	RRP	SALE
BBC/Ele Cass	9.95	7.95
BBC 5.25* Disc	12.95	9.95
ARC 3.5" Disc	19.95	15.95

ELECTRON SPECIALS

VIEW (ROM CART)	£14.95
WORDPROCESSOR	
MEMCHEET (DOM CADE)	CHARE

BUY BOTH \$19.95

BUT ONLY £10.00 FOR BOTH IF YOU BUY ONE OF OUR PRINTERS!

LOGO (CART)

LISP (CART) £9.95 **TURTLE GRAPHICS** £2.95 (CASS)

BUY ALL THREE \$19.95 NEW EXPANSION BOARD

BASIC - 1 CARTRIDGE PORT VIEW + VIEWSHEET £29.95

EXTENDED - 1 CARTRIDGE PORT, 1 PRINTER PORT, VIEW + V.SHEET £36.95 FULL - 2 CART PORT, 1 PRINTER PORT, VIEW + V.SHEET £39.95

BEST BUY FOR THE ELECTRON YET!! 7 DIN - 3 JACK CASS LEAD £2.65 AERIAL LEAD £2.65

ADVANCED USER GUIDE £1.95 START PROGRAMMING WITH THE ELECTRON £2.95

PANASONIC PRINTERS

KX-P1081 9 pin 80 col Dot Matrix Printer RRP £251.85. Offer price £159.95

KX-P1180 9 pin 80 col Dot Matrix Printer RRP £309.85. Offer price £169.95

KX-P1124 24 pin 80 col Dot Matrix Printer RRP £458.85. Offer price £259.95

KX-P4450i Laser Printer

RRP £2294.25.85. Offer price £1699.95

Special Schneider Laser Printer Offer RRP 1,544.45. Offer Price £999.95

(FULL SPECIFICATIONS AVAILABLE ON REQUEST)

Prices include VAT, and despatch by courier service from stocks: (UK mainland only) We will also supply a 1m BBC printer cable free of charge - or approx 50% off and Archimedes cable (RRP £18.95, therefore only £9.95 in conjunction with this offer)

SALE

13.95

13.95

15.95

DESKTOP PUBLISHING

INTEGRATED OFFICE SUITE

RRP 14.95

16.95

16.95 19.95

19.95 21.95

ECDDD

TITLE Mini Office II Mini Office II 40t

Mini Office II 80t

Mini Office II Master 40t

Mini Office II Master 80t Mini Office II Master Cpc

Ý	UN COMMITTED AND			S. Marie	ı
	TITLE	E	BBP	SALE	
	Stop Press (Master)	D	49.95	41.95	
	Stop Press (B/B+)	D+R	49.95	41.95	
	Super Art (Master)	D	49.95	41.95	
	Mouse & Stop Press (B/B+)	D+R	79.95	69.95	
	Mouse & Stop Press (Master)	D	79.95	69.95	
	Mouse & Super Art (B/B+)	D+R	79.95	69.95	
	Mouse & Super Art (Master)	D	79.95	69.95	

RECENT RELEASES

	BBC	BBC	BBC	
0	ELE	Disc	Cpct	
A question of sport	8.95	10.95	14.95	
Ballistix	6.95	8.95	10.95	
Blast	7.95	10.95	-	
Exile	9.50	10.95	14.95	
Last Ninja 2	7.95	9.95	11.95	
Living Daylights (not Master 128)	-	2.95	-	
Perplexity	7.95	9.95	11.95	
Pipemania	7.95	11.95	11.95	
PLAY IT AGAIN SAM				
1 through 10 (each)	6.95	8.95	10.95	
Play it again SAM 11,12 +13 (eac	h)7.95	9.95	11.95	
Predator	6.95	8.95	10.95	
Repton Infinity	9.50	10.95	14.95	
Ricochet	7.95	9.95	11.95	
Superior Collection 1 (BBC only)	6.95	8.95	10.95	
Superior Collection 2 (BBC only)	6.95	8.95	10.95	
Superior Collection 3 (Ele)	6.95	8.95	-	
Superior Soccer	7.95	9.95	11.95	
Tank Attack	9.50	10.95	-	

- * Please add 95p P&P (Europe £2.50, Outside Europe £4.50)
- * All prices include VAT
- * Goods despatched within 48hrs (subject to availability)
- * Out of hours answerphone... 0532 436300
- * 20% discount from RSP for schools and colleges, when spending in excess of £150.00 on Archimedes Software



C/O NORTHWOOD HOUSE Dept AU70 NORTH STREET, LEEDS LS7 2AA

The Last Ninia 2

Telephone 0532 436300

Please make cheques payable to Software Bargains

7.95 9.95 11.95



QUESTIONS AND ANSWERS

I'm looking for a database program for my A3000 micro. Most seem to be either originally written for IBM PCs and re-jigged for the Archimedes series or written for the old Arthur OS or amazingly expensive! Have I missed some packages?

A I'm afraid you are more right than wrong. Flying Start from Mitre was cloned from the IBM PC. AlphaBase from Clares was written for the previous Archimedes Operating System. Minerva's System Delta-Plus II is not multitasking although it can run on Risc OS. Minerva's latest Multi-Store is brilliant but costs £299.

You could wait for *Data Vision* from Silicon Vision which will be £199 but this will not be multi-tasking.

I have been rather disappointed with the BBC micro emulation provided by my BBC A3000. Is there a better

emulator other than !65Host?

A new version of !65Host has been released which is a substantial improvement on the original. It's faster and full BBC sound emulation, printing and DFS directory structure emulation is provided.

I have an Archimedes computer running ArcComm and the Amstrad SM2400 modem. Unfortunately I have been unable to get this system to work properly. Have I wired up the cables correctly?

ArcCommwill work with most common modems but you will need to wire up your modem differently to the standard recommended by Acorn – the IBM PC standard.

The diagram for ArcComm was given in the March 1989 issue of BBC Acorn User on page 135. The diagram might seem to be reversed as the view is from the rear of the plug (male) but the Arc end of the

cable is a socket (female). The pin numbering should be swapped left for right when wiring up a socket.

Q I'm a Master 512 owner and I've heard there is a memory monitor built into the 512 Rom. My problem is I don't know how to access it!

A You should start up your 512 as normal and press BREAK. When Dos-Plus has loaded, the screen will clear and report the standard second processor message and the filing system and give you a star prompt.

If you now type *HELP MON, a list of commands will appear. These are documented in *The Advanced Reference Manual for the BBC Master* published by Watford Electronics.

We have purchased a couple of BBC A3000s and would like to know how to use these computers in our older model B based network at school.

A Before an Archimedes or an A3000 can be linked to an Econet you will have to add an Econet circuit board. This is the same board as fitted into a BBC Master 128.

The utilities to enable the Arc to work on a network are already included in the modules provided within Risc OS.

The station number of an Archimedes is set by using a program called *SetStation* included in the ArthurLib directory on the hard disc of your

Filestore. If your Econet predates the release of the Filestore software, you will have to contact Acorn for an update.

On my PC at work the f3 key repeats the last Dos command typed, the f1 key repeats individual characters and f6 repeats the end of file character. These useful features don't seem to be available on the Master 512. Instead various keywords appear when the function keys are pressed. Is there any way I can make my Master 512 at home behave like the one in the office?

A The function key facilities you want are not available when your Master 512 system boots but the standard IBM definitions are available if you load the second copy of the COMMAND.COM file. Just type COMMAND.COM at the Dos prompt with Disc 1 in the drive.

I have decided to transfer all my DFS text files to ADFS so that I can hold more files per disc. At present I have been doing this by loading and saving each file individually. It is very slow! There must be a better method, what is it?

What you are doing is certainly not the best method! There is a program called *Copy-Files* on the Welcome disc. This will speed things up a bit but it will still be rather time consuming. Instead, invest in a copy of

If you have a problem with an Acorn micro, commercial software or a program you are trying to write then BBC Acorn User can help. The Post A Problem service guarentees to give you a personal answer within 10 working days for just £4.

Write out you problem with as much detail as possible and, if a program is involved, include a disc or cassette. Fill in the coupon at the bottom of this page and send it and your problem along with a cheque or postal order for £4 (including VAT) made out to Redwood Publishing. If you want recorded delivery add on the cost of this.

Please note that debugging readers' own programs or those from other magazines is a complex task and we cannot guarentee to give a full solution. Unless the problem can be spotted quickly, the Post A Problem service will only be able to make general comments. The service will answer the problem and return all material received within 10 working days of receipt. If we fail to match this promise then your cheque or postal order will be returned — you can't lose!

	BBC ACOI	RN USER I	READE	R SERVICE
	20-26 Bru	nswick Plac	ce, Lond	on N1 6DJ
NAME				

POSTCODE

DAYTIME PHONE NUMBER

ADDRESS

I enclose a cheque/postal order for £4 made out to Redwood Publishing and an sae with my poblem

OFFICE USE ONLY Date in:
Date out:
Answered by:

Macopy available from Care Electronics or Morley Electronics (both of these advertise in BBC Acorn User). This package comes on Rom or disc and uses all the Master's memory (including the 64K sideways Ram area) to effect the transfer of files between DFS and ADFS in either direction. It is automatic and fast!

I have been experiencing difficulty getting the Money Management program originally published by Gemini to run on my Archimedes. I've tried getting it to run under the !65Host emulator but without any luck. Can you offer any suggestions as to suitable but simple software to cover this kind of application on the Archimedes?

A You could try a simple package called *Traccs* from Galesoft, 30 Barne Close, Nuneaton, Warwickshire. However, a far better program is Minerva's *Home Accounts* package which exploits the power of the Arc to the fullest. It's multi-tasking and is tremendous for graphing your income and expenditure on all headings.

Q Iwant to upgrade my Master Compact to PC compatibility. A friend has done this with his Master 128 and he is very pleased. How do I do this with a Compact?

A I am afraid you cannot upgrade your Compact to PC compatibility. The necessary hardware is not present in your machine to allow the 80186 coprocessor to be fitted.

Q I have a normal BBC model B and I have been having problems using the *Spellmaster* Rom from Computer Concepts with some of the products from Solidisk.

A In a normal BBC model B Spellmaster has to claim workspace on machines fitted with Wordwise Plus or View. In these cases it is preferable for it to be fitted into a lower priority socket. Similarly for it to work correctly in some Rom or Rom/

Ram boards, Roms must be given a higher priority socket than *Spellmaster*. This is certainly the case in a Watford shadow Ram board.

Computer Concepts has advised *Spellmaster* users that there are some difficulties with versions of Solidisk DFS and ADFS which prevent *Spellmaster* from working unless it is in a lower priority socket.

I suggest you contact Computer Concepts to see if it has upgraded *Spellmaster* to cope with the Solidisk problems.

Q I have a BBC model B with a sideways Rom board and want to use it to run programs which have appeared in BBC Acorn User where the need for shadow Ram is specified. What can I do?

Watford Electronics sells its own shadow Ram board and the 'original' Aries shadow Ram board. Either of these would suit your purpose. But whether they would fit into your micro alongside your existing sideways Rom board is the problem.

Some shadow Ram boards have been particularly designed to match up with particular sideways Ram boards. You'll have to check this before you buy. Watford and Aries both market their own pair of boards for both shadow and sideways Ram.

Q I've just picked up a second hand BBC model B with a disc filing system fitted. I thought it would also work with a tape recorder for loading and saving programs but it does not seem to function with a tape recorder.

A If you have a disc interface fitted into a BBC model B the machine will always default to the Disc Filing System. You can only access the Tape Filing System by typing in *TAPE (or by holding down T while pressing BREAK). It is also best to alter the value of PAGE by typing in PAGE=&E00.

The Tape Filing System should now work correctly and you can load and save programs to and from your tape recorder.

ACORN CUSTOMER HOTLINE


• Acorn Archimedes and BBC A3000 computers come with a !System application on the Apps1 disc, or hard disc. Within !System are a number of modules shared by applications such as !Paint, !Edit and !Draw.

These extend the operating system. Once loaded they may be accessed by any application.

The modules which Acorn supplies are *CLib* (the shared C library), *FPEmulator* (floating point emulator) and *Colours* (colour translation module).

The *!System* application has been upgraded numerous times. Acorn has allowed third parties to incorporate *!Systems* with its software packages and has also released a new *!System* application on the Risc OS extras disc (see *BBC Acorn User* January 1990 for details on obtaining the Risc OS extras disc).

The !System application is structured as follows:



All these !System directories can get confusing. However, the modules are compatible with earlier versions so you need simply ensure you use the latest one by checking the date stamp.

Enter the !System application by holding down SHIFT and double clicking on the !System application. Enter the Modules directory by double clicking.

Then click the middle mouse button over the window containing the *CLib*, *Colours* and *FPEmulator* modules and by moving across the menu to the right of the word Display, another menu will appear. The top three options will be Large icons, Small icons and Full info. Clicking on Full info displays information on files in that win-

dow, including the date when the files were created.

Check these against the dates in other !System application directories to find the latest version of the !System and then ensure that all copies on all discs are the same. This avoids confusion if newer versions are released. Be careful not to delete any third parties' modules.

• When using the !65Host application from the Risc OS extras disc you can create miniapplications that boot themselves at the same time as starting !65Host. This is useful for educational users who are booting BBC software into !65Host from networks. For an application note on how to do this, send an A4 SAE to the Acorn Customer Services Dept.

 A number of enquiries ask about the new version of the PC Emulator and DR-Dos.

DR-Dos, developed by Digital Research, is an alternative operating system to MS-Dos, claimed to be fully compatible with MS-Dos 3.3 applications.

The OS has a built-in Help system, which will be of value with Acorn's Learning Curve.

The PC Emulator version 1.33 has undergone a minor upgrade to 1.34 to allow operation with DR-Dos (as supplied with the Learning Curve package). Both versions of the PC Emulator continue to be compatible with MS-Dos version 3.

Speed and applications compatibility are similar with either operating system or PC Emulator. There is a loss in workspace of around 25K with DR-Dos due to the Help feature.

• The PC Emulator has now been approved by the Open University, allowing students to use the Archimedes or BBC A3000 for its 1990 computing courses.

Details of courses are available from the Open University.

Peter Dunn


Peter Dunn and the Acorn Customer Services Department can be contacted at Acorn Computers, Fulbourn Road, Cherry Hinton, Cambridge CB1 4JN.

Make a Date in Your Diary For the

- *New Products
- *Old Favourites
- *Workshops
- *Seminars
- *Demonstrations
- *Daily Competitions
- *Free Draws
- *Fabulous Prizes

Find us close to Victoria Station at The Westminster Exhibition Centre (Horticultural Hall) Elverton Street, London SW1

Friday 7th Sept 12 noon to 7.00pm Saturday 8th 10am to 6.00pm Sunday 9th 10am to 6.00pm



Complete Range of BBC ACORN Hardware and Software

BOOK NOW, SAVE MONEY

For advance tickets fill in the coupon below and send with remittance to:-SAFESELL EXHIBITIONS

Market House, Cross Road, Tadworth, Surrey KT20 5SR

Advance tickets:- Adults £3.50 Under 16's £2.50 At the door:- Adults £4.00 Under 16's £3.00 Please send Under 16's tickets at £2.50 each I enclose cheque / P.O. for £....... Payable to **Safesell Exhibitions Ltd.**

DON'T SEND CASH!!

PLEASE ENCLOSE A STAMPED ADDRESSED ENVELOPE

ARCHIMEDES SUMMER FAIR:

CAMBRIDGE INTERNATIONAL SOFTWARE LTD

AT 8 HERBRAND ST LONDON WC1N 1HZ

TEL: 071 833 4023 FAX: 071 837 6077 SAT/SUN JUNE 16th & 17th 10am-6pm

£1 Entry 100's of ARCHIMEDES PRODUCTS

Lots of bargains

5 mins walk from Euston, Kings Cross & St Pancras. Opposite Russell Sq. Tube (Picadilly Line)

EXHIBITORS INCLUDES:-

Dabs Press Minerva Software Cambridge International Overseas Media Distributors

EMR Archive Superior Software Dabhand Computing

Lingenuity

CIS (New Game & Educational database)

A & B Computing Minerva (New release)

Lindis

Superior Software (2 new Games released)

Brainsoft (new add-on)

Pre Emptor (Educational Database)

LVS Consumbles


Arxe Systems (Utilities release)

EMR (!Inspiration)

Dabs Press

Dabhand Computing

Archive



CUB 3000 COLOUR MONITOR FROM MICROVITEC

CUB 3000 COLOUR MONITOR, ULTIMATE PERFORMANCE FOR YOUR ACORN

he CUB 3000 colour monitor from Microvitec has been designed specifically for use with the Acorn A3000 computer and the whole Archimedes range.

Over 300,000

Microvitec monitors have already been supplied to educational establishments throughout



Low Cost

- Colour Matched
- Metal Cabinet
- Mains, Audio & Video leads
- Brightness, Contrast & Volume controls

The CUB 3000 is available from a network of local Dealers.

For details of your local supplier contact Microvitec on the number below

EDUCATION SALES 0274 390011

the UK, each renowned for their high

BEAB
Approved
The CUB 3000 is no exception.



MICROVITEC

Microvitec PLC, Bolling Road, Bradford, West Yorkshire, BD4 7TU, England Tel: (0274) 390011 Fax: (0274) 734944 Telex: 517717

CUB 3000 COLOUR MONITOR FROM MICROVITEC



£40 RIPPLE

We open with a rather nice demo from Simon Levitt of Cambridge. It's a sort of electronic ripple-tank, showing in graphic detail the effects of wave interference.

The program is listing 1 on the yellow pages. Run it and enter the number of wave sources. This is only limited by the memory available in your machine but you might just like to try it with two to start off with. Then specify the size of tank'. This may be 64, 128 or 256 pixels along each side. Obviously the larger the picture, the slower the animation since there will be many more calculations to make. Try 64 first time.

Now you must describe each of the wave sources. Press 'S' and then use the up and down arrow keys to select a wave source. The square in the middle indicates what will be the animated part of the interference pattern.

You can place a wave source in this box or outside it. Just move the pointer to the desired position and press either the left or right mouse button.

A cross indicates each wave source and the co-ordinates are shown in the top right-hand corner of the screen for more accurate positioning.

The amplitude of the selected wave is set by pressing 'A' and then using the up and down arrow keys. Similarly, the frequency may be altered.

As a first experiment try positioning two wave sources in opposite sides of the square with amplitudes of 200 and frequencies of 6. When ready, press the middle mouse button to start the simulation. Hold down SPACE to return to the set-up screen.

So that you can place sources quite a way from the displayed area, a 'zoom' option is provided on the set-up screen.

Press Z and then use the arrow keys to alter the zoom factor. A factor of 8 will allow the most distant sources to be in-

RESUE AND THE RESULTS OF THE PROPERTY OF THE P

cluded and this is particularly useful when you are using a large displayed area of 256 by 256 pixels.

Graphic detail of the effects of wave interference

Finally, ESCAPE will re-start the program and SHIFT ESCAPE will exit from it. Incidentally, note that at least 160K of screen memory will be needed since two mode 13 screen banks are used. Use *CONFIGURE ScreenSize appropriately before using the program.

Each wave source is given its own part of a main array (called space in the program). Each is examined in turn and the array is filled with numbers representing distances from the source in the range 0-179.

Each time the waves are animated, these distances are decremented. On reaching -1 they are reset to 179. In this way,

motion away from the centre of the wave is achieved.

The main table of distances is built up by a Basic routine that draws concentric filled circles around the wave source. The colour of each circle represents the distance from the source. In this way, each point in the visible area can be examined quickly to find its distance from the centre of the waves.

The examination is performed by the machine-code routine .setarray. Incidentally, this process takes place on the hidden screen bank – REM out line 1670 if you want to see what's happening.

When animating, each point in the visible area is examined. Looking at the first wave source, the value in the main array is looked up and this is used to find a value for the height of the wave at that point.

This process is repeated for the remaining wave sources: the heights are added up and 'averaged' so that the result is in the range 1 to 16.

Finally, this value is converted into a shade of grey and poked directly onto the screen. Two screen banks are used for smooth animation.

The structure of the program should be fairly self-evident. PROCsetupsources builds the main array. PROCchecklimits is called so that the minimum amount of circle plotting takes place. PROCanimate (as you might expect) animates the wave patterns, calling PROCswap to switch screen banks.

The machine-code routine display takes as its parameters the number of wave sources in R0 and the size of the viewing square (64, 128 or 256) in R1.


PROCarmcode assembles the machine-code used, .setup reads the address of the start of screen with 'OS_ReadVduVariables' for future use by .setarray and .display. The program runs in the 256-colour mode 13 and the first DATA statement at the end contains 16 'pokable' values forming a scale from black up to white.

A final modification you might like to try is to alter the value at line 2980; this is the wave speed. Simon recommends that you don't make this too large or the effects become rather 'jumpy'.

YES And no

You will notice that Risc OS sometimes changes the pointer shape when asking you to confirm an action (for example if you delete a directory). This facility is available to any user and comes in the shape of a SYS call 'OS_Confirm'. Listing 2 illustrates this.

The call takes no parameters and waits for the user to indicate yes or no by pressing a key or a mouse button. It returns with the key pressed in R0, the C flag set if ESCAPE was pressed



and the Z flag set if the answer was yes. Note that these flags are read into the variable flags% by use of the semicolon in the SYS statement.

The left mouse button and the 'Y' mean yes; all other buttons and keys mean no.

BACK TO BASICS

And so to our spot for those new to Basic V. One of the many advantages Basic V has over previous versions is its improved string-handling facilities. The familiar functions LEFTS(, RIGHTS(and MIDS(can all be used as commands in order to overwrite parts of an existing string. For example, try:

t\$="ABCDEF"

ID\$ (t\$,3,2)="xx"

PRINT t\$

Similarly, try:

LEFT\$ (t\$,2)="yy"

RIGHT\$(t\$,2)="zz"

If the new string portion is shorter than the part it is replacing, the excess characters will be left intact. If the new portion is longer, extra characters are ignored.

When writing a string to a file with PRINT#handle%,t\$ for example, it is stored specifically as a string variable and the characters appear in the file in reverse order.

Often though, it is more useful to write a string of bytes to a file in the correct order – a multiple BPUT in fact. Before Basic V, the only way of writing a 'raw' string of characters to a file was with your own

routine, viz:

DEF PROCWS(t\$,handle%)
FOR i%=1 TO LEN(t\$)
BPUT#handle%,ASC(MID\$(t\$,i%))
NEXT

ENDPROC

Now, the BPUT command has been extended so the above routine can be replaced with:

BPUT#handle%, t\$

A new line (&0A) is written after the string unless you follow the BPUT statement with a semicolon. Strings can be read in from a file with:

t\$=GET\$#handle%

There are also many new arrayhandling features in Basic V. We'll be looking at these in a month or two, but the one that applies to strings is the command SUMLEN.

This returns the total length of all the elements of a string array. For example:

DIM test\$(1) test\$(0)="Hello" test\$(1)="Jim" PRINT SUMLEN(test\$())

will produce the correct value 8. Note that there must be no space between SUM and LEN.

Note also that whenever referring to arrays in general you must include empty brackets – test\$() in this case.

CHECK YOUR

Winner of the 'little known SWI of the month' award goes to 'OS_CRC' – a handy little call for providing checksums for blocks of data.

Listing 3 on the yellow pages illustrates its use. A filename is requested and then a checksum is produced. The call takes the form:

SYS 'OS_CRC, check, start, end, step TO check

The variable check is the ongoing checksum and should be set to zero at the start. Like listing 3, you don't need to checksum the data with a single call – the current value is returned in R0 and can be used for subsequent calls. The variables start and end determine which area of memory is to be checked and the step will usually be 1.

A step of 2 means every other

byte will be looked at and if you are using a step other than 1 (even a negative one is allowed) you must ensure that the end address is a multiple of the step from the start. If not, the call will never return.

Listing 3 checks the given file in chunks of size chunk%, reading each section of the file with OS_GBPB.

Having such a call to hand is particularly useful when writing software that uses 'dodgy' lines of communication, such as the sending of data down a telephone line. It is also a handy tool when writing your own filing system.

£10 SMALL CHANGE

Here's a really short and neat way of converting BBC and Master screens to the Arc. It comes from Gordon (T Gopher) Jefferyes of Harrow who gets a tenner for his troubles.

Gordon's idea uses the inbuilt pattern generators of the Arc, defined with a VDU 23 sequence. (By default, these are dealt with as they were on BBC and Master machines.)

Using these patterns means that Risc OS does all the hard work, so the segment of code needed is simply this:

10 MODE 0/1/2

20 OFF

30 N%+OPENIN"FILENAME"

40 GCOL 16,0

50 FORY%+992 To 0 STEP-32

60 FOR X%+0 TO 1279

STEP 16

70 VDU 23,2, BGET#N%, BGET#N%, BGET#N%, BGET#N%, BGET#N%, BGET#N%, BGET#N%

80 RECTANGLE FILLX%, Y%, 15, 31

90 NEXT X%, Y%

100CLOSE#N%

You will need to have saved your BBC screens in the usual

way, with:

*SAVEFilename 3000 +5000 for example. Change the first line of the program above to set the correct mode and alter the filename appropriately. As you can see, there are two nested loops. Bytes are read in from the file eight at a time - you will remember that BBC screens are organised in character blocks of eight bytes. The sequence VDU23,2 defines fill pattern one and then a simple RECTANGLEFILL is used to put the bytes in the right place on the screen.

The program could easily be altered to load mode 4 or mode 5 screens. Apart from selecting the correct mode number at the start, alter the step in the X% loop to 32 and change the last parameters of the RECTANGLE-FILL to 31,31.

Incidentally, because the Archimedes deals with colours in a different way to the BBC at the level of putting bytes on the screen, there is a further VDU 23 to select BBC or Risc OS patterns. VDU 23,17,4,8,0,0,0, 0,0,0 is the call where n=0 for BBC and n=1 for Risc OS patterns. For those who are interested, table 1 summarises the bit order of bytes of screen memory on the BBC and with Risc OS.

For example, mode 1 is a four-colour mode and each byte represents four pixels. On a BBC the colour of the leftmost pixel is determined by bits 7 and 3 whereas on the Arc bits 1 and 0 are (more logically) used.

TRY YOUR HAND...

Send your programs, ideas, hints and tips to: Risc Revue, BBC Acorn User, Redwood Publishing, 20-26 Brunswick Place, London N1 6DJ. You too can be a BAU star so come on, show us what you're made of!

Mode BBC/Master colours

7, 6, 5, 4, 3, 2, 1, 0

1 73,62,51,40

2 7531,6420

Risc OS colours 0,1,2,3,4,5,6,7 10,32,54,76 3210,7654

Table 1. Bit order of bytes of screen memory

Premier 3/

Version 3.06 Update News

Premier, reviewed in this issue, is constantly evolving and improving in response to customer requests, and now represents the most flexible, yet easy to use general purpose package available for the Archimedes Computer. Below are some of the features to be found in the latest version. Existing customers may upgrade discs free, while a full set of (3) V3.03 manuals is available for £25, inc vat. (Later features on disc)

- * Right, centre & column justification. (In addition to full justify)
- * Programmable mouse drag actions. (For marking text, etc.)
- * Fully user definable menus AND sub-menus. (to any depth)
- * Many new commands & system variables.

The above facilities have been exploited in a new word processor command file, with new menus allowing text styles to be applied directly to marked text, etc.

Premier is available by phone (Visa or MasterCard) from Circle Software for £120.00 +vat, or from any good Acorn Dealer.

Write or phone today for details of all our products. Dealer enquiries welcome.

Dept. AUR, Circle Software, 33, Restrop View, Purton, Swindon. Wilts. SN5 9DG Tel: 0793 770021



THE ONLY CHOICE FOR FAST PERSONAL SERVICE

A3000 RAM UPGRADE £109

ACOPH COMPUTER'S PREMIER DEALER - ONE OF THE TOP 25 UK DEALERS.



ARCHIMEDES: EASY TO USE NO LIMIT TO CAPABILITY.

The ONE computer for all walks of life and all ages Business (including, IBM), Educational, Graphics, Health, Music, Art, CAD, DTP, WP and Games.

Archimedes features: 32bit RISC Architecture for high speed, enhanced RISC-OS window environment, low cost, multitasking, MS_DOS and UNIX compatibility.

Cannon Computing is one of Acom's top dealers. All your required computer products and queries can be solved by us as your stockist and Econet Network approved supplier and installer.

Unlike most dealers Cannon Computing are available 8am to 11pm, 7 days per week to offer instant assistance to any of our customers – during evenings and weekends when most dealers are closed you can rely on us. We have also found that these are the most convenient times for many people to have demonstrations, we spend time discussing individual needs. We can also personally deliver any equipment purchased and set it up on your premises – evening and weekend service available if required.

For urgent orders we offer SAME DAY DELIVERY – most orders delivered within 24 hours – subject to stock availability.

We stock the complete range of Acorn machines: BBC Masters, Archimedes 310, 410/1, 420/1 and 440/1s and the new BBC micro; the A3000 and we can part exchange. Monitors, disc drives, printers, upgrades and accessories are always in stock together with consummables and all types of software.

Phone now for brochures and prices - QUANTITY AND EDUCATIONAL DISCOUNTS available. FOR THE BEST BEFORE SALES GUIDANCE AND AFTER SALES CARE CONTACT:

CANNON COMPUTING


35 RUSHLEIGH GREEN, THORLEY PARK, BISHOP'S STORTFORD, HERTS, CM23 4JH

TEL: 0279-507727 or 0831-407652 (mobile) FACSIMILE: 0279 508341 FINANCE ON ARCHIMEDES - CANNON COMPUTING ARE LICENSED CREDIT BROKERS



Acorn Better solutions.

Educational Software for Archimedes



The best-selling BBC Micro software from the Advisory Unit has now been made available for the Archimedes and A3000. The software has been converted to run in native mode, not under emulation, yet every effort has been taken to ensure that they remain as faithful as possible to the BBC versions.

The titles now available for Archimedes are: Stopress £30, Qmap £30, Mosaic £25, Fads £25, Dart £15, Stars £12, Hex £12. A greatly enhanced version of Quest, offering many new features over the BBC Micro version is also available at £30.

To order or for more information, contact:

Advisory Unit for Microtechnology in Education, Endymion Road.

Hatfield, Herts.

AL10 8AU Tel. 0707 265443

Fax. 0707 273651





Diamond Computer Systems Ltd.

Southampton (0703) 232777 London 081-597 8851 Midlands (0926) 312155 Bristol (0272) 693545 Eire 061 376744 Fax 232676 Fax 590 8959 Fax 883432 Fax 693223 Fax 376740

Established over 20 years

Manchester shop coming soon!

ACCESS AND VISA WELCOME

ACORN AUTHORISED SUPPLIER TO EDUCATION – ACORN PREMIER DEALER
ACORN APPROVED SERVICE CENTRE – ACORN APPROVED ECONET CENTRE

ACORN AIV CENTRE

EDUCATION & HEALTH AUTHORITIES CALL FOR QUANTITY DISCOUNTS 14 days credit given on official orders from schools, authorities and PLC's

Archimedes Micro Multisync System Basic Mono Colour 401 £1049 £1099 £1219 £1345 £1495 420/1 £1545 £1665 £1790 440/1 £2195 £2245 £2365 £2490 A3000 - £529 A3000 2meg £599 A3000 with Dedicated Colour Monitor-£695 Master 128K-£379 2nd Hand BBC's from £150 The Learning Curve - £649 with colour £799 2Mb Learning Curve - £699 Colour - £849

Philips 8833	Philips NMS 1432	
Colour Monitor	Quality g-pin printer, 120cp	
£199	£125 inc VAT While stocks last	
Switch Boxes2 wa 4 wa	y £12.95 y £14.95	BBC Colour Monitor £99+VAT

Impressions (Computer Concepts) – £99

Pipedream – £109 A3000 joystick – £24.95 inc VAT

(Joystick fits into mouse port)

PRINTERS CITIZEN Swift-24	DDINEEDO	
PHILIPS NMS 1432	PRINTERS	
PHILIPS NMS 1432	CITIZEN Swift-24	£249
STAR LC-10 MARK II		
STAR LC-10 £125 STAR LC-10 COLOUR £169 STAR LC24-10 £199 STAR XB24-10 COLOUR £439 PANASONIC KX-P1124 £199 HP DESKJET £449 HP PAINTJET £649 CITIZEN 120D £105 EPSON LX-400 £149 EPSON LX-850 £179 EPSON LQ-500 £249 EPSON LQ-850 £409 EPSON LQ-2550+ £895 EPSON SQ-2500 £909 OKIMATE 20 £159 LASERS PHILIPS LASER with on-site maintenance £899 CANON LASER MARK II £1495 PANASONIC KX-P4450 £1395 HP LASERJET II £899	STAR LC-10 MARK II	£149
STAR LC-10 COLOUR £169 STAR LC24-10 £199 STAR XB24-10 COLOUR £439 PANASONIC KX-P1124 £199 HP DESKJET £499 HP PAINTJET £649 CITIZEN 120D £105 EPSON LX-400 £149 EPSON LV-850 £179 EPSON LQ-500 £249 EPSON LQ-850 £409 EPSON LQ-1050 £549 EPSON SQ-2500 £909 OKIMATE 20 £159 LASERS PHILIPS LASER with on-site maintenance £899 CANON LASER MARK II £1495 PANASONIC KX-P4450 £1395 HP LASERJET II £899	STAR LC-10	£125
STAR LC24-10 £199 STAR XB24-10 COLOUR £439 PANASONIC KX-P1124 £199 HP DESKJET £499 HP PAINTJET £649 CITIZEN 120D £105 EPSON LX-400 £149 EPSON LV-850 £179 EPSON LQ-500 £249 EPSON LQ-850 £409 EPSON LQ-1050 £549 EPSON SQ-2500 £909 OKIMATE 20 £159 LASERS PHILIPS LASER with on-site maintenance £899 CANON LASER MARK II £1495 PANASONIC KX-P4450 £1395 HP LASERJET II £899	STAR LC-10 COLOUR	£169
PANASONIC KX-P1124	STAR L C24-10	£199
PANASONIC KX-P1124	STAR XB24-10 COLOUR	£439
HP PAINTJET	PANASONIC KX-P1124	£199
CITIZEN 120D £105 EPSON LX-400 £149 EPSON LX-850 £179 EPSON LQ-500 £249 EPSON LQ-850 £409 EPSON LQ-1050 £549 EPSON LQ-2550+ £895 EPSON SQ-2500 £909 OKIMATE 20 £159 LASERS PHILIPS LASER with on-site maintenance £899 CANON LASER MARK II £1495 PANASONIC KX-P4450 £1395 HP LASERJET II £899	HP DESKJET	£499
EPSON LX-400 £149 EPSON LX-850 £179 EPSON LQ-500 £249 EPSON LQ-500 £409 EPSON LQ-1050 £549 EPSON LQ-2550+ £895 EPSON SQ-2500 £909 OKIMATE 20 £159 LASERS PHILIPS LASER with on-site maintenance £899 CANON LASER MARK II £1495 PANASONIC KX-P4450 £1395 HP LASERJET II £899		
EPSON LX-850 £179 EPSON LQ-500 £249 EPSON LQ-850 £409 EPSON LQ-1050 £549 EPSON LQ-2550+ £895 EPSON SQ-2500 £909 OKIMATE 20 £159 LASERS PHILIPS LASER with on-site maintenance £899 CANON LASER MARK II £1495 PANASONIC KX-P4450 £1395 HP LASERJET II £899	CITIZEN 120D	£105
EPSON LQ-500 £249 EPSON LQ-850 £409 EPSON LQ-1050 £549 EPSON LQ-2550+ £895 EPSON SQ-2500 £909 OKIMATE 20 £159 LASERS PHILIPS LASER with on-site maintenance £899 CANON LASER MARK II £1495 PANASONIC KX-P4450 £1395 HP LASERJET II £899		
EPSON LQ-850 £409 EPSON LQ-1050 £549 EPSON LQ-2550+ £895 EPSON SQ-2500 £909 OKIMATE 20 £159 LASERS PHILIPS LASER with on-site maintenance £899 CANON LASER MARK II £1495 PANASONIC KX-P4450 £1395 HP LASERJET II £899		
EPSON LQ-1050 £549 EPSON LQ-2550+ £895 EPSON SQ-2500 £909 OKIMATE 20 £159 LASERS PHILIPS LASER with on-site maintenance £899 CANON LASER MARK II £1495 PANASONIC KX-P4450 £1395 HP LASERJET II £899	EPSON LQ-500	£249
EPSON LQ-2550+ £895 EPSON SQ-2500 £909 OKIMATE 20 £159 LASERS PHILIPS LASER with on-site maintenance £899 CANON LASER MARK II £1495 PANASONIC KX-P4450 £1395 HP LASERJET II £899	EPSON LQ-850	£409
EPSON SQ-2500	EPSON LQ-1050	£549
LASERS PHILIPS LASER with on-site maintenance £899 CANON LASER MARK II £1495 PANASONIC KX-P4450 £1395 HP LASERJET II £899	EPSON LQ-2550+	£895
LASERS PHILIPS LASER with on-site maintenance £899 CANON LASER MARK II £1495 PANASONIC KX-P4450 £1395 HP LASERJET II £899	EPSON SQ-2500	£909
PHILIPS LASER with on-site maintenance £899 CANON LASER MARK II £1495 PANASONIC KX-P4450 £1395 HP LASERJET II £899	OKIMATE 20	£159
PHILIPS LASER with on-site maintenance £899 CANON LASER MARK II £1495 PANASONIC KX-P4450 £1395 HP LASERJET II £899	LASERS	
CANON LASER MARK II £1495 PANASONIC KX-P4450 £1395 HP LASERJET II £899		£899
PANASONIC KX-P4450 £1395 HP LASERJET II £899	CANON LASER MARK II	£1495
HP LASERJET II£899	PANASONIC KX-P4450	£1395
NEC POSTSCRIPT £2589	HP LASERJET II	£899
	NEC POSTSCRIPT	£2589

Call for details of our Software Club! For just £20 a year you can get 30% off software prices, along with special discounts on hardware!

ACCESSORIES

NEW multitasking RISC OS	£29
0.5Mb RAM for 305	£110
ROM Podule Acorn	£45
ROM Podule (Computer Concepts)	
ROM Podule (CC) With Battery Backup	£59
3.5" 800K 2nd Floppy Drive (305/310)	£118
5.25" 800K external Floppy Drive	£105
I/O Podule (Analogue port, User port & 1MHz bus)	
MIDI add-on to I/O Podule	
MIDI Expansion Card	
Mono Sound Sampler	
Stereo Sound Sampler	£166
Chromalock Podule	£280
Econet network Board	£49
Archimedes IEEE Interface Adaptor	£269
Dual RS232 Podule	
16 bit parallel I/O Card	
Archi MKII Replacement Mouse	
PC Emulator inc. MS DOS 3.21	
Software Developers Toolbox	£175
Floating point Unit	
SCSI Adaptor Expansion Card	
Archimedes RISC-OS Reference Manual	
Arm Assembly Language Prog. manual	
Archimedes BBC Basic Guide	£20

DRIVES

Cumana CXS100 40T	£74
Cumana CSX400 40/80T	£89
Cumana CDX800/S 40/80T	£175
Cumana CD800/S 40/80T	£195
MD400A without PSU 40/80T	£78
MD400B with PSU 40/80T	£88
MD802C without PSU 40/80T	£156
MD802E with PSU 40/80T	
MD802D Plynth 40/80T	£190

RAM LIPGRADES

ANTALYA OL GARLADER	
A3000 IMb	£94
A3000 4Mb	£449
A305/310 2Mb	£325
A305/310 4Mb	£549
A410/1 Upgrade to 2Mb	£149
A410/1 Upgrade to 4Mb	£399

NEW
PHILIPS XT 286, 386
with faster clock speed
and new software!
Call for details!

MONITORS

Vision Colour	£159
Microvitec 1431	£175
Microvitec 1431AP	£199
Microvitec 1451	£199
Microvitec 1451AP	£249
Microvitec 1441	
Acorn Philips	
Microvitec 2030CS	
Philips 8833 (U.K.)	
Microvitec 2040CS	
Taxan Supervision 625	
Taxan 770+	
Viking II	
CM 1686 16"	

Special offer while stocks last

DIAMOND MULTISYNC II
Autoscan 14". Ideal for utilising the high
res modes on the Archimedes.
Our price includes tilt & swivel base
£299

DISKS

3.5" Qty 25	£13
3.5" Qty 50	
3.5" Qty 100	£48
3" Box 10	£17
3" Box 30	£48
3" Box 50	£80
5.25" box 10	£8
5 x 5.25" box 10	£30
80 capacity disk box	£4,95

PRINTER RIBBONS

LX800 & FX800	£2.50
LC10	
Citizen 120D	£4.00
Taxan/Canon	£3.20
Juki 6100	£1.30
Panasonic KX-P450 Toner	£26.95

We are also Europe's largest chain of *AMIGA* specialists! Full range of computers and accessories available from all stores!

Full range of PCs available. Call for details

HOW TO ORDER

Call your local shop with your Access or Visa card or send a cheque made out to the appropriate branch

Diamond Computer Systems Ltd, 84 Lodge Road, Southampton SO2 2QS LAN Computers, 10-45 High Road, Chadwell Heath, Romford LHC Microsales, 121 Regents Street, Leamington Spa, Warwickshire Diamond Computer Systems Ltd, 227 Filton Avenue, Bristol Diamond Computer Systems Ltd, Ballina, Killaloe, Co-Clare, S. Ireland

ALL PRICES EXCLUDE VAT. COURIER £5. NEXT DAY SERVICE £10

E&OE. All prices correct at time of going to press and are subject to change without notice

For fast delivery telephone your order on 081-205 9558 using VISA/Access Card



Orders welcome from government depts & educational establishments

IECHNOMATIC

Techno House 468 Church Lane, London NW9 8UF. Tel: 081-205 9558 Fax: 081-205 0190

Mon-Fri: 9.15-5.30, Sat: 10.30-4.00

All prices ex VAT. Prices are subject to change without notice.

Please add carriage (a) £8.00 (Courier, 2 days) (b) £3.50 (c) £2.00 (d) £1.50 Next day delivery at extra charge

rchimedes computers

A2000 (no monitor)	£599
A3000 (no monitor)	A CONTRACTOR OF THE PARTY OF TH
A3000 Acorn Colour	£799
A3000 Cub 3000 monitor	£789
Learning Curve	
LC (no monitor)	£699
LC Cub 3000 monitor	£873
A410/1 (no monitor)	£1099
A410/1 Acorn Colour	£1299
A410/1 Taxan 775*	£1459
Acorn 420/1 systems	
420/1 (no monitor)	£1499
420/1 Acorn Colour	£1699
Acorn 440/1 systems	
440/1 Acorn Colour	£2299
440/1 Taxan 775	£2349

Carriage £8/computer £12/system

Techno 410/1 systems upgraded to 420/1 spec.

Acorn Colour system

Taxan 770+ system

SPECIAL FINANCIAL DEALS **OR 10% VOUCHERS** TO GET YOU STARTED

We can offer you either free finance or a 10% discount voucher on all of the above Archimedes systems. Finance will be over 12 monthly installments and an initial deposit. We will pay all interest charges. Please write or phone for full details and a personal quotation. Subject to status we should be able to despatch your order within 7 days of receipt. Vouchers will be to the value of 10% of the purchase price when purchased at the prices shown above and will be valid for 90 days from the date of issue. Free finance or vouchers are not available on Techno bundled packages.

What we offer in addition to efficient sales service and professional backup!

We not only offer professional advice when you are purchasing your system but we will also provide friendly assistance afterwards. All our products carry a 12 month full warranty for parts and labour.

TECHNO 410/1 SPECIAL

Offer extended due to popular demand. Archimedes 410/1 upgraded to full 440/1 specification with 4 MB RAM and 50 MB Hard Disc (Acorn) plus

Taxan 770+ Multisync Monitor and including Pipedream 3 and Atelier as well as RISC OS Extras & SID Utilities discs, a packet of discs, a printer lead and a mouse mat. for only £1999 carr £12

Finance available on chargeable basis.

TECHNO 410/40 UPGRADES

A410/1 upgraded to 4 MB RAM and 40 MB Hard Drive complete with Mouse Mat, 1 box of 3.5" discs, printer lead and First Word Plus Release 2.

Now with the Atelier art package & RISC OS Extras & SID Utilities discs

Our 40 MB Hard Drive is a high spec, AutoPark, 25ms, quality drive with a reliable Toshiba mechanism.

techno 410/40 with Acorn Colour Monitor

£1699

techno 410/40 with Taxan 770+ £1899 Finance available on chargeable basis.

TECHNO DTP PACKAGE

Archimedes 410/1 Colour System upgraded to full 420/1 spec with 2 Mb RAM and 20 Mb Hard disc featuring our technoSCAN package and RISC OS Extras & SID Utilities discs and the Atelier art package and either

> Acorn DTP Package First Word Plus Rel 2, Logistix

Impression and Pipedream 3

and a free mouse mat for only £1777 carr £12

Finance available on chargeable basis. Special Educational Subsidy on the Techno DTP package.

R140 UNIX SYSTEM Offer ends 31st June

R140 Base System Taxan 770+ and PC Emulator Viking II

plus **Ethernet Card and Administrators Guide** for only

£3000

and it also includes on-site maintenance contract.

technoTablet

£1459

£1699

The latest model of the Genius GT1212A PC tablet adapted for use with Archimedes computers offers a resolution of 1000 lines/in over a 12" × 12" working area and connects through the serial port of the computer.

The Tablet is operated by moving a four button puck controller over the special surface and a two button stylus with switched tip is also available.

The software to drive the tablet is supplied as a module to operate within the RISC OS desktop environment. Once loaded, several commands are available to control the tablet:

- turn the tablet on or off
- select relative or absolute coordinates etc.
- change puck movement sensitivity

Three of the puck buttons act as standard mouse buttons and the fourth allows special operations such as changing the size of the tablet work area.

The tablet can virtually take over all the functions of a mouse making the use of graphics packages much simpler. The puck has a set of cross-wires which allow simple and accurate transfer of technical drawings. The optional stylus will make tracings, line drawings etc much easier and more accurate.

The standard Archimedes mouse or a Tracker Ball can be left connected and can even be used as alternatives for some operations.

The package includes the tablet, puck, software and mains power supply.

GT1212A Tablet

Optional Stylus

£259(a) £35(d)

PC mouse drivers and Art package

£12(c)

A3000 LEARNING **CURVE PACKAGE**

with 1MB ACORN A3000 **Tutorial Video GENESIS Database** PC Emulator FIRST WORD PLUS Wordprocessor the parents guide to the national curriculum

A3000 LEARNING CURVE

£699

Suitable monitor available separately

'EL: 081-205 9558

For fast delivery telephone your order on 081-205 9558 using VISA/Access Card



Orders welcome from government depts & educational establishments

L'ECHNOMATIC

Techno House 468 Church Lane, London NW9 8UF. Tel: 081-205 9558 Fax: 081-205 0190

Mon-Fri: 9.15-5.30, Sat: 10.30-4.00

All prices ex VAT. Prices are subject to change without notice. Please add carriage

(a) £8.00 (Courier)

(b) £3.50 (c) £2.00

(d) £1.50

3MB technoRAM £249(c)

£629(a)

£849(a)

£999(a)

Archimedes EXPANSION OPTIONS

NEW LOW PRICES ON RAM UPGRADES

1MB technoRAM £89(c)

400/1 RAM UPGRADES

£79(c) 1Mb RAM upgrade (410/1) £158(b) 2Mb RAM upgrade (420/1) 3Mb RAM upgrade (410/1) £235(b)


400/1 RAM and Drive Packs

1Mb + 20Mb HD	£239(a)
1Mb + 40Mb HD (Toshiba)	£355(a)
3Mb + 20Mb HD	£389(a)
3Mb + 40Mb HD (Toshiba)	£479(a)
3Mb + 50Mb HD	£529(a)

All the above upgrade packs come complete with cables, brackets and fitting instructions. Hard drives are ready formatted.

TRACKER BALL

A sturdy, high quality tracker ball is now available to replace the Archimedes mouse. You will no longer run off your mouse mat and at the same time you can save the valuable desk space. The tracker ball is fully compatible with the mouse driver. Arc £47(c)



techno5CAT

A versatile hand held scanner for Archimedes offering four monochrome resolutions (100, 200 300 & 400 dpi) as well as having 4 different modes of operation to select grey scaled or

monochrome images.
Software is fully integrated with the multi-tasking RISC OS and utilises the desktop environment to facilitate easy incorporation of scanned images into RISC OS compatible DTP,

WP, art or drawing package.
The scanning area is 4" wide and vertical height is limited only by memory constraints. The image brightness is adjustable to obtain the optimum quality. Tone selector allows different settings for text and photos.

Software appears as an icon on the icon bar from where all its facilities can be accessed. Software features include:

Visual rescaling of either X or Y axis, X & Y flips, colour tinting, picture cropping, on screen help, etc. RISC OS's anti aliaising feature is utilised

to enhance the image quality. Scanned images can be saved as sprite file or dragged into other applications. The images can be output to compatible printer as a sprite using one of the RISC OS versatile printer drivers.

The manual is written in easy to follow style with hints and tips for getting the best results. The manual together with interactive on-screen help gets you going almost immediately you have installed the scanner.

technoSCAN complete with interface card and manual

£149(b) £189(b) technoSCAN for A3000

you to expand up to 2 or 4MB. 1MB version upgradeable by us to 3MB. Totally compatible with Econet upgrades.

A3000 4MB RAM CAPABILITY

The TechnoRAM Card for the A3000 with either 1MB or 3MB on board, allows

12", 14" and 20" MONITORS

Microvitec CUB 3000 14" RGB TAXAN SUPER VISION 625 (B/B+/M) Med Res, specially designed for ARC £199(a) Super Hi Res and contrast RGB Monitor with option Microvitec 1431 (B/B+/M) Std Res. 14" £169(a) to switch to mono BBC/IBM £269(a) Microvitec 1431AP (B/B+/M) compatible. Std Res + PAL/Aud, 14" £199(a) **TAXAN 775** Microvitec 1455 MultiSysnc Autoscan 14", ideal for Med Res, 14" Arc/BBC £219(a) utilising the hi res modes on Microvitec 1441 Archimedes. Our price includes a £359(a) Hi Res, 14" tilt & swivel stand £419(a) Dust Cover for Microvitec 14"

TAXAN 870 £5.50(d) monitors Multisync autoscan 16" Philips CM 8833 14" RGB Med Res, 14", TTL/Linear Mono/ £239(a)

Colour, Stereo sound. **Acorn Philips** £220(a) 14" Colour Monitor

VIKING II 19" Hi Res white screen monitor for

CAD applications comes with Tilt & Swivel stand.

technoSCSI PACKS

New, from Technomatic, combination SCSI drives and the ACORN SCSI controller card.

105 Mb Internal £899(a) 105Mb External £1999(a) 330 Mb External 680 Mb External £2999(a)

MULTIPOD PROFESSIONAL

Professional design and use of latest hardware/software technology have enabled this five function podule to provide the highest quality performance at economical and realistic price. The five functions are:

FAST-SCAN VIDEO DIGITISER: Offers the highest resolution and number of picture levels of any video digitiser for the Archimedes computers. Capable of digitising in any mode to 640 × 512 pixels with 256 grey levels. Colour can be digitised with a camera and filters providing 24 bit colour resolution. Software operates within Desktop and offers contrast/brightness control, zooming, grey scaling and sprite saving.

SOUND DIGITISER: Samples for sound frequencies from 4KHz to 80KHz can be manipulated, composed and saved. Editing functions include filtering, mixing, overlaying, swapping, cut/paste. Saved sound modules including stereo sound samples can be used in various applications including games or can be exported to other sound packages. Operates within desktop environment.


SERIAL PORT: A full RS232 implementation of a dual channel comms port. It is IBM compatible using a 25way D connector. Uses *FX and SYS calls.

INSTRUMENTATION/JOYSTICK PORT: A high speed A to D convertor which provides samples at up to 100 KHZ for versatile datalogging. As BBC B analogue port, uses the usual ADVAL commands.

ROM SOCKETS: 3 ROM sockets for use through built in BBC B RFS

MULTIPOD PROFESSIONAL £117(b) FILTER SET FOR VIDEO CAMERA (RGB) £15(d)

NEW MULTIPOD PROFESSIONAL FOR A3000 £145(b)



ror tast delivery telephone your order on 081-205 9558 using VISA/Access Card





Orders welcome from government depts & educational establishments

TECHNOMATIC

Techno House 468 Church Lane, London NW9 8UF. Tel: 081-205 9558 Fax: 081-205 0190

Mon-Fri: 9.15-5.30. Sat: 10.30-4.00

All prices ex VA1.

Prices are subject to change without notice.

Please add carriage
(a) £8.00 (Courier)

(b) £3.50

(c) £2.00 (d) £1.50

Archimedes SOFTWARE

LANGUAGES

£129(c)
ch £95(c)
£175(b)
£27(d)
£185(b)
£185(b)
£159(b)
EV) £85(c
£85(c

UTILITIES

Clares Buffer Module	£18(d)
Clares Toolkit	£15(d)
Clares Toolkit Plus	
(RISC OS)	£25(d)
PC EMULATOR	£89(c)
RISC OS Extras Disc	£5(d)
SID Utilities Disc	£5(d)
RISC Paintjet driver	£15(d)
Acorn Fonts	
Starter Pack	£45(d)
Newhall Font	£45(d)

DESK TOP PUBLISHING

Acorn Desktop Publisher	£125(d	:)
Impression	£129(d	

WORD PROCESSORS

First Word Plus Release	
Pipedream 3	£129(c)
Graphics Writer (RISC C	S) £27(d)
Spell Master	£29(d)

SPREADSHEETS

Logistix	£95(c)
Sigmasheet	£57(c)

DATABASES

Multistore	£229(b)
System Delta Plus	£57(c)
Programmers Ref. Manual for above	£25(d)
School Administrator	£125(b)
Ancestry	£60(c)
Genesis	E79.99(d)

COMMS PACKAGES

MAYA Terminal Emulator	£29(d)
Hearsay	£55(d)
Arc Comm	£29(d)

EDUCATIONAL PACKAGES

Deal d Deading C17/d)

Bumper Pack 1 - Reading	Eli(u)
Bumper Pack 2 -	
Maths & Words	£17(d)
Fun School 2 - Under 6's	£17(d)
Fun School 2 - 6-8s	£17(d)
Fun School 2 - Over 8s	£17(d)

ART/GRAPHICS/CAD

Auto Sketch	£55(c)
Pro Artisan	£80(c)
Artisan II	£60(c)
Render Bender	£59(c)
Arcol RISC OS version	£49(c)
Atelier	£90(c)
SV FilmMaker	£65(c)
Gammaplot	£62(c)
Gerber Plot	£100(c)
Presenter II	£39(c)
SV Presentation Manag	er £41(c)
Solid Tools (SV)	£235(b)
Armadeus	£65(c)
Graph Box	£65(c)

SILICON VISION

	The second secon
ARC-PCB	£167(b)
ARC-PCB Professional	£319(b)
SolidCAD NEW RISC OS ver.	£79(c)
Solids Modeller NEW RISC OS ver.	£115(c)
Gate Array Design System	£75(c)
Realtime Graphics Language	£41(c)
Super Dump (Arc)	£20(d)
Super Plot	£20(d)
Solids Render (SV)	£65(c)
Robo Logo (SV)	£60(c)

EMULATED PACKAGES

View/Viewsheet/Viewstore	each £47(d)
Interword/Intersheet	each £35(d)

GAMES

This months TOP FIVE

£26(d)	
£26(d)	
£21(d)	
£17(d)	
£26(d)	
	£26(d) £21(d)

Send for our list of Archimedes games with over 50 titles.

I/O UPGRADES/EXPANSION

Acorn Backplane (2 slots)	£37(c)
TechnoLog Backplane (4 slots)	£29.95(c)
Fan for TechnoLog Backplane	£8(d)
I/O Podule	£80(c)
Midi Expansion Card	£66(c)
Midi Add-on to I/O	£37(c)
Acorn ROM podule	£51(c)
CC ROM Podule	£45(c)
IEEE Interface Card	£283(b)
16 bit parallel I/O Card	£195(b)
Dual RSa12 Card	£195(b)

Wild Vision Chromalock Board	£280(b)
Arc Prototyping Board	£35(d)
Tracker Ball for Arc	£47(c)

AEDA

External Drive Adaptor:

A versatile external drive adaptor offering many novel features:

- * Professionally designed for easy and neat installation.
- * Fully buffered and handles a total of 4 drives (3.5" or 5.25").
- Rear panel mounted switch to select internal or external drive as boot drive. Particularly useful with PC programs.

AEDA for 300/400 Series	£30(c)
AEDA for A3000 (1 rear plate)	£30(c)

HARD DRIVES & CONTROLLERS

Acorn 20Mb HD + Controller (310)	£379(a)
A3000 HD Controller and 20Mb drive	£389(a)
A3000 HD Controller and 40Mb drive	£509(a)

Both units separately cased with external PSU for the drive.

Techno HD Controller for 2 HD (310)*	£149(b)
SCSI HD Controller	£299(a)

Internal ST506 drives for 410 supplied complete with mounting bracket, cables & instructions

Techno 20Mb 40 ms	£	1	79	9(a)
	1 2 200			-	10 5	-

Toshiba 40Mb with Auto park 25 ms £329(a) Probably the best drive available.

Auto parking for ease of use.

Techno 50Mb 28 ms £369(a)

External ST506 HD as 2nd HD
20Mb (cased & psu, cables) £249(a)

Toshiba 40Mb (cased & psu, cables) £379(a) 50Mb (cased & psu, cables) £449(a)

External HD adaptor plate £30(c)

THINGI

Is Your desk cluttered?

Make some space by attaching a Thingi to your monitor. A removeable copy holder at a down-to-earth price.

Thingi

MONITOR ACCESSORIES

General purpose tilt and swivel	
stand for 12" and 14" Monitors	£12(b)

CABLES

Arc BBC Serial Link inc software	£15(d)
Arc BBC Serial Cables	£7(d)
Arc PC Serial Cables	£7(d)
Arc Parallel Printer Lead	£7(d)
Arc Keyboard Extn Lead	£7(d)
Arc Scart Lead	£7(d)
Arc/CM8833 lead with auto jack	£10(d)
Arc Dust Cover	£8.50(d)
High Quality Mouse mat	£4(d)

ARCHIMEDES NETWORKING

Use the hard disc on your 300 or 400 series Archimedes to provide storage for A3000s and 410/1 computers. They all connect to Acorn's Econet wiring using low cost Econet modules and ALL computers can run multi-tasking RISC OS applications.

Printers can also be shared by a number of Archimedes using the same economical networking system.

Most Archimedes software is available on a site licence.

Contact us for details

£5(d)

TEL: 081-205 9558

your order on 081-205 9558 using VISA/Access Card

VSA

Orders welcome from government depts & educational establishments

TECHNOMATIC

Techno House 468 Church Lane, London NW9 8UF. Tel: 081-205 9558 Fax: 081-205 0190

Mon-Fri: 9.15-5.30. Sat: 10.30-4.00

All prices ex VAI. Prices are subject to change without notice. Please add carriage (a) £8.00 (Courier)

£149(b)

(b) £3.50

£2.00 (c) (d) £1.50

PRINTERS & PLOTTERS

£409(a)

£575(a)

£529(a)

£649(a)

£880(a)

£569(a)

LQ 132 col

NB24-10

EPSON

Epson LX/FX

Epson's budget priced 9 pin printers offer quality and reliability with Epson's advanced paper handling technology, draft and NLQ print in

variety of typestyles and fonts:

LX400 180cps draft 30cps NLQ £135(a) LX850 200cps superdraft 30cps NLQ £209(a) £319(a) FX850 264cps draft 54cps NLQ

FX1050 as FX850 but wide carriage (132 col)

Epson LQ range

Epson's 24 pin printers with superior draft and letter quality, variety of typestyles and fonts, high res graphics, advanced paper handling and Epson's reliability:

£209(a) LQ400 180cps draft 60cps LQ £279(a) LQ550 180cps draft 60cps LQ £465(a) LQ850 264cps draft 88cps LQ

LQ1050 as LQ850 but wide carriage (132 col)

Epson Colour Printers

High speed 9 and 24 pin printers with colour option fitted:

£429(a) EX800 300cps draft 60cps NLQ EX1000 as EX800 but wide carriage £549(a)

(132 col) LQ860 as LQ850 but with colour LQ1060 Wide carriage version-

of L 0860 LQ2550 400cps draft 133cps LQ

Epson Inkjet/Laser Printers

SQ850 600cps draft 198cps LQ SQ2550 as SQ850 but wide carriage

£899(a) (132 col) £895(a) GQ5000* Laser 6ppm multifont

*(Free 12 months on site maintenance included in the price)

DFX5000 9pin Hi Speed Line

£999(a) printer 533cps

NATIONAL PANASONIC

£125(a) KXP1081 + Master Printer Lead KXP1124 24 pin 190cps £209(a) draft 63cps LQ KXP1540 24 pin 240cps draft 80cps £429(a)

STAR

£139(a) LC10 9 pin 144cps draft 86 cps NLQ LC15 as LC10 but wide carriage £289(a) (132 col) £179(a) LC10 Colour version of LC10 LC24-10 24 pin 180cps draft 60cps NLO £209(a) LC24-15 Wide carriage version of £349(a) LC24-10

INTEGREX

£409(a)

£559(a) 132 Inkjet Colour Printer

HEWLETT PACKARD

£819(a)* Laserjet Series IIP £1219(a)* Laserjet Series II £1249(a)* Laserjet Series III



£539(a)* **Deskiet Plus** Paintjet £719(a)* Deskjet £449(a)* *FREE 12 months on site maintenance contract

PLOTTERS

ROLAND A3 8 pen FLATBED PLOTTERS

£630(a) DXY1300 £1085(a) DXY1100

£915(a) DXY1200


BUFFERS & SHARERS

Smart Printer Buffer 256K

256K parallel buffer with facilities for 256 copies, PAUSE, RESET & SELF-TEST

Compact Two Way Switch

An economical solution for connecting two computers to one Printer or one computer to two printers. Easily attaches to the side of computer or monitor (specify parallel or £19(c) serial)



Manual Printer Sharers

Manual I Initel Onale	.	
(All lines are switched).	Parallel	Serial
2 computers to one printer	£23(c)	£23(c)
3 computers to one printer	£30(c)	£30(c)
4 computers to one printer	£36(c)	£36(c)
2 computers to 1 or 2 printers	£49(c)	£49(c)
Cable sets for above sharers computers	available for all	popular

BBC Computer Sharer: TCS26

1 computer to 2 printers fitted with BBC cable £15(c)

Parallel Printer Leads

BBC/Master (1.2m) £5(d) BBC/Master (2m) £7(d) £7(d) £7(d) Compact (1.2m) Archimedes (2m) £7(d) Nimbus 2m

36/36way centronics (2m) IBM/PC Compatible (2m)

CONSUMABLES

included

Serial Interfaces			• 10 12 1
Epson 8143			£32(d)
Nat Pan KXP17			£39(d)
Epson8148(8Kbuffe	er)		£79(d)
Taxan			£49(d)
Buffers			
32K Buffer IC for P1	124/	1540	£18(d)
Cut Sheet Feeders	:		
LX400/800/850, LQ4	400/5	50	£69(b)
FX800/850, LQ800/8	850		£135(a)
LC10 £55	(b)	LC24-10	£89(b)
Brother HR20			£209(a)
KXP1124 £88	(b)	KXP1540	£179(a)
Full Tractor Feeds	:		
LQ800 £49	(b)	LQ1000	£55(b)
LQ850 £70	(b)	LQ1050	£85(b)

PRINTER STAND

A new style printer stand with easy paper feed and paper seperation, provides complete access to paper. Can be used with both top and bottom paper feed. Very space efficient. £22(b)

Guaranteed High Quality Ribbons

Epson:			
LX80/86/800,400/8	850		.50(d)
MX/RX/FX80/85/80	00/850	£3	.50(d)
MX/RX/FX100, FX	105/1000/10!	50	£5(d)
LQ400/550/800/85	50	£4	.50(d)
LQ1000/1050, EX8			£7(d)
EX800/EX1000 Co		£	:15(d)
Star:			100 110
1010/11/10 63	EO/4	10100-1	CEIN

LC10/NL10 £3.50(d) £6.50(d) LC10 Colour £5.00(d) LC24-10

National Panasonic KXP1081 £3.50(d) KP1124 £6(d) Taxan KP810/815/910/915 £5.00(d) £1.80(d) Juki 6100 Integrex Black Cartridge £10.50(d) £16(d) Integrex Colour Cartridge

Plotter Pens:

£7.50(d) Epson HI80 4 pen set (water/oil) £18.50(d) Hitachi 672 6 pen set: water £25(d)

Roland 4 pen set. (water/oil) (various sizes) EX800/EX1000 Colour Kit

£7.50(d) £15(c)

Paper & Labels

Plain fanfold woodfree paper with microperforations: £11(b) 2000 sheets: 9.5" x 11" 60gsm 1000 sheets: 9.5" x 11" 60gsm £7(c) £11(b) 1000 sheets: A4 80gsm A4 90gsm £12(b) 500 Loose A4 sheets £4(c) 50 sheets Art paper 115gsm A4 £3(c), A3 £5(c) Integrex Paper Roll Std: £9(d)

High Quality: Labels/1000

Single Row 31/2 x 17/16" £5.75(d) Double Row 31/2 x 17/16" £5.75(d) Triple Row 27/16" x 17/16" £5.75(d)

£18(d)

MODEMS*

MIRACOM WS4000 V21/V23 £115(b) MIRACOM WS3000 V22 £249(b) £395(b) MIRACOM WS3000 V22bis PACE LINNET V21/23 £135(b) *All models carry a BABT Approval

205 9558

your order on 081-205 9558 using VISA/Access Card

BARCIAYCARD

Icome from

Orders welcome from government depts & educational establishments

TECHNOMATIC

Techno House 468 Church Lane, London NW9 8UF. Tel: 081-205 9558 Fax: 081-205 0190

Mon-Fri: 9.15-5.30. Sat: 10.30-4.00

All prices ex VAT.
Prices are subject to
change without notice.
Please add carriage
(a) £8.00 (Courier)
(b) £3.50
(c) £2.00

(d) £1.50

MASTER SERIES

Special Spring prices for Master Computer Systems

BBC Master Computer the most popular computer for education comes complete with a WordProcessor and Spreadsheet and fun/primary education packages.

BBC Master 128 with Acorn Colour Monitor, TS400 Single Drive & Epson LX400 printer

printer £769(2*a)
BBC Master 128 with Mono-

chrome Monitor TS400 Single Drive & Epson printer BBC Master 128 for use with TV

£661(2*a)

£379(a)

£899(d)

£17.25(d)

We can also offer systems to suit your specific requirements. Low cost finance available on above systems. Written quotations available on request. Subject to status.

MASTER ACCESSORIES/ADD-ONS

ADC06 Turbo 65C102 CoProcessor £115(c)

ADF10 Econet Module £49(c) Acorn Rom Cartridge £13(d)

ADJ22 Ref Manual I £14(c) ADJ23 Ref Manual II £14(d)

TRC32 32K RAM Cart. £15(d) Master Dust Cover £4.75(b)

Master System ROM £39(c)

BBC Domesday System £2,500(2xa)

ECONET ACCESSORIES

Stacking Filestore EOIS

Filestore Hard Disc E40S	£799(a)
Filestore Hard Disc E60S	£999(a)
Econet Starter Kit	£85(b)
Econet Socket kit	£29(c)
File Server level II	£75(d)
Econet Bridge	£174(b)
Printer Server Rom	£41(d)
10 Station Lead Set	£34(d)

MISCELLANEOUS ACCESSORIES

Ripper Stripper

Master FS Utility Disc

A handy gadget to obtain clean tear-offs from fan fold paper £4.50(d)

Tidy Box

A moulded plastic pocket to store pens etc next to your micro. £4(d)

Mouse Mat

High quality mouse mat which can also be used as a cutting pad (scales in inches and cm) £3.50(d)

Mouse Cleaning Kit

An essential kit to ensure your mouse remains in perfect trim and provides precise operation £4(d)

TECHNOMATIC DISC DRIVES

A range of high quality high performance drives to meet the needs of all BBC Micro Users.
*All drives are fited with high quality slim line ultra lower power mechanisms capable of single and double density operation and offering fast track access and head setting times.

*5.25" floppy drives are fitted with 40/80 track switches as standard at no extra cost. The switches are located in the front and clearly marked to indicate the status at a glance.

*All drives fitted with all necessary leads and are ready for operation on unpacking. The drives with the mains power supply are supplied with a mains lead fitted with a suitably fused 13A moulded plug. *Our plinth drives have been thoughtfully designed and provide a choice of two 5.25" drives or a combination of 5.25" and 3.5" drives.



5.25" Single Drives 40/80 switchable:

TS400 400K/640K £80(b) PS400 400K/640K with integral £90(b) mains power supply 5.25" Dual Drives 40/80 switchable: TD800 800K/1280K £160(a) PD800 800K/1280K with integral mains power supply £170(a) PD800P 800K/1280K with integral mains power supply and monitor stand £185(a) PS400/PS351 are Compact/Archimedes compatible.

WINCHESTER DRIVES

PD800/PD352/PD853 are Archimedes compatible.

Most popular range of Winchesters for BBC. Drives are housed in metal casing fan cooled and powered by switch mode psu for quiet, efficient and reliable operation.

Front end utility for Master, format and verify program and Tree Plan directory structuring utilities are included as standard.

P30HD drive £399(a) P60HD drive £529(a) P304HD + 40/80T DS Floppy £529(a)

3M FLOPPY DISCS

 5.25" Discs in packs of 10

 744 40T SSDD
 £5(d)

 745 40T DSDD
 £5(d)

 747 80T DSDD
 £7(d)

 3.5" DSDD Discs
 £7.50(d)

BULK DISCS

50 5.25" 40T single sided discs with sleeves in lockable box.
50 5.25" 80T double sided discs with sleeves in lockable box.
40 3.5" 80T DS Discs in lockable box brive Head Cleaning Kits (5.25" or 3.5")

£20(b)
£25(b)
£25(b)
£38(b)

STORAGE BOXES

Library Cases: 10 × 5.25" £11(d) 10 × 3.5" £1(d)

Lockable Boxes; 3.5": 40 Discs £6(c) 80 Discs £7(c) 5.25": 50 Discs £6(c) 70 Discs £7(c)

100 Discs

J. F.	ture	T.F	
		ī	D 800P

3.5" 80T DS Drives
TS351 single 400K/640K
PS351 3.5" single drive with integral mains power supply in a 5.25" case.

TD352 Dual 800K/1280K
PD352 3.5" dual drive with integral mains power supply in a 5.25" case.

£139(a)

Combo Drives (5.25" & 3.5" drives)

PD853 **£185(a) £205(a)**

SPARE PARTS

BBC B/B+ Power Supply £65(b) **BBC B Keyboard** £52(b) **BBC B Keyboard Connector** £4.75(d) BBC B/B+ Video ULA £18(d) BBC B/B+ Serial ULA £12(d) KeySwitch B.B+, M £1.75(d) (please specify original type) **UHF** Modulator £4(d) 16Mhz Xtal £2.50(d) 17.734 MHz Xtal £2.50(d) 6502A £5.50(d) 4816 RAM (B) £2(d) Master psu £65(b) Master Keyboard £62(b) Keyboard Connector set (M) £5(d) 1Mb OS ROM M £39(d) CF30060 ULA (M) £10(d) CF30047 ULA £15(d) £34(d) ULA (512) ULA (6502 & Z80 2nd Proc) £28(d) Power Supply (2nd Proc) £42(b) ARC Keyboard Assy £85(c) ARC Power Supply £65(b) Mouse £49(c) Drive Cable £5(d) Keyboard Curly Cable £22(c) Window Moulding £6(d) 41464 £8(d)

If the parts you need are not listed please call us

UPGRADES FOR MODEL B

Acorn 1772 DFS Kit £49(d)
ADFS ROM £26(d)
ATPL ROM/RAM Expansion Board £37(c)

TEL: 081-205 9558

rast delivery telephone your order on 081-205 9558 using VISA/Access Card

Orders welcome from government depts &

educational establishments

ECHNOMAT Techno House 468 Church Lane, London NW9 8UF.

Tel: 081-205 9558 Fax: 081-205 0190

Mon-Fri: 9.15-5.30, Sat: 10.30-4.00

III prices ex VA Prices are subject to change without notice. Please add carriage

(a) £8.00 (Courier)

(b) £3.50

(c) £2.00

(d) £1.50



- * An easy to use CAD system with pop up menus providing a user friendly interface at all stages of operation.
- Input can be configured for keyboard, mouse or tracker ball. Only three keys to input all commands if input from keyboard.
- * Virtually no limit to the size or complexity of the drawing that can be created. Powerful zoom facility allows a A0 size drawing to be viewed from single screen or a single screen can be enlarged to A0 size. Continuous panning across a drawing by specifying co-ordinates.
- * Lines, arcs and circles can be drawn with ease and in user defined colour and thickness. These can be modified at any stage of drawing.
- * User definable grid and scale, together with on screen display of dimensions, and co-ordinates enable easy and accurate drawings.
- Multi layering capability with 8 levels allows superimposition of drawings.
- Powerful icon utility allows any shape or drawing to be saved to a library as an icon. lcons can be recalled from the library and placed anywhere on the screen drawing at required scale and orientation.
- Toolkit program allows customisation of files, utilities and peripherals.
- Drawings can be scaled on screen to suit the plotter or printer in use. A maximum resolution of 0.01mm is available. Preconfigured drivers for many popular plotters and a driver generator for any BBC compatible plotter is included. Printer drivers for Epson 9 pin and 24 pin printers are included as standard as is the facility for installing drivers for other printers. Printers will output in landscape or portrait format.

WHY technoCAD?

The best feature of technoCAD is not its outstanding performance, not its unique ability to allow creation of complex icons, not the quality of output from printers or plotters. The best feature is the unprecedented ease with which it can be mastered. With easy to use single key commands limited to three keys, pull down menus and a clear and concise, easy to read manual, technoCAD is truly the system any one can use.

techCAD will meet the needs of most professional applications and it is an ideal tool for teaching CAD in technical schools, CDT departments and colleges. £99(c) NOVACAD

Computer Aided Draughting System

Novacad can drive a plotter to produce drawings of highest quality ... Novacad is excellent. It is flexible, genuinely easy to operate without much practice, and a pleasure to use. Beebug Dec 86

A Sophisticated CAD package with unique facilities.

The major features offered are:

- ★ Simple and easy to use with logical command
- A large drawing area (approx 15 screens)
- Unique ability to create complex icons made up of upto 500 lines instead of the usual 15 to 20 pixels, store them in a library and recall them at different scales and orientations.
- Zoom facility
- Create multi level drawings.
- Text entry at any 90° orientation anywhere on the screen.
- Grid scaling and locking, displacement measurements.
- Printer routine for FX80/100 compatible printers.
- * Cursor control from keyboard/tracker ball/ mouse

Plotter driver generator available as an optional utility, configures a routine for any BBC compatible plotter. Pre configured routines for popular plotters like Epson HI80, Hitachi, Plotmate are included. Drawings can be scaled to maximum plotter size.

£39(d) NOVACAD T/M Version NOVACAD T/M + Plotter DG £49(c) £12(d) Plotter Driver Generator

EPROMRYTER

*Highly sophisticated & Advanced Programmer *All current single rail eproms handled *State of the Art Programming Algorithms

EpromRyter is a powerful eprom programmer designed for use with the BBC Master Computer. It takes full advantage of the latest developments in the eprom technology and the extra facilities on the Master to provide fast, simple and efficient programming and editing facilities.

The software is totally menu driven and on screen help messages make the programming simple for both specialists and novices alike.
The EPROMRYTER interfaces with the Master

through 1MHz bus. It is mains powered with its own psu. 3M Textool zif socket has been fitted to ensure consistent and reliable service over long periods.

The single rail eproms handled by the EpromRyter are:

- 2716 2732 2764 27128 27256 27512 27513 27011 2516 2532 2564 (NMOS & CMOS)
 - One time eproms P27XXX, 87CXXX etc
 - Also A suffix eproms such as 27XXXA

£89(b)

BBC SOFTWARE

INTEGRATED PACKAGES

MEGA 3 ROM

£76(c)

(incorporates InterWord/InterSheet/InterChart)

WORDPROCESSORS

£45(c) Acorn VIEW 3.0 £36(d) Interword Spell Master £42(d)

DATABASES

£36(d) Viewstore £49(d) InterBase

SPREADSHEETS

Viewsheet (ROM 8, B+)	£36(d)
Viewsheet (Disc Compact)	£39(d)
Viewplot	£24(d)
InterSheet	£37(d)
InterChart	£25(d)

LANGUAGES

Acornsoft C	£29(d)
Acorn MicroProlog	£49(d)
1S0 PASCAL	£51(c)
MocroText plus	£229(b)

POINTING DEVICES

Marconi Tracker Ball RB2 £49(c) **RB2 Stand Alone** (specify if AMX compatibility regd) Stand Alone Mouse £34(c) (AMX Compatible)

£4(d) High Quality Mouse Mat

UNIVERSAL DEVELOPMENT SYSTEM

A set of three packages to meet the needs of any software developer for assembling, disassembling and amulating codes for over 30 processors. Packages are structured to work with new processors.

£90(c) META Assembler £90(c) **TEAM Disassembler**

COMMUNICATIONS

£32(d) Master Termulator (M) £29(d) MAYASOFT (A,M,C,B,B+)

PRINTER UTILITIES

DumpMaster ROM £26(d) £25(d) Screen Print (B/W) Screen Print (Col) £35(d) (state Star or Integrex)

EPROMER II

A proven Eprom programmer for BBC Model B and B+ with thousands in use in industry, educational and R&D establishments. It offers many of the powerful features of the EpromRyter and can program all single rail eproms upto 27256. Full details on request. £89(b)

TEL: 081 205 9558

BBC BASIC Version 2 – Programming language and Emulator for the Apple Macintosh

Combines the best of the BBC Microcomputer...

BBC BASIC for the Macintosh gives you access to the foremost educational programming language in the UK, with the ability to run many programs originally developed for the BBC Microcomputer.

- BBC BASIC emulates BBC Microcomputer graphics and screen modes, including Mode 7 Teletext. It provides grey shades on a monochrome Macintosh and colour on a Macintosh II, and you can even load BBC-format screen dumps directly to the screen.
- BBC BASIC provides a built-in assembler and 6502 machine-code interpreter. You can compile and run 6502 assembler programs, or machine code which you have loaded in directly.
- BBC BASIC incorporates the BBC Microcomputer Emulator Operating System
- BEOS to give full emulation of the BBC Microcomputer environment on your Macintosh, including all the standard system calls and vectors, OSBYTE, OSWORD, *FX calls, VDU codes, function keys, sound, and DFS/ADFS commands.
- BBC BASIC includes the File Mac transfer utility which will transfer programs and data files between the BBC Microcomputer and Macintosh. Even !BOOT files can be transferred, and can then simply be double-clicked to run programs.

...with all the advantages of the Apple Macintosh:

BBC BASIC takes advantage of the advanced features of the Macintosh to provide a fast and powerful environment in which to develop, test, and run your BASIC programs.


- A Macintosh-style interactive editor provides a scrolling view of program listings with convenient cursor or mouse editing. You can work with any font available on your system and you can display keywords highlighted in bold for easy reference.
- Dynamic tracing and debugging lets you run a program, or step through, highlighting each statement as it is executed, and you can display the values of any variables or expressions.
- A comprehensive Help system gives you instant information on keywords and operators, without interrupting what you are doing.
- A Macintosh Toolbox interface allows you to define your own menus, dialogue boxes, and scrolling lists using convenient BASIC keywords, and use the standard file dialogues for opening and saving data files.


The BBC BASIC package contains:

- One 800K disc containing BBC BASIC, File Mac, and example programs
- BBC BASIC User Guide
- BEOS Reference Guide
- BBC BASIC Examples booklet









HUMANVCOMPUTER INTERFACE: LIMITED

For more information:

Human-Computer Interface Limited 25 City Road, Cambridge, CB1 1DP, England. Telephone: (0223) 314934 Fax: (0223) 462562

AU/1/90



Nationwide Supplier of Computer Equipment, Peripherals and Consumables to Education. Business and the Home











A400/1 SERIES **UPGRADE KITS**

From A410/1 to A420/1 £250.00

From A410/1 to A440/1 With 42 Mb winchester £494.00

ARCHIMEDES 1 MB RAM **UPGRADES**

BBC A3000, A400/1 Series

£75.00

NOTE: A410/1 can be upgraded to 2 or 4 MB

A400/1 HARD **DRIVES**

20MB £185.00 42MB £269.00 53MB £499.00

VERTINIA CURVE **UPGRADE TO 2Mb** RAM

£699.00

A3000 USER & ANALOGUE PORT INTERNAL PODULE

£45.00

Available Now



A410/1 Colour System 2MB RAM & 20MB Hard Drive (=A420/1) £1519.00

A410/1 Colour System 4MB RAM & 53MB Hard Drive (=A440/1) £1719.00

FREE FITTING & RETURN DELIVERY FOR ALL HCCS UPGRADES.

Machines are normally upgraded and despatched within 5 working days of receipt. Machines must be sent to HCCS in the original packaging. HCCS cannot accept responsibility for damage occurring during incoming transit.

A3000 SCSI INTERNAL PODULE

£119.00

Available June



HCCS also supply a full range of peripherals and other computer related products. Prices available on request.

BBC Master 128 £365.00 **BBC A3000** £599.00 Acorn Colour Monitor £220.00 A410/1 Computer £1099.00 A410/1 Colour System £1319.00 R140 Unix Workstation POA

TERMS OF BUSINESS

15% VAT must be added to all prices. Carriage free to anywhere on the UK Mainland.

Cheques / P.O's made payable to:-

HCCS ASSOCIATES LIMITED

575-583 Durham Road, Low Fell, Gateshead, Tyne & Wear NE9 5JJ

Tel: 091 487 0760 Fax: 091 491 0431

Education price list available on request

Prices correct at time of printing. E&OE. Ring for latest prices. Items despatched within 48 hours of receipt of order, subject to stock and availability.

Watford Electronics

Jessa House, 250 Lower High Street, Watford WD1 2AN, England Tel: Watford (0923) 37774

Tlx: 8956095

Fax: (0923) 33642

The choice of Experience

Acorn

Shop Hours: 9am to 6pm (Mon.-Sat.) Thursday 9am to 8pm. FREE customer car park. All prices exclusive of VAT; subject to change without notice & available on request.

Credit Card Orders (ACCESS & VISA) Tel (0923) 33383 or 50234 (24 Hours)

The choice before and after the experience

rchimedes micro

System	Basic	Mono	Colour	Multiscar
410/1	£1099	£1159	£1288	£1488
420/1	£1499	£1559	£1678	£1888
440/1	£2099	£2159	£2278	£2488

(Securicor carr. £10 on Archimedes)



Archimedes A3000

• A3000 Microco • A3000 + Learn			£599 £699
3.5" External Driv Monitor Stand	e £99 £22	Dust Cover Micro only Dust Cover for	£5
 External Podule Case 	£14	Micro + Monitor User port/MIDI	92
 Serial Upgrade 	£19	upgrade	£49

Unbeatable SUMMER SALE

Offers on Archimedes Micro (Extended by Popular Demand)

When you purchase an Archimedes Micro from Watford, look what you get FREE with it

Micro	Free Offer
A410/1	Upgraded to 2MB RAM & a 20MB
	Hard Disc, (A420)
A420/1	Upgraded to 4MB RAM & a 40MB
	Hard Disc, (A440)
A440/1	ATAXAN775+14" Multisync Monitor
A3000	Upgraded to 2MB RAM on board
+ 12 mc	onths FREE On-Site Maintenance

ACCESSORIES

ACCESSO	INIES
 NEW Multitasking RISC Of 	S £29
ROM Podule Acorn	£45
 ROM Podule (Computer C 	oncepts) £45
ROM Podule (C C) with Bar	ttery Backup £59
2 Podule Backplane	£25
4 Podule Backplane	£35
 Backplane FAN only (for H 	ard Disc) £8
• 3.5" 800K 2nd Floppy Drive	e (305/310) £118
• 5.25" 800K external Floppy	Drive £85
• I/O Podule (with Analogue	port, User port,
& 1MHz bus)	083
 MIDI add-on to I/O Podule 	£29
MIDI Expansion Card	£65
 Sound Sampler Mono (Arn 	nadillo) £129
 Sound Sampler Stereo (Ar 	madillo) £166
 Sound Sampler Stereo /Mi 	di (Armadillo) £186
 Chromalock Podule (Wild) 	Vision) £275
 Econet Network Board 	€46
 Archimedes IEEE Interface 	
Dual RS232 Podule	£195
16 bit parallel I/O Card	£195
 NEW – Archi MK II Replace 	
 RB2 – An Archimedes Ma 	
 PC Emulator NEW Faster 	
 Software Developers Tool 	
 Floating Point Unit 	£549
 SCSI Adaptor Expansion (
 Archi Real-time Digitiser 	£219
 Keyboard Extension Lead 	26
Archi Books, see page	12 of our advert

A3000 LEARNING CURVE

A very special offer pack consisting of the A3000 Archimedes microcomputer package plus:

First Word Plus wordprocessor and spelling checker, IBM PC Emulation package, Genesis applications, which contains: GEN DTP, Address & phone book, Scrap book, Recipes, Composers, Green issues, Planets, Story writing and Personal organiser. A demonstration Video Cassette and A parent's guide to the National Curriculum. All this plus Watford's incredible deal of a FREE upgrade to 2MB of RAM and FREE on-site maintenance cover for 12 months.

Turbo Charge Your Archimedes

(at an affordable price)

Increase the speed of your Archimedes by a factor of THREE to SIX times (depending on the software you are running), with Watford's ARM3 Upgrades.

9	ARM-3	20MHz Upgrade Board	£349
9	ARM-3	30MHz Upgrade Board	2399
9	MEMCI	Upgrade	£49

Convert your Archi 410 to a 420 or 440 with Watford's unique Upgrade Kits

UP10 - to 2MB RAM + 20MB Hard Disc	£254
UP15 - to 2MB RAM + 40MB Hard Disc	£359
UP20 - to 4MB RAM + 20MB Hard Disc	£420
UP30 - to 4MB RAM + 40MB Hard Disc	£539
UP40 - to 4MB RAM + 53MB Hard Disc	€599
(P.S. When purchased with an A410/1, the	
upgrades will be fitted at no extra cost)	

Archimedes RAM Upgrade

All our memory upgrades are simple to fit. No soldering required.

R302-A3000 - to 2MB RAM Upgrade	£95
R304-A3000 - to 4MB RAM Upgrade	£299
R311-A305 - to 1MB RAM Upgrade	299
R312-A305/310 - to 2MB RAM Upgrade	£285
R314-A305/310 - to 4MB RAM Upgrade	£499
R412-A410/1 - to 2MB RAM Upgrade	£85
R414-A410/1 - to 4MB RAM Upgrade	£255
(Carriage on Add-	ons £3)
	R304-A3000 – to 4MB RAM Upgrade R311-A305 – to 1MB RAM Upgrade R312-A305/310 – to 2MB RAM Upgrade R314-A305/310 – to 4MB RAM Upgrade R412-A410/1 – to 2MB RAM Upgrade R414-A410/1 – to 4MB RAM Upgrade

Watford's 20Meg & 40Meg **Archimedes Hard Disc**

Watford Electronics' 20Meg & 40Meg hard disc fits internally into the Winchester slot provided. It is fully compatible with Acorn's hard disc upgrade, (the only difference is our low price). Price includes the Hard Disc Drive, Controller Podule & fitting instructions. (Self parking fast hard drives.) P.S. The 310 upgrade requires a backplane and a

 3HDP – Hard Disc Podule only 	£175
● 3HD20 - 20Meg H' Disc + Podule for 310	£319
● 3HD40 - 40Meg H' Disc + Podule for 310	£439
 2 Podule backplane (Watford) 	£25
4 Podule backplane (Watford)	£38
Fan for the backplane	83
 4HD20 – 20 Meg Hard Disc for 410 	£169
 4HD40 – 40 Meg Hard Disc for 410 	£285
A3000 Hard Disc Podule only	£195
A3000 20 Med Hard Disc + Podule	£369

(Carriage £7)

£489

A3000 40 Meg Hard Disc + Podule

Desk Top Publisher

Acorn's Archi DTP Package	£125
Impression DTP Package	£135
Tempest DTP Package	299

ARCHI WORDPROCESSORS

Wordwise + Disc	£20	P.Spellchecker	€40
Image Writer	£25	View	£45
Interword Disc	£20	Viewspell	£32
1st Word Plus - 3	£72	Viewindex	£12
Archie Spell Master	£39	Graphic Writer	£23

DATABASES

AlphaBase £36	Interbase Disc	£20
Knowledge Organiser £45	Multistore	£195

SPREADSHEETS

Intersheet Disc	£20	Viewsheet	£45
Sigmasheet	£55		

BUSINESS GRAPHICS

GammaPlot	£50	Interchart Disc	£20

INTEGRATED PACKAGES

Logistix - Database, Spreadsheet, Time	
Management & Business Graphics	289
Pipedream 3 - Wordprocessor,	
Database & Spreadsheet	£125
(P&P on above £2)	

GRAPHICS, ART, DESIGN & GAMES

Freddy's Folly

GRAPHICS

Atelier	£84	Holed Out Designe	r £17
Artisan II	£59	Holed Out Golf	£17
Pro Artisan	£85	Hyperpack (12)	£79
Autosketch II	£75	Hoverbod	£11
Graph Box	€64	Ibix the Viking	£14
Kermit	€46	Inter Dictor	£25
Render Bender	259	Jet Fighter	£10
Euclid 2	£57	Man at Arms	£17
	£19	Minotaur	£11
Mogul	FIS		
		Missile Control	£11
GAMES		Olympics	£17
Alerion	£11	Orion	£12
Apocalypse	£25	Pacmania	£14
Arcade Soccer	£17	Repton 3	£17
Battle -Tank	£14	Talisman	£14
Clares 3 Pack	£12	Thundermonk	£11
Conqueror	£19	Zarch	£15
Enthar Seven	£22	Miscellaneou	s
E-Type	£17	Toolkit (Clares)	£42
E-Type Designer	£15	Hearsay Comms	
E-Type Extra 100		Pack	£55
miles	£18	Genesis	£70
111100		201,000	

SILICON VISION Corner

SILIOC	NA AIC	DION COINC		
Data Vision	£74	Film-Maker	€59	
Gerber Plot	£93	Office Tools	£219	
Risc Basic	£74	ROBO LOGO	€54	
Solid CAD	£74	Share Holder	£74	
Super Plot	€20	Solids Render	£59	
Super Dump	£20	Solid Tools	£199	
Arc PCB Profess	sional		£275	
Gate Array Design		n	£67	
Financial Accoun			£129	
Realtime Solids			£110	

LANGUAGES (Archimedes)

ISO-PASCAL; FORTRAN	77 £89	each
ANSI C Release 3		£129
Assembler; LISP or Prolog	X £155	each
LOGOTRON LOGO		£55
ROBO LOGO £54	TWIN EDITOR	£25
RISC BASIC £85	BASIC Compiler	£89
(P&P £2 on abo	ove packages)	

MINERVA's Archimedes Software

Sigmasheet	255	Sales Ledger*	£53
Home Accounts*	£40	Purchase	
Stock Manager*	£53	Ledger*	£53
Nominal Ledger*	£53	Reporter	£29
Ancestry	£59	Mailshot	£29
Gammaplot	250	MultiStore	£195
System Delta+	£55		
System Delta + Re	eference	Manual	£25
Order Processing/	Invoicin	g*	£53
School Administra	tor		£118
* Requires System	Delta		

Archimedes to BBC Serial Link Mk 2

Using this simple data link, it is possible to solve all BBC to Archimedes data transfer problems. The kit is supplied with a disk, and the necessary cable to connect the two computers.

New RISC OS Version

(P&P on above items £2)

Only £15

Archimedes 5.25"/3.5" Disc drive

With this interface it is possible to connect almost any 5.25"/3.5" disc drive with its own power supply to the Archimedes. Upto 4 disc drives can be connected. NO SOLDERING is involved. Supplied complete with necessary lead.


Only £21

FREE On-Site Maintenance

This month we are also offering at no extra cost to all our customers, 12 months, On-Site Maintenance on all Archimedes Micros, Philips, Microvitec, and Multiscan COLOUR Monitors. Also on the full range of Panasonic Printers.

Should your machine fail, simply telephone the maintenance engineer, who will call in within 12 working hours to repair the unit. (P.S. This offer is over and above our Unbeatable Winter Sale Offers on Archimedes Micros). (Offer applicable only when bought at prices advertised in this advert).

Archi Graphic Tablet



This package allows Archimedes users to take advantage of the low cost graphpad (sometimes called a digitiser tablet, but not to be confused with a video

The Archi Graphpad offers performance and accuracy comparable to other graphics tablets priced at well over £400, and has the useful addition of a liftable cover, which can hold tracing material or menu templates securely.

The software, which is in the form of a relocatable module (RM), intercepts the system calls which control the mouse, and so allows virtually all mouse based Archimedes software to be controlled using the tablet without any modification. The only exceptions are programs which use the serial port, as the tablet is physically connected to this port itself.

The software is supplied with a special adaptor lead to connect the tablet to the Archimedes' serial port, and a power lead which plugs onto the Archimedes'

(For further details, please telephone or write in for our FREE catalogue.)

Special Price £249 (carr. £4) (Price includes Tablet, Leads & Software) Stylus Optional Extra £29

Archi Mk II **Hand Scanner**



Watford Electronics is now able to offer a complete hand held scanning package, possibly the most essential addition to any desk top publishing system. The package includes the most comprehensive utility software available for the Archimedes, a high quality, ergonomically designed to fit the shape of your hand, (see drawing above) scanner, which is fitted with a warning LED that will indicate if the scanner is being moved too quickly for accurate results. Additional twin guide rollers ensure precise tracking over the image, to make the best use of the high resolution available with this sytem. The yellow/amber illumination of our Mk II scanner, enables you to achieve optimum accuracy. It is capable of scanning upto an amazing 400 DPI. The scanning area is 4" wide and the height is only limited by the maximu amount of memory avail-

On board ROM software supplied, is the most sophisticated Archimedes scanner software yet written.

Archi 300/400 Version £149 AHS-4 AHS-3 Archi A3000 Version



CREDIT CARD 24 HOUR Ansaphone Hot Lines (0923) 50234 or 33383

Z88 Portable Micro



Only: £195 (Carr £4)

FREE

With every Z88 purchased from us, we are giving away absolutely FREE, a Z88 to BBC Interface Link, 4 rechargeable batteries and a compact Mains Battery Charger worth £38.

ACCESSORIES

32K RAM Pack or 32K EPROM Pack	£18.00
• 128K RAM Pack or 128K EPROM Pack	£45
• 512K RAM Pack	£175
 Z88 Eprom Eraser Unit 	£35
 Z88 Spellmaster for Pipedream 	£51
 Z88 Carrying Case 	29
 Z88 Computing Book 	£9.95
AA Nicad Rechargeable Battery	£1.50
 Battery Charger Compact & Fast 	£6
 Z88 Serial Printer Cable 	£9
 Z88 Parallel Printer Cable 	£25
● Z88 to BBC Link £20 ● Z BASE	€56
● Z88 to PC Link II £30 ● Z TAPE	£42
● Z88 to Macintosh £52 ● Z TERM	£42
■ Z88 Mains Adaptor £9 ■ Z88 Model	m £149

By popular demand, we are now supplying refurbished and fully guaranteed BBC Micros with Disc Filing System (Please telephone for price &

availability)

ULTIMUM – Archimedes A3000 **Podule Racking System**

Podule Racking System

When Acom originally designed the Archimedes micro, they released to all interested parties the specification of the expansion podule. This has now become the accepted standard for all manufacturers of Archi peripherals. The A300 & A400 both allowed expansion internally up to 2 or 4 podules. However, a newcomer to the affray has caused some upset. A3000 has only a single podule expansion slot, on the outside. There has been deliberation in the industry about a controversial "mini-podule" to be fitted to a special rack. This would entail a re-design of all the available podules onto a smaller board and understandably the manufacturers have rejected the idea completely. As always, Watford have come up with the only real solution to the A3000 expansion problem. The Ultimum Podule Racking System allows up to 3 full size standard A300/A400 series podules to be fitted to the computer. There is also allows up to 3 full size standard A300/A400 series podules to be fitted to the computer. There is also provision for a hard disc drive and podule, Ultimum has its own PSU. There is also an IEC mains output socket for a monitor. It mounts on top at the rear of the computer, and allows direct access to the floppy drive and reset button, rather than obstructing access as on other non standard systems.

Watch this space for launch details.

BBC MASTER

MASTER 128K Micro incl. Acorn's View, Viewsheet, ADFS, BASIC Editor & TERMINAL plus FREE OFFER (see £399 (carr £7) below)

FREE OFFER



A 5.25" Double Sided, 40/80 track switchable 400K Disc Drive complete with cables and a Utilities disc incl. 2 games, plus

Gemini's OFFICE MATE & OFFICE MASTER packages on Disc consisting of: Database, Spreadsheet, Beebplot graphics. Accounts packs: Cashbook, Final Accounts, Mailist, Easyledger, Invoice & Statements, Stock Control. FREE with every BBC Master purchased from us during June

ADD-ONs & ACCESSORIES

ADD ONS & ACCEO	SOTTILE
Turbo 65C102 Add-on Module	£115
Econet Module for the Master	£47
Twin ROM Cartridge for Master	63
Quad ROM Cartridge for Master	£14
Master Reference Manual I	(No VAT) £14
Master Reference Manual II	(No VAT) £14
Master Advance Ref Manual	(No VAT) £17
64K Upgrade Kit for B+	£32
Acorn 1772 DFS Kit complete	£49
ECONET Upgrade Kit for BBC B	£42
ALL ECONET UPGRADES Available	
ARIES' IEEE Interface for BBC B & M	aster £238
Morley Teletext Adaptor with ATS Ron	m £99
Filestore E01S £899 Filestor	e E40s £749
Filestore E60S £949 Ecolink	£270
(Carr. £2 to £7 depending on the	e weight)

MONITORS



MICROVITEC 14"

 1431 – Standard resolution as used on the 	
BBC television computer programme	£175
 1451 – Medium resolution, suitable for word 	
processing in mode 0	£219
Cub3000 Medium Res for A3000	£195
● 1455 – MS Medium resolution, ideal for	
Archimedes	£220
● 1441 - High res, exceeds the capabilities of	
BBC Micro	£359
● 1431AP RGB + PAL and AUDIO	£199
● 1451AP RGB + PAL and AUDIO	£255
@ 2030 CS 20" Med Res	£380
9 2040 CS 20" Hi Res	£675
Dust Cover for Microvitecs	£5.50
Touchtec 501 Touch Screen	£239

14" MULTISCAN COLOUR

TAXAN 775 Plus - 0.28 Dot pitch Ultra high	
resolution, anti-static screen	2399
TAXAN 770 LR Low Radiation, auto-	
scanning Ultra High Res	£429
TAXAN Multiscan 870 16" Monitor	€575
EIZO 8060H - For technical info, read the	
review in Micro User, Jan. '89	£389
EIZO 9060SZ Low Radiation, Super High	
Resolution, Antistatic screen, multiscan	
monitor for a wide range of applications.	
800 dots x 600 lines. Display for high res VC	A.
0.28 Dot pitch	€469

TAXAN Super Vision 3 – High Res 12" Colour Monitor/with green screen switch for wordprocessing Special Offer £179 (While stocks last)

PHILIPS

BM7502 12" Hi-res Green Monitor	€70
BM7522 12" Hi-res Amber Monitor	£71
 CM8833 14" Med. Res Colour Monitor 	£215

STAR BUY

PHILIPS 14" Medium Res, dark glass, attractively finished Colour Monitor. A push-button switch toggles between Hi-Res monochrome green text mode and full colour display. (Please state the type of Connecting Lead you require).

ONLY £189

£12

PHILIPS 14" Refurbished monitor, same as above at a special offer price (Offer valid while stocks last) Only £120

Dust Cover for Philips Monitors (Securicor carriage on Monitors £7)

SWIVEL BASES

By simply placing your monitor on one of our front adjustable professional swivel bases (see drawing at the top), you can easily adjust the viewing angle.

for 12" Monitors £8 (carr. £2.50) for 14" Monitors £12 (carr. £2.50)

Anti Glare VDU Screen

These extremely effective, easy to install, 12" & 14" VDU screens eliminate harmful glare, improves contrast on colour monitors. Increases productivity in offices. A must for wordprocessor users.

SPARE LEADS

£3
£5
23
£7.50

CONCEPT KEYBOARDS

	The second secon
Standard A3 Keyboard with BBC Software	£143
Standard A4 Keyboard with BBC Software	£117
Archi A3 Keyboard	£144
Archi A4 Keyboard	£118

Roland Plotters

(Official Roland Appointed Distributor)

D	DPX 2500	£2495	● DXY 1100	£59!
D	DXY 1200	£835	DXY 1300	£1015

Panasonic KX-P1081





SALE OFFER only: £127

(Price includes, FREE a 4ft Printer Lead, and a Dump Out 3, Screen Dump ROM worth £35 with every KX-P1081 printer purchased from us)

KX-P1180 Printer Offer

Panasonic KX-P1180 printer, Dump Out 3, Screen Dump ROM & a BBC printer lead.

Offer Price £136

Panasonic Printers

 KX-P1124 24pin 80col. 192/63 CPS 	£215
 KX-P1540 24pin 136col. 240/80 CPS 	£415
 KX-P1592 9pin 136col. 216/45 CPS 	£275
 KX-P1595 9pin 136col. 288/61 CPS 	£345
 KX-P1624 24pin 132col. 192/63 CPS 	£349
 KX-P1695 9pin 132col, 330/86 CPS 	£349
■ KX-P4420 NEW 8PPM Laser	

Launch Offer €949

Latest technology at	Panasonic KX-P4450i LASER PRINTER Latest technology at Watford's			
special offer price		£1,299		
Spare Toner £29	 A4 Feeder 	£55		

£55 £115 Drum Unit £149 Developer 1MB RAM Upgrade
 2MB RAM Upgrade £299 £585

Panasonic Accessories

Cut Sheet Feeders

KX-P1592/1595 (P32)	£175	KX-P1540 (P35)	£175
KX-P1124 (P36)	£85	KX-P1180 (P37)	£79

DOLLERS	
4K buffer Board for 1081	£55
32K buffer Chip for 1592/1595	£16
32K Buffer Chip for 1540/1124/1180	£16
	4K buffer Board for 1081 32K buffer Chip for 1592/1595

Serial Interfaces

P17 P1081/1592	£32	P19	P1124/1180	£55
----------------	-----	-----	------------	-----

Original Panasonic Ribbons enteed to last 3 million chara

Cada antood to last o million on a catoro	
P110 for KX-P1081, 1592 & 1595	83
P115 for KX-P1180	83
P145 for KX-P1124	83
P140 for KX-P1540	£10
Colour Ribbons for KX-P1081, 1592 & 1595	
Brown, Blue or Red £9.95	each

INTEGREX COLOUR JET

Colour Jet 132 Printer	£515
Paper Roll	€6.50
 Screen Dump Software 	£10
Colour Cartridge	£19.50
Black Cartridge	£11.25
100 A4 OHP transparencies	£55
8K Serial Interface Optional	£123

Citizen Printer Swift 24 £249

NEC PINWRITER P6/P7 Plus

Colour Option	£439	NEC P7+ 136 columns	£575
	£74	Serial Interface	£73
Cut Sheet Feeder NEC Ribbons for	£125	P6 £8; P7	£9.50

Hewlett-Packard Printers

HP Quiet Jet Plus	£425	
HP Desk Jet Plus	£549	
HP Paint Jet Colour	£719	
HP LaserJet Series IIP	€829 ◄	12 months
HP LaserJet Series II	£1235 -	FREE
HP Laserjet II TONER	€85 ▲	maintenan
HP Scanjet Plus	£1199	on site
HP Desk Writer	2669	The same
HP Laserjet II	£1275	1
HP Laserjet IID	£1899	
1Meg RAM for Series II	21033	£199
2Meg RAM for Series II		£399
1Meg RAM for Series IIP		
		£215
2Meg RAM for Series IIP		£449

Star Printers

LC10 Printer	£129	LC24-15	£325
LC10 Mk II	£160	LP8 Laser	£1199
LC10 Colour	£168	XB24-10 r	£379
LC15	£259	XB24-15	£499
LC24-10	£199	XB Colour Kit	£35
	Cut Cha	· Foods	

it Suet	reeder	
£65	LC15/LC24-15	£125
680	XB24-15	£139
	£65	£65 LC15/LC24-15 £80 XB24-15

EPSON PRINTERS

EX800	£429	LQ860 Colour	£535
EX1000	€564	LQ1050	€540
FX850	£315	LQ1060	€649
FX1050	£385	LQ2550+	2899
FX1060	€679	LX400	£129
GQ5000 Laser	£975	LX850	£179
LQ400	£198	SQ850	£515
LQ850	£439	SQ2550	2869
LQ550	£269		

CUT SHEET FEEDERS for

£130
£175
£390
£69

TRACTOR FEED for

LQ800 £44; LQ850/FX850 £69; LQ1050/ FX1050 £85; LQ2500 £90; LQ2550 £90.

ACCESSORIES

//OGEGGG!!!EG	
EX800/1000 Colour Option	£45
EX800/1000 Colour Ribbon	£14
LQ2500 Colour Option	€65
Multifont Card for LQ550/850/1050	£95
(Securicor Carriage on Printers £	7)

EPSON PRINTER INTERFACES

All the	ese interl	faces fit inside the printer	
RS232	£32	RS232 + 2K Buffer	€52
IEEE 488	£40	RS232 + 8K Buffer	£79

DRINTER I FADS

I MINITER LEADS	
BBC Centronics 4' long	25
BBC Centronics 6' extra long	£7
Compact's Special Centronics Lead	£7
Archimedes Printer Lead 6'	26
Nimbus Centronics Lead	26
IBM Parallel Lead 6'	26
Double Ended 36 way Centronics Lead 4'	£7
Double Ended 36 way Centronics Lead 6'	29
MSX Centronics Parallel Lead 4'	£12
RS232 Leads (Various)	P.O.A.

Listing Paper (Perforated)

•	1,000 Sheets 9.5" x 11" Fanfold Paper	£7
•	2,000 Sheets 9.5" x 11" Fanfold Paper	£11
	1,000 Sheets 9.5" x 11" NCR 2 Part Fanfold	£21
	1,000 Sheets 15" x 11" Fanfold Paper	29
	1,000 Sheets true A4 Fanfold Paper 70gms	£11
	2,000 Sheets true A4 Fanfold Paper 70gms	£19
	Teleprinter Roll (Econo paper)	€4

(All our Fanfold paper is Micro perforated leaving a smooth clean edge when the tractor feed strips are


Carriage 1K Sheets £2.50, 2K Sheets £3.00

PRINTER LABELS

(On continuous fanfold backi	ng sheet)
1,000 90 x 36mm (Single Row)	£5.00
1,000 90 x 36mm (Twin Row)	€4.90
1,000 90 x 49mm (Twin Row)	£7.50
1 000 102 x 36mm (Twin Row)	£6.25

Perspex Printer Stand

Carriage on 1,000 Labels £1.00



Give you Computer System a touch of Class with our elegant, smoke finished Perspex Printer stand.

80 Column version 136 Column version £16 (carr £3) £20 (carr £4)

Professional Printer Stand



professional printer stand takes hardly more space than your printer. Due to the positioning of the paper feed and re-fold comparting to the paper feed and re-fold comparting the professional feed and re-fold comparting the paper feed and re-fold comparting the professional feed and re-fold comparting the paper feed and re-fol and re-told compart-mentsie, one above the other, the desk space required for your printer func-tions is effectively halved. Its ergon-omic design ensures crefolding

smooth paper flow and automatic refolding.

80 Column version £28 (carr. £3) 132 Column version £30 (carr. £4)

Printer Ribbons & Various Dust Covers

Туре	Ribbons	Dust Covers
Brother HR15/20	£3.00	-
BBC Micro		£3.50
BBC Master		£4.00
Archimedes Micro pair		29.00
Citizen 120D	£3.95	£4.50
DMP2000	£3.75	£4.75
EX/LQ800	€4.50	£4.50
EX/LQ1000	€6.75	€5.00
RX/FX80/85/800/MX80	£3.25	
FX/MX/RX100/1000	€5.00	
Kaga/Taxan KP810/815	£4.90	€5.00
LQ500/550/800/850	€4.50	26.00
LQ1050/LQ2500	£7.00	
LX80/86/800/850	£3.25	€4.50
M1009/GLP	£3.80	£3.75
NEC P2200	26.00	€5.00
Panasonic KX1080/81	£3.50	€4.75
Panasonic KX-1124	00.83	£5.00
SQ2500	£23.00	£5.50
Star LC10/NL10	€4.25	€5.00
Star LC24-10	€5.00	26.00
Olivetti Ink Jet		
Cartridges (set of 4)	63	

Our attractive Dust Covers are manufactured from translucent PCV. The seams are stitched and edges are taped to prevent splitting due to continuous use.

Universal Printer Sharers/Changer

Connect upto 5 Micros to 1 printer or 5 Printers to 1 Micro with our combined, Sharer/Changer. These Units are made to a very high standard. For extreme reliability, they all have Printed Circuit Boards mounted include the control of the control inside the case, (not a Spaghetti Junction of wires). Internal connection is made via high quality ribbon cables.

(Ideal for School environments)

Connects	Serial	Centronics	P&P	
2 to 1	£20	£22	£3	
3 to 1	£27	£30	£3	
5 to 1	£36	£39	€4	

(Cables extra at £6 each. Please specify type required when ordering)


PLINTHS FOR BBC MICRO, **MASTER & PRINTERS**



Protect your computer from the heat of your VDU. Our micro plinths have slots for maximum ventilation. The single plinth is suitable for a BBC and VDU, whilst the double height version provides enough room for our stacked disc drive and other peripherals like, Eprom programmer, music unit or simply discs & stationary. The computer slides neatly in the lower section allowing easy access to remove the lid.

The single printer stand is equally sturdy but instead of cooling slots it has elegant cutouts on the sides. This allows easy access to paper from all sides. Colour: BBC Beige.

Single BBC Plinth 420 x 310 x 105mm £13 Double BBC Plinth 420 x 310 x 210mm £24 420 x 310 x 105mm £12 Printer Plinth Single Master Plinth 490 x 310 x 105mm £14 Double Master Plinth 490 x 310 x 210mm £26 (Carr. Single plinth £2; double plinth £3)



Whether you want to type in your latest program or the draft of a new trilogy, Watford's manuscript holders are superb for holding you paper at the ideal height and angle to allow you to read and type in ease and

commort.

Available in 2 full A4 versions, desk resting and shelf clamping. Paper is held firmly by means of a plastic retaining ruler and a clip grip. (for resting books or magazines, the desk top version is recommended).

Desk Top £7 (carr. £3) Angle poise £12 (carr. £3)

Handy Printer Switch

A handy two way compact printer switch that enables you to connect 2 Micros to 1 printer, or 2 printers to 1 Micro. Attaches easily to your printer, monitor, etc. A low cost solution for educational establishments. Ideal for those wishing to use a dot matrix and a laser printer. Available in two configurations.

£19 Compact AB Switch Centronics Compact AB Switch RS232 £18

(Cables extra at £6 each)

MEGABUFFER 256




The Smallest 256K Printer Buffer Unit in the world 38mm x 130mm x 134mm.

This new Megabuffer 256 from Watford is a full featured 256K Printer Buffer. The features are:

- Improves efficiency by making more efficient use of computer and printer.
- Compatible with any computer and printer that uses Centronics Parallel connections including all BBCs, IBM PCs, etc.
- Total compatiblity with all software.
- Cheaper phone bills when using your Modems. Ideal for those doing large graphics screen dumps that are slow to print.
- Multi-Copy facility allows you to print several copies via Megabuffer without going through your com-
 - Data Dump facility is included.
- Built in text unit for both the buffer & your printer.

Only £119 (carr £5)

DIAGNOSTICS DISC



The BBC Micro is a very complex machine and thus diagnosing a fault can be very difficult. At Watford Electronics, we realise how difficult it can be when faced with a problem, finding yourself a long way from your nearest dealer, or even just uncertain about your Beeb's health, but not wanting to waste time and money taking it to be looked at.

The solution to these problems is here now, in the form of the Watford's Diagnostics Disc. This excellent utility is specially designed to test out the following areas of your Beeb:

RAMs, ROMs, ULAs, Sound, Keyboard, Disc, RS423, ADC, User Port, Printer Port, Cassette, Joysticks, Speech, Disc Drives, 6502 and Z80 2nd Processors.


This utility is an invaluable aid for all those who take the reliability of their system seriously. A comprehensive manual provides full operating details and a list of possible causes and remedies for any faults that you may find along the way. The package also enables a permanent equipment and service record to be maintained.

Only £20.00

(Only suitable for BBC B with 8271 DFS)

Continued $\rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow$

Archimedes Real-Time Digitiser




Now supplied with NEW RISC OS Version Software

Watfords' Archimedes Video Digitiser is the most sophisticated digitiser ever designed for a micro. It provides a fast and flexible means of capturing images from a video camera or recorder for display and manipulation on the Archimedes range of Micros. Off-air televison signals may also be digitised via a video recorder or TV tuner. Please write for further details.

Price £215

A Set of Colour Filters for colour image grabbing using a video camera New Risc-OS Software Upgrade

DISC DRIVE SHARER



(Ideal for educational establishments)

At last, a low cost alternative to the Econet system.Watford's Intelligent Disc Drive Sharer allows you to connect 3 BBC micros (model B, B+ and Master series) to a single or double disc drive. Running under any DFS or DDFS, this intelligent unit will automatically queue the computers. Each computer has a status light dedicated to it. If it is green you will get immediate access to the disk, and red means that you are next in line. The unit plugs directly into the disc drive socket on each computer and is powered by the mains. (N.B. Not for use with ADFS)

Offer Price: £55 Price includes 3 Cables

DISC **PLONKER** RACK



When using ones micro, there is a tendency to have more than one Disc on the desk. This exposes them to the harzards of fingerprints, scratches, dust, coffee and an untidy desk.

Why not protect your valuable data from all these hazards with the help of our extremely handy and low cost DISC PLONKER RACK. Holds up to eight 5.25" discs

Protection at Only: £2

Acorn & Watford DFSs

69.0
12.00
£6.9
17.00
25.0
49.0

(The single Density DFS system is now old technology. Like Acorn, Watford too have decided to replace it with the their more up-to-date 1770 DDFS interface. We have informed most of the software houses of this decision in order that they can ensure compatibility with our highly sophisticated and fully Acorn compatible DDFS).

Watford's MkII 1772

Single/Double Density DFS

Many of our customers have wanted to use our superior DDFS and Acorn ADFS together. Now our Mk II DDFS Board with its 1770 Disc Controller, has been adapted to allow the use of Acorn ADFS as well. It also has all the commands of the Acorn's 1770 DFS, plus the added features.

Added features include:

- Acorn ADFS compatible Use ADFS on our DDFS board.
- Tube host Code No longer any need to have the DNFS in your machine to use Co-Processors, even the CoPro and Master 512.
- Auto 40-80 Track sensing no need to fuss with 40/80 track switches (even works with protected
- An extremely powerful 8271 emulation ensuring
- compatibility with almost all software. New low profile small footprint board
- Fits with all third party ROM boards.
 Option to double the speed of file handling operations - BPUT and BGET.
- Operates in both single and double density
- OSGBPB has been recoded, increasing still further the speed of file handling.

Please note that not all DDFS's are capable of providing either the full 80% storage increase or of allowing a file the full size of the disk – Ours allows both of these!

If you already have a DDFS (any manufacturer), and wish to upgrade to our MkII version, then simply return your existing ROM and DDFS board and we will supply the new DDFS for only £39.00.

SPECIAL PRICE

(No VAT) £6.95

DDFS Manual (No VAT) £6.
We will exchange your existing DFS Kit for our sophisticated DDFS for only £30. £30.00

Please note, as the MkII DDFS is a hardware and sofware upgrade, it is not possible for existing
Watford DDFS users to simply exchange the ROM for the new version.

3M - DISKETTES

3M - SCOTCH Diskettes with Lifetime warranty from Watford Electonics your 3M Appointed

10 x 5.25" S/S D/D 40T (744)	£5
10 x 5.25" D/S D/D 40T (745)	£7
10 x 5.25" S/S D/D 80 Track (746)	£8
10 x 5.25" D/S D/D 80 Track (747)	£9
10 x 5.25" 1.6M D/S D/D High Density fo	r IBM
XT and AT	£14
10 x 3.25" S/S D/D 40/80 Track	£9
10 x 3.25" D/S D/D 40/80 Track	£9
10 x 3.5" Double Sided High Density	622

FREE – 3M World Desk Clock (with special promoted boxes)

Buy 5 x 3.5" 3M special promoted Disc boxes, or 10 x 5.25" 3M Disc boxes and qualify for the specially commissioned 3M World Desk Clock. (Offer valid while stocks last).

TOP QUALITY 3.5" & 5.25" DISKETTES

To complement our range of Quality Discs and Disc Drives. WE are now supplying SPECIAL OFFER packs of 10 Lifetime guaranteed discs. Each disc has a reinforced hub ring. Supplied complete with selfstick labels and a Plastic Library Disc Box.

	10 x M3 3.5" D/S D/D 80 Track	£9
	10 x M9 3.5" D/S High Density	£22
9	10 x M4 5.25" S/S D/D 40 Track	£5
9	10 x M5 5.25" D/S D/D 40 Track	£7
	10 x M7 5.25" D/S D/D 80 Track	£9
9	10 x M8 5.25" D/S H/D Hi-Density	£13
	M2 3" Double Sided	£3 each

FLOPPY HEAD CLEANER

The heads in floppy drives are precision made and very sensitive to dirt. The use of cleaner Kit is a sensible precaution against losing valuable data. It is recommended to clean the drive head once a week. it is very simple to use. Available in 3.5" & 5.25", please specify.

Price £4

ANTISTATIC LOCKABLE DISC STORAGE UNITS



Gives double protection – Strong plastic case that affords real protection to your discs.

Antistatic helps avoid data corruption whilst in storage. The smoked top locks down.

Dividers and adhesive title strips are supplied for efficient filing of discs.

M35 - holds up to 50 5.25" discs M85 - holds up to 95 5.25" discs £6 95

M25* - holds up to 25 3.5" discs €4.95 M50 - holds 50 3.5" discs €6.50 ● M10 - holds 8 of No. 10 Data Cartridges £15

· Not lockable



DUST COVERS (For our Disc Drives)

The state of the s	Service and the service of the servi
Single CLS (without PSU)	£3.20
Single CS (with PSU)	£3.25
Twin CLD (without PSU)	£3.85
Twin CD (with PSU)	£3.90

DISC ALBUMS

Attractively finished in black leather-look vinyl. Stores up to 20 discs. Each disc can be seen through the clear view pocket.

24

Special BULK OFFER on 5.25" DISCS

(Supplied packed in Anti-Static Lockable Storage Units) (Lifetime warranty on Discs)



BULK PACK DISCS in lots of 100

Туре	S-S 40T D-S 40T		D-S 80T	
Without Sleeves	£30	£35	€40	
With Sleeves	633	638	643	

Quality Disc Drives from Watford

To help you decide which drive is the most suitable for your needs (and your pocket!), we have produced the table below.


The tinting on some of the boxes is used to indicate which Drives are 40 track (non-tinted) and which are 80 track (tinted). All our 80 track drives are already fitted with a 40-80 select switch.

All our Disc Drives are Double Sided and will operate in both Single and Double Density modes. Extensive experience of the usage of disc drives suggests that the JAPANESE drives currently represent about the best in terms of speed, reliability and overall "elegance" available for the BBC Micro. Various UK "manufacturers" of disc drives for the BBC micro (more accurately, "packagers" label other manufacturers drives with their own name). We buy the high qulity NEC and Mitsubishi drives in large quantities directly from the manufacturers, package them and sell them at "dealer" prices direct to the public. If you look around the popular BBC micro press, you will find that the prices we quote for the top quality, new slimline disc drives are, virtually without exception, some of the best around. These prices, coupled with the backup of one of the country's largest distributors of BBC peripherals provides a superb deal. Unless you anticipate using dual drives in a fully expanded BBC system for long periods of time with little ventilation, then we suggest that our range of "CL" disc drives without the PSU (Power Supply Unit) would be quite adequate (extensive tests within our workshops have confirmed this). All drives are supplied complete with a SPECIAL UTILITIES Disc, Cables and Plugs. The Drives with power supply have a mains moulded plug for safety purposes. Ideal for Schools & Colleges. We are now able to supply all single disc drives with Power Supply, in either single or dual case. (Dual case has a twin data cable and a power supply capable of driving two disc drives) allows easy expansion to a dual drive unit, at a later date. Prices stated in the pricing boxes below are for single drives in standard single cases. Single drives in a dual case cost an extra £18. (At Watford

we anticipate your needs of tomorrow, not just today!)
When using a BBC Micro, most people find themselves short of desk space. The Watford's BBC Micro plinths form an ideal way of recovering some of this precious space) your BBC Disc Drive and Monitor can all occupy the same vertical footprint and still be comfortably situated. With the Watford Double plinth, your Disc Drive is mounted vertically at one side, leaving a very valuable area directly in front of you for such useful items as spare discs, pen, paper, reference manuals, etc. Follow the trend with a Watford plinth. (Turn to the 4th page of our advert for the Plinths)

P.S. All our 5.25" Disc Drives with PSU are compatible with the Compact Micro. All you require is the special Compact Disc Drive Cables designed by us.

Our Disc Drives conform to BS415



"Test Bureau Approved for Use in Education"

0	Drives withou	it P.S.U.	Drives with I	P.S.U.
Capacity	Single	Twin	Single	Twin
400K (720K)	CLS400S £74		CS 400S £83	
800K (1,44M		CLD 800S £149		CD 800S £162

● TWIN Disc Drive Case, complete with Power Supply & Cables £43
Securicor carriage on Disc Drives £6 to £7

Prefix

C = Cased Drive L = Less PSU S = Single D = Double

Suffix S = 40-80 Switchable

e.q

CLS400S = Cased Disc Drive, Less power supply unit, single 5.25" 400K, (720K in double density); Double sided; 40/80 track switchable.

Cable to connect 5.25" Disc Drives to BBC Compact Single £9 Twin £12 Special Cable to connect both 3.5" and 5.25" Disc Drives simultaneously to the BBC Compact £13

Special 40/80 Disc Drive/DDFS Mk II Offer



- The popular 40/80 track 400K single Disc Drive, Double Sided, cased with Cables. Plugs directly to your Micro.
- Watford's extremely popular DDFS Disc Interface (allows 720K storage). Will run in both Single & Double Density modes.
- A comprehensive User Friendly Manual.

A Bargain at Only £119 (£7 carr) (Offer valid while stocks last)



3.5" DISC DRIVE OFFER

These top quality 3.5" Double sided, 80 track, 1 Megabyte (unformatted each Disc Drives), are attractively finished in BBC beige. They are supplied complete with all cables and a Utilities Disc.


Drives to connect to BBC Micros own PSU

- CLS35 400K Unit
 - £65
- CLD35 Twin 800K £119

Drives with built-in Power Supply Unit

- CS35 Single 400K
 - £85
- CD35 Twin 800K

(P.S. CS35 Single is supplied in a twin case with a blanking plate to enable easy expansion to a dual drive at a later stage).




WATFORD's WINCHESTER DRIVES

Undoubtedly the best value for money Winchester Hard disc available anywhere for

the BBC Micro.

This 30 Megabyte hard-disc is completely compatible with the Acorn ADFS – that's why we have bundled it with each Winchester drive, along with a Utilities Disc. Finished in rugged metal and fetching BBC beige, the Winchester has an internal fan, so quiet you won't even hear it! A switched mode power supply and a neon-lit on/ off switch are there along with a light on the hard disc to tell you when it is working – just compare the price with our competitors' 20 or 28 Mbyte discs! Compatible with the Master, and the BBC B (with 17 X disc interface).

30 Megabyte BBC Hard Disc £395 (carr £7)



Twin 800K Double sided 40-80 track switchable disc drives mounted in an attractively finished Beige colour plinth for the BBC Micro. Supplied complete with integral power supply, cables and Utilities disc. The mains switch with neon On/Off light indicator, and the two 40/80 track switches are mounted on the front panel for ease of use.

CDPM 800S for the BBC B & Master £175

A Double disc drive with a difference! Times are changing fast for the floppy disk, and whilst the current standard for the BBC B and Master series is the 5.25" disk, the standard of the future will most certainly be the smaller; faster and more reliable 3.5 inch disks – now a standard feature of both the Master Compact and the Archimedes

To support the present disc drive users, and cope with the future, we have designed our own plinth-mounted disk system – called the DP35 800S. It contains both the 5.25 inch and the 3.5 inch drive formats as well as offer a firm and rigid support for a monitor on top. With the BBC Micro underneath, the plinth makes a surprisingly small footprint


on the desk – leaving you more space to work with.

The 5.25" disc drive is 40/80 track switchable. DP35-800S has its own power supply, independent of the BBC Micro.

DP35-800S for BBC/Master £165

(Securicor Carr. £7)

(The above drive units are 2 Megabytes unformatted)



Quest Mouse II & Quest Paint	£58
 Quest Mouse II, Quest Paint, AMX 	
Stop Press & Pagefont	683
Quest Mouse II only	£29
 Quest Paint Software only 	£34
Quest Font Disc (22 Text Fonts)	£15
 Quest Mouse Mat (Red or Blue or 	
Green please specify)	£3
 Part Exchange your unreliable AMX 	
Mouse for a Quest Mouse for only	£22
(P.S. Quest Paint is not compatible with BBC Compact)	



Winner of the BBC Acorn User 1990 Award for the Best Art/ Graphics software



Quest combined with ConQuest and Acornsoft GXR ROM make up THE MOST POWERFUL drawing packages available for the BBC range. Quest Paint is able to take advantage of almost any additions to your machine, such as Shadow or Sideways RAM. ConQuest takes this principal even further, by utilising the otherwise normally incompatible Sideways RAM facility by holding pictures in them, Some of the features are:

- Pick filenames off the screen for loading and saving.
- Rotate a cutout to any angle and Distort it to any four sided shape.
- Has Built in Font editor.
- Default brushes and patterns on startup.
- 16 x 16 font available on start up.
- Ability to reset patterns, fonts and brushes to default at any time.
- ROM based enhanced Epson and compatible printer dump.
- ROM based enhanced extended picture routine.
- Ability to create and abort extended pictures.
- Improved disk access speed for extended pictures.
- User definable sideways RAM driver for incompatible sideways RAM systems.
- Ellipses at any angle on Master 128 (or B with GXR ROM).

ConQuest ROM Package £30
(Price includes software in ROM and a comprehensive Manual).
(Not Compatible with BBC Compact)



for Archimedes Micro

RB2 Marconi TRACKER BALL

£45

£75

RB2 (AMX/Quest compatible) RB2 including Quest Paint RB2-A for Archimedes


THE NEW Mk III AMX MOUSE

Inc. Super Art package ONLY: £59 (carr £3)

(Please specify for BBC, Master or Compact)

MOUSE MAT	£3
AMX MOUSE ONLY	£29
AMX SUPERART Package	£34
AMX STOP PRESS - A Desktop	
publishing software. Works with	
Keyboard, Joystick or a mouse	£32
PAGE-FONTS - Over 20 Fonts for	
use with AMX Pagemaker	£13
AMX DESIGN (ROM)	£55
AMX XAM Educational	£15
AMX EXTRA EXTRA	£16
AMX MAX A gem of desktop	
(ROM)	£20

WE MOUSE HOUSE



Treat your mouse to a cosy Mouse House. This handy little gadget solves the problem of where to store your mouse when it is having a rest. Made of sturdy plastic, the WE Mouse House attaches to the side of your computer, monitor, disc drive or desk. It protects it from damage when not in use, yet within easy reach when you need it again. There is also a second compartment for your pens and pencils — and at £4 it doesn't cost a rodent's ransom.

Price £4



Our Mark II Light Pen is the very latest in light pen technology. It is totally insensitive to local lighting conditions and works with many different monitors. The pen only responds to the High Frequency light produced by your monitor/TV. An LED indicates when valid video data is being produced. A conveniently located switch is also fitted. (Price includes FREE software Disc and Operating Manual)

Only £21

FLEET STREET EDITOR

Software pack for BBC Micro	£33
Software pack for the Master	£39
Admin Xtra Disc Utility	£13
Walt Disney Disc Utility	£13
Fonts N Graphics Disc Utility	£13

BEEB VIDEO DIGITISER



"Test Bureau Approved for Use in Education"

Using any source of composite video (colour or monochrome) and the Watford Beeb Video Digitiser you can convert an image from your camera into a graphics screen on the BBC Micro. This uses the full graphics capacity of the BBC micro in modes 0, 1 or 2. The video source may be a camera, video recorder or television, and is connected via the video output socket. Images produced can be compressed, stored to

a camera, video rective or television, and is connected via the video output socket. Images produced can be compressed, stored to disc, printed on an Epson compatible printer, directly used to generate graphics, analysed for scientific and educational use or converted to other formats e.g. Slow Scan TV or receiving a picture from a remote camera using a modem. The output from the digitiser exactly matches the graphics capability in each mode, with up to 8 levels of grey in mode 2. The unit connects into the User Port and automatically scans a complete picture in 1.6 seconds.

Both the black and white levels can be adjusted manually for the optimum picture, or switched to automatic for unattended use. The image produced can be reversed if necessary

Full controlling software is supplied on a normal sideways ROM and this is easily accessed via additional \star commands. The package is designed to allow easy input of complex screens and give full access of the data to the user. Once on the screen, the image can be used as a normal graphics screen, allowing any of the usual graphics commands in BASIC or other ROMs to work on it. A special print dump routine is included with the driver programs. This is specially designed to produce a fast, correctly proportioned picture, with reduced "contouring", resulting in an accurate reproduction of the original image. Detailed examples of driving this unit from BASIC or other languages are all provided in the extensive manual supplied.


£109 (Carr. £5)

(BBC B+ and Master compatible, except Master with Econet)

(Price includes) Digitiser Unit, Software in ROM & a Comprehensive Manual)

QUEST - Tracer ball

An attractively finished, extremely reliable, mouse replacement, input device. Requires very little desk space. Connects directly to your BBC B, BBC Master or Archimedes Micro.



QT-10 BBC/Master Version £32 QT-20 Archimedes Version £35





Winner of the BBC Acorn User 1990 Award for the Best DTP/ Word Processor

The WAPPING EDITOR

The Wapping Editor from Watford Electronics represents a breakthrough in Desktop Publishing for the Beeb. The package includes a 64K ROM containing ALL the software needed to get into print fast; a very sophisticated graphics module, professional quality typesetting software, a word processor, a comprehensive font editor for designing your own typefaces, and a variety of printer dumps. This mouse-driven system is designed for the BBC B, the B+ and Master computers and will take full advantage of any Sideways and Shadow RAM that may be fitted. It will run under DFS, ADFS and Network filing systems and requires as a minimum just a single 40 track drive.

Included with the system is a utility disc containing several high quality fonts, various utilities and a ROM image of a Support ROM. A comprehensive 100 page manual completes the package. The Support ROM contains routines to allow an area to be rotated to any angle or distorted to any four-sided shape. Also included are facilities to draw ellipses at any angle and sectors, segments and arcs (in Master or BBC B with Acorn GXR). Another of the features of the Support ROM is a 'Turbo DFS' which gives DFS access times comparable with those of ADFS.

PAGE LAYOUT SECTION

The Wapping Editor may be used to create pages of any size from an A6 to a full A3 page. If none of the eight default page types suit your purpose, the stand-alone page creation program may be used to create pages to your own requirements. By using proportionally spaced fonts and genuine microspacing it is passible to print over 150 characters across an A4 page. A unique feature of the Wapping Editor is the 'A5 x 2' page size allowing two A5 pages to be printed side by side onto a single A4 sheet.

The graphics module is a mode 0 version of the highly acclaimed Qurbit Paint package, and incorporates all the same drawing facilities, e.g. pencit, brush, airbrush, polygon, circle, ellipse, fill, cut-and-paste, etc., etc.

Text may be typeset, either justified or unjustified, in any font anywhere on the page. Simply select which font and text document you wish to use, and pull out a rectangle on the page where you want the text to be – it's as simple as that! Multiple columns may be printed just as easily and a special 'expand' feature may be used to expand the microspacing so that the document exactly fits the space defined.

WORD-PROCESSOR

The integral word processor is the ideal tool for producing your text documents, although text can of course be read in from any of the other popular word processors such as View, Wordwise etc.

cont./-

THE FONT EDITOR

The font editor module will allow you to design your own typefaces or to modify the ones provided on the utility disc. This sophisticated editor has numerous functions designed to take the tedium and frustration out of producing good looking, well balanced fonts. Each character may be individully proportionally spaced and characters of any size up to 16 x 16 pixels may be defined.

Upgrading to the Wapping Editor could not be easier since the font editor will convert fonts from other packages, such as Quest Paint or Stop Press (formerly Pagemaker), into Wapping Editor format and a mode conversion utility will convert any screen in modes 1, 2, 4 or 5 into a full grey-scale mode 0 screen. Pictures may also be 'grabbed' from a video source by using the Watford BEEB Video Digitiser, either independantly or from within the Wapping Editor package.

Wapping Editor Software Pack Wapping Editor plus Mouse

£89

(Wapping Editor only works with Master Compact if a Mertec Expansion box is fitted)

Wapping Art Disc

Over 250K of clip art to cut and paste into your Wapping Editor pages. Pictures include maps, transport, people, media, sport, games etc.
Two 'ratio' screens for use with hi-res and rotated A5 pages to ensure images are not distorted when printed out.

Music writing symbols in the form of pattern and brush for quick production of manuscripts are included together with staves.

There are two prepared hi-res pages layed out for printing labels, both single and double width. Ready made label designs are included but these can be easily replaced with your own designs.

A Mode 0 screen dump routine is also included. To pack such a large amount of data onto the discs the screens have been compressed and routines to compress and expand Mode 0 screens are included on both discs. Using the packing routine you can archive large numbers of screens onto a single disc.

£15

The Beeb HandScan Hand-held Scanner for the BBC Micro



Watford Electronics are pleased to announce the launch of the first hand held scanner for the BBC Micro. HandScan is a compact unit which will allow photographs, diagrams, or any other documents to be digitised quickly and easily, to then be used in a desk top publishing package, art program, or even in your own Basic programs! These useful devices have been available for faster and more expensive micros for some time, but only now is Watford Electronics able to offer the BBC Micro computer.

The HandScan plugs directly into the 1MHz bus on the BBC while a comprehensive set of utilities provided by the sophisticated ROM firmware. The scanner has a resolution of either 100 DPI or 200 DPI when accuracy is essential. Pictures as wide as 4" may be scanned in mode 0 and various types of dithering may be selected to simulate the grey levels of a scanned picture.

All necessary software has been included in the firmware to allow the scanner to read images directly into our Wapping Editor with little more than the click of the mouse. The digitised picture may then be incorporated into your magazine, newsletter, report or any other document.

Beeb HandScan & Firmware

£135

Wapping Font Disc

Sixteen Wapping Editor fonts including smaller versions of Oberon and Daisy and two new sizes of the standard font.

Also included are three Mode 0 screens containing giant 'headline' fonts to cut and paste to create extra smooth headlines.

smooth headlines. Supplied complete with instructions.

£12



CREDIT CARD 24 HOUR Ansaphone Hot Lines (0923) 50234 or 33383

NEW

Laser Direct

For Archimedes Micro

By using the power of the Archimedes RISC processor, it offers the best of both worlds – print speed up to 5 times faster than typical Laserjet compatibles – uses outline fonts so that any font can be scaled to any size – works with all programs that use RISC OS printer drivers. Ideal for use with Genesis, IDraw, Acorn DTP, Impression, etc. Includes 50 sheet paper tray and a single sheet envelope tray. Requires one expansion slot and at least a 2Mbyte Archimedes. A very compact printer, a very low initial cost and very low running costs.

Launch Offer: £949

(For demonstration, call in at our retail shop)

SEN!

Beeb PC (BASIC)

Beeb PC Basic is designed for program authors wishing to convert programs so that they will run on IBM personal computers. To convert BBC BASIC programs manually can waste days of valuable time with every occurrence of common statements such as PROC, DEFPROC, TAB, having to be changed. Beeb PC (BASIC) automates many of these changes, and will convert majority of BBC statements that are invalid for IBM BASIC into equivalent acceptable statements. In addition BBC BASIC data files can be converted to IBM BASIC format, with support provided for all BBC data formats:- INTEGER, REAL & STRING.

Price: £38

AEW.

Beeb DOS 2.2

The BBC and IBM PC's are the most popular micros in the UK. The BBC is firmly established in the education sector and the IBM is the industry standard in the business world. The pools of information and applications held on these computers are immense, yet the means of passing information between them are very limited. Beeb DOS provides a practical method of transferring information between these two micros.

Beeb DOS is a collection of utilities which run on the PC's and enable it to read and write information on BBC discs. You can transfer files between your PC's 360K floppy, high density floppy or hard disc and your BBC discs. In addition Beeb DOS allows you to catalogue, format and compact BBC discs and delete, re-name, lock and unlock BBC files, all on PC's. Each Beeb DOS utility is written in IBM assembler and is run directly from PC or MS-DOS. The Beeb DOS utility can be run from floppy disc, hard disc or RAM drive.

Beeb DOS is supplied on an IBM 5.25", 360K disc complete with a comprehensive operating manual. (Will only work on 360K Disk Drives)

Price: £39


(Please write in for technical literature)

Continued $\rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow$

STAFF VACANCIES

Watford Electronics is the leading supplier in the Acorn computer field and has established itself in the PC compatible market with its Aries PC computers. In its eighteen year history, Watford has always kept itself at the forefront of the new technology. Due to our latest expansion, we require staff to man our BBC/Archimedes and PC Technical Departments. Applicants will be required to be familiar with BBC/ Archimedes hardware and software, and PC staff will need to be familiar with PC computer hardware. Good rates of pay, excellent prospects. Subsidised company accomodation is available to single persons if required. Telephone Keith Archer or Richard Overfield for interview, or write to us enclosing your CV.

SOLDERLESS SIDEWAYS ROM SOCKET BOARD



The key features of this new, no fuss, easy to install quality product from BBC leaders Watford Electronics are as follows:


- Increase your BBCs capacity for ROMs from 4 to 16.
- No soldering required.
- Very low power consumption.
- Minimal space required.
- Compatible with Torch, DDFS, RAM Card, 2nd Processor, etc.
- Socket 14 takes two 6264 RAM chips.
- Read protect to make RAM "Vanish") allows recovery from ROM crashes.
- Battery backup option for RAM chips.
- Supplied ready to fit with comprehensive instruc-

Price: Only £35 Battery Backup fitted £39 Battery Backup only £3 16K Sideways RAM £8.50 (carriage £3)

 Sideways RAM Utilities Disc for Solderless ROM Board. Includes the options to load and save ROM Images and the facility to use Sideways RAM as Printer Buffer.

Only: £8


USER PORT SPLITTER UNIT



Gone are the days when you had to plug and unplug devices from the User Port. This extremely useful little device allows two units to be connected to the User Port simultaneously, and select between them simply by toggling a switch. This device is particularly useful for those people using Quest Mouse and the Watford Video Digitiser or any similar combination

Excellent Value at £22 (carr £2)

Sideways ROM **ZIF Socket System**



Allows you to change your ROMs quickly and efficiently, without opening the lid. The ZERO INSERTION FORCE (ZIF) socket is located into the ROM Cartridge's position.

- Very simple to install, NO SOLDERING required.
 The ZIF (Zero Insertion Force) eliminates the possibility of damage to your ROM pins when inserting &
- The low profile of the socket allows unrestricted access to the Keyboard.
- All data and address lines are correctly terminated to ensure correct operation of suitable ROMs with the BBC micro. We also supply a purpose designed see-through storage container with anti-static lining, allow-ing you to store up to 12 ROMs, protecting them from mechanical and static damage.
- This versatile hardware solves the problem of running out of socket space. Simply lift the ROM from the ZIF & insert a different one (No pulling or pushing of Cartridges, It is a must for professionals and Hobbyists silve).
- BBC, B+ and Master compatible.

ONLY £18 (carr £3)

Low Profile CARTRIDGE SYSTEM

Complete System consists of: Low profile ROM Cartridge, Socket housing, Cable assembly, 5 labels and a library storage rack for the BBC B.

- Complete System
- Spare Cartridges

£2.75

Spare Rack

£1.65

£11

63

ROM Cartridges for the BBC Master

Will accept the new larger Plggy Back ROMs like: Interword, Interbase, Quest, Conquest, etc

> Twin £9; Quad £14

16K Disc Ram Module

(16K Sideways RAM Module)

Complete with such features as read and write protection, these new modules from Watford Electronics are ideal for the hobbyist, software developer and ROM collector.

Key points to note about this new addition to the Watford range of products are:

- Write protection (useful in a variety of circumstances)
- Compact construction
- No overheating or overloading problems.
- Free utilities disc supplied
 Can be used as a 16K PRINTER BUFFER.
- Ideal for profressional software development.
- Supplied with utilities software disc.

Only: £29 (carr £2)

Optional Battery back-up fitted



B-32 Shadow RAM Card

Like the BBC B+, the B32 provides 20k of shadow screen RAM and 12k of sideways RAM. Unlike the B+, the B32 has simple software commands which allow the user to reconfigure the RAM as 16k of shadow RAM and 16k of sideways RAM, or all 32k as sideways RAM.

RAM and 16k of sideways HAM, or all 32k as sideways RAM.

With the B32, the programmer gets up to 28k of RAM available for Basic, Logo, Cobal, Forth, Lisp and BCPL programs in any screen mode. The business user gets extra memory for View, ViewSheet, Wordwise Plus, Interword and many other applications. For advanced applications, the scientificuser gets access to a massive 47k of data storage using the Acorn approved ★FX

Sideways RAM enables you to load sideways ROM images from disc, allowing you to have a large library of sideways ROMs (subject to the copyright holder's permission) stored on disc. The B32's sideways RAM can also be used to extend any operating system

buffer (such as the printer buffer) or to load tape programs into a disc system.

The B32 simply plugs into the 6502 processor socket on you BBC micro – no flying leads to connect and no soldering. Provision of the onboard ROM socket means that the Aries-B32 control ROM does

not use up one of your existing ROM sockets.

Recommended by Computer Concepts for use with their Inter series of ROMs.

Price: £59 (carr. £3)

Aries B-12 Sideways ROM Board

The B-12 provides a total of twelve sideways ROM sockets (the four in the original machine are replaced by the twelve on the board), all fully accessible by the MOS sideways ROM system. In addition, there are two sockets for sideways RAM, giving up to 16k of RAM using 6264 static RAM chips.

If you do not have a B32 or B20, a small adaptor module (the Aries-B12C) is available at a nominal cost

Price: Aries B-12 £36 Aries B-12C 25

ARIES B-488 **IEEE-488 INTERFACE UNIT**


The Aries-B488 is an interface unit to enable the BBC micro to control and monitor IEEE-488 bus systems. The IEEE-488 bus (also known as the 'GPIB or 'HP IB') is the standard method of interconnecting programmable laboratory instruments and control equipment. Using the B488, up to 15 devices may be connected in a single high-speed data network.

£238 (Carr £3)

VOLTMACE JOYSTICKS


£10
£15
£10
£11
£12
£7
£24

Delta Base B



Analogue aircraft style yoke Joystick to run in the analogue port of the BBC B & Master 128

ROM/RAM CARD



Watford Electronics announced the first ever commercial ROM board for the BBC micro, the Watford Electronics 13 ROM Socket Board 7 years ago. Following the success of this board, we have designed what probably represents the ultimate in expansion boards, the new Watford Electronics ROM/RAM board. This highly versatile and sophisticated board represents the latest in "2nd generation" sideways ROM technology for the BBC micro, designed to satisfy the serious

- NO SOLDERING required to fit the board.
- NO User Port corruption (avoids problems with the mouse, modems, Eprom Programmers, etc.)
 Fully buffered for peace of mind.
 Compatible with BBC micros (not BBC+ or Master).

- Total number of ROMs increased from 4 to 8.
- Up to 8 banks of sideways RAM (dynamic)
- Option for 16k of battery backed CMOS RAM (CMOS RAM needs one ROM socket).

 Software Write protect for ALL RAM.

 Readprotectfor CMOS RAM (ALLEVIATES crashes during ROM development).

- Separate RAM write register (&FF30 to &FF3F)
- Automatic write to currently selected RAM socket for convenience.
- FREE utilities disc packed with software. Compatible with our DDFS board, 32k RAM Card, Delta Card, sideways ZIF, etc.
- Large printer buffer.
- UNIQUE fully implemented RAM FILING SYSTEM (similar to the popular Watford DFS).
- ROM to RAM load and save facilities.

The SFS (Silicon Filing System) can utilise up to the full 128k of RAM (with the SFS in any paged RAM) as a SILICON DISC. This behaves as a disc drive, with all the normal Watford DFS features (including OSWORD &7F for ROMSPELL, etc.) to provide an environment

that looks like a disc but loads and saves MUCH faster.
The ROM RAM Board plugs into the 6502 CPU socket. This leaves free all the existing ROM sockets,

which can still be used normally.

Any ROM that can be plugged into the BBC micro's own ROM sockets may be used in the ROM-RAM

The ROM-RAM Board is supplied with all ordered options fitted as standard. Upgrade kits (with full instructions) are «vailable for all of the options, for

NTRODUCTORY PRICES:


ROMRAM card with 32k dynamic RAM£48
ROMRAM card with 64k dynamic RAM£65
ROMRAM card with a massive 128k dynamic (carriage on ROM-RAM Card £3)

OPTIONAL EXTRAS:

16k plug-in Static RAM kit£9 16k Dynamic RAM for Upgrade£13 Battery backup Read and Write protect switches£2 each
Complete ROM-RAM board All options installed£115

IS your existing ROM Board overflowing with ROMs? Do you need more Sideways RAM? Is your Board unreliable? Then upgrade to Watford, ROM/ RAM Board and pay £5 less.

32K SHADOW RAM-**Printer Buffer Expansion Board**



A MUST FOR WORD PROCESSING

Watford Electronics now brings you the latest state-of-the-art MEMORY EXPANSION BOARD for your BBC microcomputer. Don't throw away your BBC B for a BBC B Plus or BBC Master. Just plug the ribbon cable into the 6502 processor socket, and fit the compact board inside the computer. Immediately you will gain not 16k or even 20k, but a massive 32k of extra RAM!!!

- IMPROVE your WORD PROCESSING system, whether disc or cassette based. Don't wait for a slow printer – type in text while printing. TWO JOBS DONE SIMULTANEOUSLY and £100+ saved on a printer
- "VIEW" Wordprocessor users can now type in letters in 80 columns and have up to 28,000 bytes free 5 times as much as normal.
- In WORDWISE (or WORDWISE-PLUS), previewin 80 columns with the full 24k of text in memory. This product is recommended as an ideal complement by Computer Concepts.
- Combine GOOD GRAPHICS and LONG PROGRAMS. Use the top 20k of the expansion RAM as the screen display memory, leaving all the standard BBC RAM free for programs. Benefit from MODE 0/1/2 graphics and 28k of program space.
- Use the FULL 32k or the bottom 12k of the expansion RAM as a PRINTER buffer for PARALLEL or SERIAL printers, sound channels, RS432 etc. Print large text files while running long graphics programs, and have all your buffer options available as well (*FX15,21,138, 145,ADVAL etc). Please note only a 12k printer buffer can be used with Wordwise or Wordwise-Plus, due to the way they are written.
- Unique facility to turn ROMs off and on again. Unlike all other ROM managers, this feature does not use 'unofficial' memory. Two bytes of normally user-inac-cessible memory on the RAM card are used to ensure ROMs are disabled WHERE OTHER ROMS FAIL.

Only £59 (carr £3)

(Price includes a comprehensive manual and the ROM)

Acorn Speech Synthesizer package complete, for the **BBC B Microcomputer**

Special Offer

£18

Watford Electronics are:

- Acorn Qualified Dealer & **Econet Referral Centre**
- ARIES PC Dealer/Distributor
- Cambridge Computer Dealer
- **Epson Silver Centre**
- EIZO Monitor Dealer
- Microvitec Appointed Dealer
- **NEC Appointed Dealer**
- Panasonic Premier Dealer
- Roland Plotter Official Dealer
- Star Printer Sub Distributor
- Taxan Monitor Distributor 3M Media Premier Distributor

BBC SOFTWARE'S Popular Educational Software

 Maths with a Story 1 (Disc). 4 primary level maths programs £11 25

 Maths with a Story 2 (Disc). 4 further maths programs. £11 25

Picture Craft (Disc) 6-14 age group. Pack consists of flexible geometrical design & colouring programs. £17.00

 BONDING: Science (Disc) O-Level Chemistry £20.00 ELECTROMAGNETIC SPECTRUM (8 Discs)

O-Level program. £20.00 ELECTRONICS IN ACTION (Disc) O-Level pro-

£19.95 NEWTON & THE SPACE SHUTTLE (Disc) O-

Level program. £20.00 ECOLOGY (Disc) O-Level program. £20.00

POLYMERS (Disc) O-Level program. £20.00 Classification & Periodic Table O-Level. The suite is supplied with its own database of chemical elements which can be classified according to your £20.00

● FOOD & POPULATION (Disc) O-Level program. £20.00

 MICROTECHNOLOGY (Cassette) O-Level pro-£11.25

DEUTSCH DIREKT! (Disc & Audio Cassette) £19 95 Modem Master (Disc) £11.25 ADVANCED TELETEXT SYSTEM €8.65 PERIOD TABLE SOFTWARE £20.00 Astronomy - Primary (Disc) £12.00 Computers at Work - Primary £17.35 Introducing Geography 11-17 years £17.50 Electric Fields 6-14 years £11.25 Black Queen Contract Bridge £13.00

Educational Software

Espana Viva – 3 Discs

FUN SCHOOL 2 - Red:

Under 6 yrs – 8 programs on Discs, Shape Snap, Find the Mole, Teddy Count, Write a letter, Colour Train, Pick a Letter, Spell a Word & Teddy Bears Picnic. £12.00

FUN SCHOOL 2 - Green:

6-8 yrs - Eight programs on Disc, Number Train, Shopping, Maths Maze, Treasure Hunt, Bounce, Packing Caterpillar, 3 Number jump £12.25

FUN SCHOOL 2 - Blue:

Over 8 yrs – Eight programs on Disc, Build a Bridge, Passage of Guardians, Unicorn, Logic Doors, Souvenirs, Code Boxes, Mystery Machine & Escape.

£12.50

£19.95

Versatile BEEB SPEECH SYNTHESISER Unit



The Watford Speech Synthesiser is a very flexible speech synthesis unit based upon the powerful phonemes system. This system stores the building blocks of speech (called phonemes) and allows you to combine them quickly and easily to form virtually any word imaginable.

Supplied with an advanced ROM, you are provided with a 500 word dictionary to get you started. These can easily be added to by following the notes given in the comprehensive manual.

SPECIAL PRICE £32 (carr £3)

VIEW PROFESSIONAL	250
VIEWSHEET (Acornsoft)	£36
VIEWSTORE	£36
VIEWSPELL with 80 track disc	£25
VIEWPLOT Disc (Please specify for Master 128 or Compact)	£20
VIEW-INDEX	£12
OVERVIEW packs 1 & 2	265
HI-VIEW	238

Watford's own Sophisticated VIEW PRINTER DRIVERS

Epson FX80 & Kaga KP (Disc) 28 Juki & Brother HR15 (Disc) 83

OFFICE MASTER



CASHBOOK – A complete "Stand Alone" accounting software package for the cash based sole trader/partnership business. It is designed to replace your existing cashbook system and will provide you with a computerised system complete to trial balance.

FINAL ACCOUNTS – Will take data prepared by the Cashbook module and produce a complete set of accounts as following: Trial Balance with inbuilt rounding routine; Notes to the accounts; VAT Summary; Profit & Loss A/C; Balance Sheet.

MAILIST – A very versatile program. Enables you to keep records of names and addresses and then print, examine, sort and find them, all with special selection techniques.

EASILEDGER – A management aid software tool designed to run alongside an existing accounting system. Essentially a Debit/Credit ledger system which can handle sales, purchase and nominal ledger routines to provide instant management information.

INVOICES & STATEMENTS – Greatly reduces the time and cost of preparing Invoices and Statements by storing essential information like customer names, addresses and account numbers. Has VAT routines and footer messages facility.

STOCK CONTROL – Allows you to enter stock received, stock out, summary of stock items and current holdings together with details of total cost, total stock to minimum level, units in stock ordering, quantity and supplier detail

All this for only £21 (Disc)

OFFICE MATE



- DATABASE
- BEEBCALC SPREADSHEET
- BEEBPLOT GRAPHICS

DATABASE - Set up a computerised card index system with powerful search facilities.

SPREADSHEET - Offers many calculation and

BEEBPLOT - Provides visual representation from Spreadsheet data

OFFICE MATE Only £10 (Disc)

MINI OFFICE II

DISC Version for BBC B & B+ £14.00 **DISC Version for BBC Master** £16.00 DISC Version for the Compact £18.00

(When ordering please specify for which Micro & 40 or 80 track Disc)




CREDIT CARD 24 HOUR Ansaphone Hot Lines (0923) 50234 or 33383

Advanced Computer Products

Advanced Disc Toolkit Advanced Disc Investigator

VIEW PRINTER DRIVER ROM



View is a powerful word processor, but until now has seriously lacked in terms of printer support. With the launch of our Printer Driver ROM, which includes an extremely powerful and easy to use Printer Driver Generator, View users can find themselves in the realms of advanced word processing at only a small outlay.

The VPD extends View's printer command with a series of mnemonic commands. All standard highlight sequences are also supported. A large right sequences are also supported. A large range of printers are supported by drivers contained within the ROM (the drivers can be downloaded and customised). Printers supported include: Epson's MX, RX, FX, LX, JX80 range, HI80, KP810/910, PW1080, JP101, HR15, M1009, GLP, Panasonic KX-P1081/2, JUKI 6100, etc.

Other printers are readily supported by defining a Printer Driver using the built-in Printer Driver Generator. The features mentioned below are available to both the built in Printer Drivers and user defined drivers (assuming the printer supports the features).

NLQ control, Underline, Bold, Proportional Spacing, Microspacing, Italic, Superscript, Subscript, Condensed, Enlarged, Double Strike, Set lines per inch numerically (e.g. LPI 6), Set characters per inch numerically (e.g. CPI 5), Select printer font, Select printer ribbon colour, Translation convenience, Employees of PDC Character Set. sequences, Emulation of BBC Character Set, Simple numeric expressions for certain operations, Full printer setup, Send control codes, Print prompt on screen, Redifinable Pad character, Pause for key press, Prompt to change daisywheel, and Execute *command when printing.

Other features include a very powerful on-screen preview, with bold, italic, underline, super/subscript, enlarged highlights, and a special printer driver to allow memory-based text to be previewed by View 1.4, 0.1 and 3.0 are all supported, as is Shadow RAM and 6502 Second Processors. The BBC B series and Master series of micros are supported. A comprehensive manual is supplied All in all, a very professional product for supplied. All in all, a very professional product for the discerning user who wants power at their finger

Price: Only £33

COMPUTER CONCEPT'S ROMS

COMMUNICATOR	£49
DISC DOCTOR	£28
Inter BASE	£49
Inter CHART	£25
Inter SHEET	£37
Inter WORD	£36
MEGA-3 ROM	£76
SPELL MASTER	£42
TERMI	£25
Wordwise	£24
Wordwise Plus	£40

Wordwise plus

£40

We are giving away absolutely FREE, the superb Word-Aid ROM worth £24, with every WORDWISE PLUS package bought from us.

Word-Rid

The most comprehensive utilities ROM for Wordwise-Plus

Extend the power of your Wordwise Plus word extend the power of your Wordwise Plus word processor with this most advanced ROM from Watford. By utilising the powerful Wordwise Plus programming language, WordAid provides a whole host of extra features, all accessed via a special new menu option. This ROM has been personally approved by Mr Charles Moir, the author of WORDWISE PLUS.

- Alphabetical sorting of names and addresses.
- Text transfer options.
- Chapter marker. Epson printer codes function key option.

- Search and display in preview mode. Embedded command removal. Print Multiple copies of a document.
- Multiple file options for print and preview.
- Address finder
- Label printer.
- Mail-merger
- Number/delete/renumber.
- Clear test-segment area.
 BBC B, B+ and Master compatible.

Only £24

(N.B. Word Aid requires a Disc interface in your Micro)

The Complete Mouse User Guide to BBC Micro

This manual has been written to reveal the secrets of the mouse. It explains all the principles required by the hardware and associated software, and also example listings for inclusion into custom programs. The manual first details the basic principles of the mouse and a simple program which uses these principles. This information should be adequate for most applications. However, it is possible to improve the performance of the mouse by expanding on the principles already used in the software. This is again fully explained and an example program given.

It is possible to gain a full understanding of the mouse from this manual. For those not interested in exactly how the mouse functions, complete example programs are also included. These may be typed directly into the micro, without the need for any understanding of the hardware or software involved, enabling the mouse to be used for custom applications.

Price £5.95 (No VAT)

Example programs on Disc £4.95

BOOKS (No VAT on Books)		
15 Hr Wordprocessing BBC/View	£5.95	
15 Hr Wordprocessing BBC/WW & WW+	£5.95	
30 Hour BASIC (BBC Micro)	£12.95 £10.95	
Advanced User Guide for BBC Amiga Machine Lang, Guide	£10.95	
Archimedes 1st Step – Beginners Guide	£9.95	
Archimedes Assembly Language	£14.95	
Archimedes BBC Basic Guide	£20	
Archimedes Operating System Archimedes Risc-Os Programmers	£14.95	
Reference Manual	£79.00	
Arm Assembly Lang. Prog. Manual	£15	
Assembly Language Prog. for the BBC	£10.95	
Assembly Language Quick Ref.	£21.95	
BASIC 2 – User Guide Basic V – A Dabhand Guide	£9.95	
BBC Basic Guide (Archimedes)	£19.95	
BBC Computer Handbook -		
The Complete	£14.95	
BBC - Mastering Assembly Code	£8.95 £5.75	
BBC Micro & the small Business BBC Micro – Within the	£13.95	
BCPL User Guide	£14	
C Big Red Book of	£7.50	
C - A Dabhand Guide to	£14.95	
C Programming Lang. 2nd Edition COMAL – Introduction to	£24.95 £9.50	
Deutsch Direkt! (Book only)	£5.95	
DISC FILING SYSTEM (DFS)		
Operating Manual for BBC	€6.95	
File Handling on BBC Micro	£8.50	
FORTH on the BBC Micro Hackers Handbook – New	£9.95 £9.95	
Inside Information, Computers & Coms.	£9.95	
ISO-PASCAL Reference Manual	£9.95	
Mysteries of DISC DRIVES and DFS	10	
REVEALED Mastering Assembly Code	£5.95 £8.95	
Mastering Assembly Code Mastering Interpreters &	20.33	
Compilers	£14.95	
Mastering Music	£6.95	
Mastering the Disc Drive Master 512 Guide – Dabs Press	£7.95 £9.95	
Master Operating System	£12.95	
Master Reference Manual Part 1	£14	
Master Reference Manual Part 2	£14	
Master Reference Manual – Advanced	£17	
Mathematical Programs in BBC BASIC MINI OFFICE II – A Dabhand Guide	£9.95 £9.95	
PASCAL on the BBC Micro	£9.95	
PASCAL Programming	£9.95	
Practical Disc File Techniques	£5.95	
The Epson FX-KAGA PRINTER Commands REVEALED	£5.95	
The Software Business	£5.50	
Understanding Interword -		
A Beginners Guide	€6.50	
View 3.0 User Guide View Guide (View 2.1)	£10 £5.00	
View, Viewsheet & Viewstore – Mastering	£12.95	
Viewsheet & Viewstore Dabhand Guide	£12.95	
VIEW Dabhand Guide	£12.95	
Viewsheet User Guide	£10	
Viewstore User Guide Wordwise + A User Guide	£10 £10.95	
Z88 – A Dabhand Guide	£14.95	
Z88 Computing	£9.95	
Z88 Magic	£14.95	
Z88 Using Your	£9.95	
Carriage on Books vary between £1 to		

£3.50, depending on their weight.

BOOKS for IBM PC & Compatibles

1-2-3 For Business 2nd Edition	£20.95
1-2-3 Command Language	£19.95
1-2-3 Mastering Release 3	£22.95
1-2-3 Mastering – 2nd Ed.	£20.95
1-2-3 Special Edition (QUE) – Using	£22.95
1-2-3 Using - Rel. 3	£22.95
8086/8088 Assembly Language Prog.	£13.50
8086/8088 Programming the	£17.95
Ability – Using	£12.95
Accountancy software in Business - Using	£14.95
Agenda - Using	£21.95
Aldus PageMaker – Using	£21.45
Amstrad Basic 2 Manuals	£9.95
Amstrad Technical Manual for 1640	£19.95
Amstrad PC Programmers Ref Guide	£7.50
Amstrad PC1512-1640 Step by Step -	
	£9.95
Using	
Amstrad PC 1512 PC User Guide – 2nd Ed	£9.95
Autocad – Mastering Through Rel. 10	£28.95
Autocad - Using Release 10	£26.95
Business companion on the 1640	£12.95
	£24.95
C Programming Library – The	
dBase III Plus - Mastering	£21.95
dBase III Plus - Complete Reference	£19.95
dBase III Plus - Mastering	£21.95
dBase III Plus Handbook 2nd Edition	£20.95
dBase III Plus - tips, tricks and traps	
(QUE)	£20.45
dBase III Plus - Quick Ref. Guide	£4.95
dBase III Plus - Quick Prog. Guide	£8.95
dBase Instant Reference (III & III+)	£10.95
dBase IV – Handbook	£21.95
dBase IV - Understanding	£22.95
dBase IV - Using	£20.95
DBASE IV - Complete Ref	£27.95
Desk Top Publishing by Design	£18.95
DOS & BIOS Function – Quick Ref Guide	£6.95
DOS Instant Reference (up to 3.3)	£10.95
DOS, Mastering for Versions up to 3.3	£22.95
DOS Power Tools (includes a disk)	£39.95
DOS Plus Manual/Amstrad PC	£9.95
DOS - Programmers Ref. Manual 2nd Ed	£22.95
Excel IBM Version - Using the	£22.95
FAX - Managing with	£12.95
	£22.95
Framework III – Mastering	
Good Software Guide - for IBM PCs	£19.95
Hard Disc Instant Reference	£10.95
Hard Disc Manage IBM PC XT AT	£19.95
Hard Disc - Managing your 2nd Ed.	£20.95
	120.55
Hard Disc management – Quick	
Reference Guide to	£4.95
IBM PS/2 Handbook	£19.95
Local Area Networks 2nd Generation	£19.95
Lotus 1-2-3 Desktop Companion Soft/B	£24.95
Lotus 1-2-3 – Illustrated	£18.45
Microsoft 'C' Systems Prog. In	£23.95
Microsoft GW BASIC	£12.95
Microsoft Word 5 _ Using	£20.45
MS-DOS – ABC's of 2nd Ed.	£17.95
MS-DOS Advanced Programming 2nd Ed.	£22.95
MS-DOS Bible 3rd Edition	£19.95
MS-DOS Handbook 3rd Edition	£18.95
MS-DOS Masters - Tricks of	£22.50
	£4.95
MS-DOS Quick Prog Ref Guide	24.95
MS-DOS Commands – Quick Reference	
Guide	£4.95
MS-DOS - Running 4th edition	£19.95
MS-DOS – Supercharging 2nd Edition	£17.95
MS-DOS Users Guide 3rd Edition	£27.95
MS-DOS – Using	£19.95
Netware User Guide	£22.95
Networking Personal Computers 3rd Ed.	£20.95
Norton Utilities – Inside the	£19.10
Norton Utilities Ver 4.0	£15.40
Novell Network - The ABC of	£21.95
Operating the IBM PC Network	£18.45
PageMaker IBM PC – Mastering	£21.95
PageMaker on IBM PC – Using	£22.95
Pagemaker - Using Aldus	£19.95
Paradox - Mastering	£22.95
PC-DOS Using 3rd Ed	£21.95
Programming Guide to EGA & VGA Cards	£24.95

Prog. Guide to IBM - P. Norton's	£19.95
Quattro - Mastering	£21.95
Smart - Using	£21.45
Smart II - Using	£22.95
Smart, tips, tricks and traps (QUE)	£22.45
Supercalc 4 – Using	£23.75
Supercalc 5 - Using	£20.95
Supercalc Professional	£17.95
Symphony 4th Edition - Mastering	£24.95
Turbo C Bible	£21.95
Turbo Pascal 5 - Using	£22.95
Turbo Pascal 5.5	£24.95
Turbo Pascal - Advance Techniques in	£20.45
Turbo Pascal - Complete Reference Ver 5	£24.95
Turbo Pascal Complete Ver. 4.0	£21.45
Turbo Pascal Disc Tutor	£36.25
Turbo Pascal Program Library	£22.95
UNIX - The Complete Reference	£26.95
Upgrading & Repairing PC's	£25.95
Ventura Mastering - 2nd Ed.	£22.95
Ventura Publisher - Using	£22.95
Ventura Publishing - Instant incl. DISC	£34.75
Wordperfect 5 - Desk Top Companion	£22.95
Wordperfect 5 - Using	£24.95
Wordperfect Desktop Companion	£22.95
Wordperfect - Illustrated	£18.45
Wordperfect Made Easy	£15.95
Wordperfect - Quick Reference V5	£8.95
Wordperfect 3rd Ed – Using	£20.45
WordStar Release 5.0 - Using	£19.95
WordStar - Quick program Ref. Guide	£8.95
Xerox Ventura Publishing - Inside	£27.95

THE COMPLETE BBC COMPUTER USER HANDBOOK

"Why has no-one written a book like this before? It's long overdue".

If you own a BBC-B, BBC B+, Electron, Master 128, Master Compact or Archimedes then this book is for you. It shows you how to get the most from your computer, and how to make the computer work for you. Although some sections are machine specific, most of the information, programs, hints and good solid experience are for the whole range of BBC machines. The general style and level means that both beginner and expert will feel satisfied with the quality and quantity of the material.

GENERAL - Uses and abuses of computers.

HARDWARE – How to design your own work station. Hardware additions (disc drives, ROMs, printers, 2nd processors, etc). DIY alterations.

HARDWARE RUNNING BBC-BASIC – All BBC machines are described with their differences. Compatibility between the various BBC machines. Networks. The Archimedes and its advantages.

GETTING ORGANISED – So that you keep track of your programs and control of your software. Setting up for easier programming sessions.

NEAT PROGRAMMING – Good style. Writing structured programs. Getting the best from BBC-BASIC, Graphics and screen displays. Speeding up programs. Saving space.

GENERAL PROGRAMMING TIPS AND HINTS—with a multitude of examples (eg input vetting, dealing with dates, blanking out function key messages, error trapping, disabling ESCAPE and BREAK, use of EOR with colour, etc).

DEBUGGING – Specific errors and how to handle them. How to test programs fully.


STANDARD PROGRAMS – Assessing wordprocessors, spread-sheets, databases, graphics packages, communications etc. How to customise them to your own requirements.

COMPUTERS AT HOME AND IN THE OFFICE – Introducing the computer to the office. Program protection. Computers and the law.
Communications. Selling your own programs. 28 FULL CHAPTERS, elegantly written and extensively indexed. To dip into, consult, or read from cover to cover, again . . . and again . . . and again . . .

Only: £14.95 (Book No VAT)

Continued $\rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow$

ROM MANAGER




Take control of your Sideways ROMs with ROM Manager. This powerful utility ROM gives you power over your sideways ROMs. Disable whole ROMs, send commands directly to named ROMs and many

other powerful facilities.'
"Provides comprehensive management of all your installed ROMs". (BEEBUG November '84.)

ONLY £20

ADDER



The only low cost EPROM Programmer for the BBC Micro that will program both the standard 21V and the new 12V5, 27128 EPROMS.

the new 12V5, 27128 EPROMS.

The Adder unit connects to the User Port and draws its power from there too. The EPROM is mounted in a top quality ZIF socket. There are no switches or controls as Adder is entirely software controlled. The Adder software provides sophisticated facilities for programming EPROMs from a RAM image produced by loading disc files. The software is menu driven and designed for ease of use.

- Two ultra fast programming algorithms or standard slow algorithm.
- Supports standard 21V programming and newer 12.5 volt EPROMs. (Software switched).
- The RAM image to be programmed can be built up in many ways. Sections of image can be loaded separately. Part programming. Read EPROM. Edit data in memory.
- Automatic processing to handle a list of files to program into the EPROM.
- Automatic disc buffering to allow programming of 32K 27256 devices from a 32K file without extra
- Verification gives detailed error list and checksums are maintained. There is also a blank check facility.
- Works with all standard filing systems. Generates header code for RFS ROMs to allow Basic programs etc. to be stored in EPROM. More than one file per ROM permitted.
- Programs the following EPROMs: 2516, 2716, 2532, 2732, 2764, 27128, & 27256.

£65 (£5 Carr)

TEX EPROM ERASERS

EPROMs need careful treatment if they are to survive their expected lifetime. Over erasure of EPROMs very rapidly turns them into ROMs! The TEX erasers operate following the manufacturers specifications to give the maximum possible working life by not erasing too fast. We use these erasers for all our own erasing work.

- ERASER EB Standard version erases
- ERASER GT Deluxe version erases up to 18 chips. Has automatic safety cut-off to switch off the UV lamp when opened. £30 (carr £3)
- Spare UV tubes.

Servisol Foam Cleaner

This 415Ml, king size multi-purpose foam cleaner spray is ideal for cleaning the Keyboard, Monitor, Disc Drive and your computer furniture surfaces. Simply spray on the surface to clean and wipe off with a clean cloth.

Antistatic Aerosol Spray

Ideal for cleaning and preventing static build-up on TV/Monitor Screens.

£2.50

Aerosol Dust Spray

This simple to use aerosol spray is ideal for removing Dust and Dirt deposits from the Keyboards and similar inaccessible places.

£3

SPARES for BBC Micro

BBC Keyboard	£46	Speaker	£3
Master Keyboard	€62	Keyswitch	£1.50
UHF Modulator	£4	16MHz Crystal	£2
Speaker Grill	£1	17.734 MHz Xtal	£2
BBC Power Supply	€59	32.768MHz Xtal	£1
BBC B Refurbished		Master PSU	€59
Casing	£25	Master Casing	£39
Replacement Flexible	e 17 v	vay Keyboard	
Connector			£4

Surge Protector Plug

Fitted in place of your normal mains plug, this device protects your equipment (and data from corruption), against mains high voltage translent spikes/surges caused by lightening or thermostats switching

Protection for only £8.50

4 Way Mains **Distribution Socket**



4 way top quality mains trailing sockets. Supplied wired up with mains plug ready for use. Can be screwed to floor or wall if required. Very useful for tidying up all the mains leads from your peripherals.

£9.50 (carr £1.50)

Aries Spike Cleaner Unit

A 4 way mains distribution unit as above with a built-in Surge Arrester, providing protection for your complete Computer/Hi-Fi System

£13.50 (carr, £1.50)

ROM Extraction Tool

This extremely useful tool allows you trouble free chip insertion and removal from your computer by distributing the removal force over the whole body of any 24 or 28 pin chip. Metal Chip Extractor

28pin DIL HEADER PLUG

SOLDER type £1.50 IDC CRIMP type £1.95

8 WAY DIP SWITCH

Increase the speed of your Disc Drives by soldering this switch to your BBC B or B+ keyboard

Only £1.00

28 pin ZIF SOCKET (Textool)

£6.95

CONNECTING LEADS

(All ready made and tested) CASSETTE LEADS 7 pin DIN Plug to 3 pin DIN Plug + 1 Jack Plug £2.50 to 7 pin DIN Plug £3.00 to 3 Jack Plugs £2.50 6 pin DIN to 6 pin DIN Plug (RGB) £3.00

DISC DRIVE POWER LEADS

Supply from BBC power supply to standard Disc Drive Connection: Single £3.00; Dual £3.75

DISC DRIVE INTERFACE LEADS BBC to Disc Drives Ribbon Cable Single £4 Twin £6

Miscellaneous Connectors

	Plugs	Sockets
RGB (6 PIN DIN)	50p	75p
RS423 (5 pin Domino)	70p	80p
Cassette (7 pin DIN)	40p	95p
ECONET (5 pin DIN)	35p	50p
Paddles (15 pin 'D')	150p	250p
Disc Drive Plug 4 way	100p	
6 way Power Connector	120p	150p

Watford DATA DUCK

Convert two single Disc Drives into one Dual Drive with this simple external unit (Suitable for Disc Drives with PSU. For Disc Drives without PSU, you will also require Watford Power Duck, see below).

28

Watford POWER DUCK

£8.50 £4.50 £5.25 £0.45

£5.50 £8.75

\$6.00 £2.80

CHIP SHOP

1 Meg DIL D-RAM 1 Meg ZIP D-RAM 256Kx4 100nS DS3691

DS88LS120 LM324 SN76489 SAA5050

UPD7002 2764-250nS 27128A-250nS (12V5)

(12V5) 27128-250nS (21V) 27256-2 27512-2

4013

4164-15 4464-12 4464-15

4816 RAM 41256-15 41256-12 6264LP-8K

6264LP-8K 6502A CPU 65C02 3M 65C12 6512A 6522 6522A 62256ALS-15 62256P-12 6818 6845SP

68B50

68B54

7438 74LS00 74LS04 74LS10

74LS10 74LS123 74LS163 74LS244 74LS245

74ALS245 74LS373 74LS393

ICL7673PA

75453 75159

ASSORTED ROMS



	Alli.	
	ACORN ADFS	£25
)	ACORN BASIC 2	plus
		£22
싷	Acorn BCPL	£42
4	ACORN DNFS	£17
	User Guide Acorn BCPL ACORN DNFS Acorn FORTH	£32
d	Acorn Graphics	£25
и	THE RESERVE AND PARTY OF THE PA	

£3.00 £3.50 £4.95 27C101G (1 Meg) £10.00 60p £0.90 £2.50 Acornsoft C Disc Acorn LISP Acorn OS B+ Acorn OS 1.2 £8.50 £25 \$8.00 £2.00 £4.50 Basic Editor £49 £22 **BBC PCB Designer** £5.00 Beebmon £4.25 Buffer & Backup £5.00 Communicator €49 £9.75 £9.00 Dump Out 3 EPSON NLQ ROM £25 £10.00 £10.00 Graphics Extension £4.50 GXR-B £10.00 GXR-B+ Rom £21 £22 £8.50 £4.00 £6.00 ICON Master £28 Logotron LOGO MASTER OS RÓM €43 £38 £2.95 Master ULA (47) £7.50 Master ULA (60) 40p Micro Prolog 25p Microtext Dis £10 Microtext Disc €46 Nicrotext Rom NLQ DESIGNER £199 25p 80p Numerator – Archi 70p Numerator – BBC 80p Pendown ROM £1.00 ROMIT £69 £39 ROMIT SERIAL ULA £29 £2.75 £1.00 £13 TED £1.00 Termulator B, B+ 70p Termulator Master £3.00 Video ULA £28 £32 £3.00 Video ULA £2.00 ULTRACALC II £2.00 1Mb OS ROM £26

£39

The Aries IBM PC-XT 88 and Aries PC AT286 compatibles are now supplied with Digital Research's GEM, Microsoft MS DOS 3.30, GW-BASIC 3.21, the powerful Finesse 1.1 Desk Top Publishing package, Multiwriter WORDPROCESSOR & Spell-checker, PC Organiser and 12 months on site maintenance warranty. So you not only get the best all round value in PC compatibles. (£300+ worth of FREE Software & Hardware with every system), but you also get a complete and powerful WYSIWYG DTP software package that takes you from typewritten text onto typeset quality layouts. LOGITECH MOUSE too is included with the package. WATFORD GIVES YOU MORE FOR YOUR MONEY. (P.S. To operate Finesse DTP, you require a Hard Disc System).

ARIES PC-XT 88



ARIES PC AT 286



NEW LOW PRICES

Specification:

- 16 Bit Intel 8088-2 or NEC V20 78108 microprocessor, running at 8MHz or 4.77MHz. (3 times faster than IBM PC/XT).
- 8087-2 maths co-processor, optional.
- 640K minimum expandable to 1024K on system board, extra 384K RAMDISK available.
- 360K Single Floppy (optional 2nd Floppy/3.5"/20MB Winny/T. Streamer).
- CLOCK on system board, gives non stop DATE & TIME.
- 8 expansion slots.
- 102 keys keyboard.
- RS232 with two ports
- 150W power supply.
- Mono graphics/parallel card (Herc compatible).
 Legal BIOS and built-in games card and clock.

Specification:

- 80286 microprocessor.
- Optional 80287 Maths co-processor
- 640K RAM standard expandable on-board to 4MB.
- 1.2M Single Floppy (optional 2nd Floppy/3.5"/WinnyT. Streamer)
- CLOCK on System board, gives non stop DATE & TIME.
- 8 expansion slots.
- Serial/Parallel Card.
- 102 key keyboard ● HDD/FDD Card
- Switchable Speed 8/12M Landmark test at 16MHz
 - 200W power supply
- Mono graphics/parallel card (Herc. Compt.)
- Slide in metal case with function display. Legal BIOS and built-in games card and clock.

FREE 12 month On-site Maintenance warranty (UK mainland) included in the price

Available in the following configurations:	PC-XT 88	PC-AT 286
System 1 – Basic System including FREE Bundled Software & Hardware	£445	£675
System 2 – As above plus 14" hi-res monochrome Flat Screen monitor	£489	£729
System 3 – As System 2 plus a 720K 3.5" Disc Drive fitted	£545	£779
System 4 – As System 2 plus a 20MB Hard Disk fitted	£699	£895
System 5 – As System 2 plus a 40MB Hard Disk fitted	£799	£995
 System 6 – As System 5 plus a Hi-res EGA Colour Monitor and Card. 	£969	£1295
System 7 – As System 5 plus Ultra High-res VGA Colour Monitor and Card	£1089	£1395
System 8 – As System 7 but with 80MB Hard Disc fitted	£1295	£1565

If your requirement is different, we will be pleased to tailor make a system to your individual requirement. Please telephone our PC department for price.

Extended Finance over a period of 12, 24 or 36 months now available. Please telephone or write in for details.

Prices subject to change without notice and available on request. ALL OFFERS subject to availability.

Mail Order and RETAIL SHOP. Trade and Export inquiries welcome. Government and Educational Establishments' OFFICIAL ORDERS

Shop Hours: 9.00am to 6.00pm. Monday to Saturday. Thursdays 9am to 8pm. (Free Customer's Car Park)

VAT: UK customers please add 15% VAT to cost incl. Carriage. CARRIAGE: Unless stated otherwise, minimum £2.00 on all orders. £3 on Larger items. On bulkier items, £7 Securicor charge applies (UK mainland only) Overseas orders, carriage is charged at cost

Specifications of all products are given in good faith but is subject to change without notice. Some items vary in their availability. Please ring for latest delivery situation.

Watford Electronics


JESSA HOUSE, 250 Lower High Street, WATFORD WD1 2AN, ENGLAND

Telephone: (0923) 37774; Telex: 8956095;

FAX: 0923 33642

Acorn Service Centre

ALSYSTEMS




Quality Products for the BBC Micro =

PRINTER SWITCH-BOXES



These high quality 3 and 4 way printer switch boxes are ideal for use in schools and colleges. The switch is extremely cost-effective it will allow up to four micro's to share just one printer by simply pressing a button. Both versions come complete with all cables. The F84 box has 2 x 3.7m + 2 x 1.7m + 0.4m to the printer, the F83 has same but only 1 x 3.7m. Data buffers are fitted to the extra long 3.7m cables to give reliable data transfer.




This quality switch box is designed for the Archimedes / λ 3000 range of computers and IBM PC compatibles. The ribbon cables supplied are 2 x 1.5m + 0.4m to the printer. The unit are 2 x 1.5m + 0.4m to the printer. To can also be used with a parallel plotter.

2 Archimedes to 1 Printer £34.50

These useful switch boxes are ideal for use in the office or at school. No need to keep swapping cables over just press the button! The cables supplied are $2 \times 1.7 m + 0.4 m$ with appropiate connectors fitted. Both version may be used with a plotter if required. Super value,

2 BBCs to 1 Printer ... £31.50 1 BBC to 2 Printers ... £31.50



32K RAM MODULE

Store all your ROMs on disc then load them into the RAM module as and when required. Plugs into just one sideways ROM slot giving two separate 166 banks. Complete with write switch software on 40 or 80 track disc plus full documentation.

RM2 32K RAM module £25.95



Terrell Electronics

7-B ESSEX GARDENS HORNCHURCH ESSEX RM11 3EH

PLEASE ADD 15% VAT TEL: 040 24 71426 POST & PACKING PREE EDUCATIONAL AND GOVERNMENT ORDERS WELCOME QUANTITY DISCOUNTS

CARE ELECTRON

800 St. Albans Road, Garston, Watford, Herts, WD2 6NL Tel: 0923 672102 Fax: 0923 662304

For your convinence first price Ex VAT, Second inc VAT

CARE MASTER SMART CARTRIDGE

At the press of a button halt any program running and execute any one of a host of useful built in, or user defined functionss and once completed will return to program and continue. Built in functions include – Tape to Disc. Screen Dump to Disc or Printer, Sound On/Off, Auto save and much more £30.00

CARE MASTER ROM CARTRIDGES

For Interface and Spellmaster	r etc.	
1. Dual cartridge takes 2 Rom		£11.50c
2. Single Zif takes 2 Rom		£16.10c
3. Dual Zif takes 2 Rom		£20,70c
4. 32k Switchboard Cartridge for 32k Roms		£13.80c
5. Quad Cartridge takes 4 Roms including double		
height type	£14.00	£16.10c
Morley AA (Internal) Rom Board		£46.00d

BRC B ROM CARTRIDGE SYSTEM

DDO DITONI CATTITUDGE CTC	I SHIVE
BBC B Low Profile Rom System£13.00	£14.95c
BBC B Spare Cartridges£3.00	£3.45c
BBC B Cartridge Storage Rack£1.20	

HEAT TRANSFER RIBBONS

Print onto normal computer paper or onto T-Shirt	
Heat transfer ribbons black for Star LC10, Epson, FX80, FX100.	LX80,
Okidata, Citizen 120D£10.00	£11.50c
Star LC10 for colour £17.50	£19.55c
Heat transfer colour pens, five in a set£15.00	£19.95

EPROM PROGRAMMER V2

Programs 8K, 16K, 32K CMOS or NMOS devices voltage selec	table 21V or
12.5V. Complete with comprehensive software which includes Ro	om manage-
ment system, plugs into the user port£30.00	£34.50d
Eprom Utilities Disc£6.00	£6.90c
Eprom eraser with timer£25.00	£28.75d

WORDALL FOR THE ARCHIMEDES
Wordplay software package, ideal for crosswords, English students, education. Wordall includes: Crossword Compiler, Anagram Generator/Solver, Sentence Anagrams, Spelling Checker, Wordsquare Generator/Solver, Word in Word, Word Search with wild card facilities. Add to or build your own Dictionaries, Print out Crosswords, wordsquares, etc. Two dictionaries supplied, one a massive 110,000 words. The other has 50,000 and is aimed at crosswords. Please note Wordall requires a min. of 1 Meg Ram £29.90c

MORLEY TELETEXT ADAPTOR

Comes complete with 16K ATS Rom Manual and utilities Disc at the unbeatable price of 690 00 £103.50d

LABELMASTER PLUS

Now includes user definable Label sizes and Mailing li		
Labelmaster BBC B	£15.00	£17.25c
Labelmaster Plus for Master, Compact, Archimedes	. Please	state model
when ordering		

PRINTER SWITCHERS

Two computers to one printer or vice versa	£20.00	£23.00b
Three computers to one printer or vice versa	230.00	£34.50b
Four computers to one printer or vice versa	£36.00	£41.40b
Please note that the above units switch all lines, a	re suitable for	all types of
printers and computers using Centronics Parallel	el and INCLUE	E LEAD
For advice or a quote on your installation		
User port switcher 2 to 1 & off		£28.75d

CARE READY MADE LEADS BANGE

BBC/Master RGB-Euro (Scarf)	29.00	£10.35c
BBC/Master RGB-7 Pin Hitachi	£7.00	£8.05c
BBC/Master RGB-7 Pin Ferguson	£7.00	£8.05c
Centronics to Centronics Printer		£12.65c
User Port Extension lead 0.5M	£9.00	£10.35c
1MHz Bus Extension lead 0.3M	£10.00	£11.96c

Wide range of leads in stock - please phone



Government & Education orders welcome. How to Order: Enclose your cheque or P/Order made payable to CARE ELECTRONICS, Access or Visa welcome. Please allow 7 days for delivery.

PRINTER CLINIC

Despite being a somewhat perennial topic, it is clear from my postbag that many readers are still having problems with their printers. So much so that this month the whole column is devoted to a printer clinic.

Most readers have Epsoncompatible dot-matrix printers, so it is this type I will concentrate on. There are very few non Epson compatibles around today but even with this compatibility, there are still many problems and inconsistencies.

The single biggest problem everyone discovers with their printers is failure to produce linefeeds - when printing is attempted all output appears on the same line. Sometimes this can be fixed very simply but sometimes it is a real problem.


The problem arises because 'carriage return' and 'line feed' are two separate operations as far as a printer is concerned, with two separate codes to perform the actions.

For various historical reasons, the 'line feed' part of the process - rolling up the carriage after the carriage has returned - is sometimes performed by the computer sending the 'linefeed' code and sometimes by the printer assuming the linefeed is necessary because a carriage return has just been received.

Dot-matrix printers are manufactured primarily for IBMcompatible users, as this is the most popular computer in the world and the IBM always sends the linefeed code, whereas the BBC micro does not.

As the printer is not assuming a linefeed, but waiting for the explicit code, it never happens and all the print appears on one line. There are two ways to fix the problem but you should only use one of them (otherwise you will end up with double linefeeding!).

The first method is to make the printer assume the linefeed is necessary. This method has one big advantage - you can do it once and forget it forever -



but has a few disadvantages - it is rather fiddly, and a few programs (see below) will not work correctly.

You need to find the printer Dip switch which controls AU-TOLF, and set it to On. Changing printer Dip switches should be covered in your manual.

After doing this, the BBC or Master will print linefeeds correctly. The Master (and Archimedes) should have the Ignore character configured to 10. You do this with the *CONFIG-URE IGNORE 10 command.

The second method is to leave the printer as it is, with the AUTOLF Dip switch set to OFF, and make the BBC send the linefeed. To do this you type *FX6,0.

On a BBC this command must be typed every time you switch on or reset the machine, but on a Master it can be set up permanently with *CONFIGURE IGNORE 0, or just *CONFIGURE IGNORE. (Remember that any CONFIGURE command only takes effect if you press CTRL-BREAK, but you could type *FX6,0 as well to get the effect without resetting).

This is the easier method but for a BBC it needs to be done every time you use the machine.

There are certain circumstances where you still get the wrong result. The first is fairly easy to avoid. Most printers, whether they are set to autolinefeed or not, will do an automatic carriage return and line-

feed if you print a character on the last position on the line the eightieth column on standard width machines. This is very rare with commercial software, and only normally happens if you accidentally set your wordprocessor so the margin plus text width equal 80 rather than 79, or with Basic programs you are writing yourself.

It is of course possible that your software is printing spaces to the end of the line so the printout looks as though it is going only halfway, but in fact it is printing to the end. A quick way of testing whether this is the problem is to set the printer into condensed mode, perhaps from the front panel.

GRAPHICS DUMP PROGRAMS

Another more serious problem concerns graphics dump programs. The problem centres around the use of the VDU1 code which normally precedes every character in a graphics dump. In a graphics dump a line of graphics codes will be issued. followed by a normal carriage return to move to the next line. The carriage return will of course be issued using the normal VDU1,13, and VDU1,10 and this is where the problems arise, because the 'ignore' character is not ignored if preceded with a VDUI.

So if your printer is set to assume linefeeds, and your BBC is programmed to not send them (AUTOLF Dip switch on, and *FX6,10 or *CONFIGURE IGNORE 10) then you may get double line feeds, and the subsequent gap between each line.

The solution to this is to alter the software (if you can) or set your printer up the other way round, with AUTOLF off, and *FX6.0 active.

The second software problem arises on some commercial software because it was written for the BBC and not the Master, and only applies on the Master when you have performed a *CONFIGURE IGNORE (no ignore).

This sets a flag so no characters are ignored and is different to *CONFIGURE IGNORE 0 which, like *FX6,0, tells the system to ignore the Ascii 0 character.

However, the system call which was used by BBC programmers to read the ignored character, will, when used on the Master, return the last character set to be ignored before you instructed it to ignore no characters at all.

So, if your system was set to ignore character 10, and you typed *CONFIGURE IGNORE to stop ignoring that character, the OSBYTE call which reads the ignored character would still return 10.

There is another system call to check whether a 'No Ignore' flag is set, but it is unique to the Master and a BBC program would make no further check.

So, if your Master system is set to No ignore but printing is all appearing on one line from a particular package, you should

CONFIGURE the ignore character to 0, reset, then reconfigure again with no ignore character, and reset again.

A related problem with linefeeds concerns the implementation of the reverse line feed command (ESC"i"). A few programs use this to counteract any linefeeds so that they can roll back and continue.

Only a handful of Epsoncompatibles support the reverse linefeed - if you find a program that does this, again, you'll have to switch the printer AUTOLF off and adjust the BBC accordingly.

A4 PAPER PRINTING

Another big problem people have is with the use of A4 paper, both in cut sheet and continuous form. It seems impossible to get sheet after sheet of A4 paper correctly printing without headers and footers 'creeping' in one direction or the other.

The reason is simple - A4 isn't an American size. The American standard size of paper is known as 'Letter' and is 8.5x11in, familiar to all printer owners as the size of standard listing paper. Printers, by default, print six lines to the inch and so print 66 lines on US Letter paper. Because of this, 66 lines is the default page size in most wordprocessors.

A4 paper is 297mm long, which is 11.693in (not 11 2/3in as commonly imagined) which at six lines to the inch produces 70.16 lines of space per page. The simplest solution when using A4 is to allow a reasonable top and bottom margin (above the header and below the footer) and set your page length to 70. If the print head is exactly aligned to the perforation at the top of the first sheet, it will be

0.16 lines 'too high' at the end of the first page, 0.32 lines too high at the end of the second page, and so on.

This means the print head will be a whole line out after six pages, so this is really only suitable for continuous paper (which is not preprinted) up to about four sheets.

If you want to print larger runs on A4 paper, you must compensate in some way for the accumulating error.

The most obvious way of doing this would be to use the feature that all Epson-compatibles have - issuing linefeeds in 1/216in increments.

Continuing with the above example, it is fairly easy to see that if a command can be given at the end of each page to advance the page by 0.16 of a line, the next page will start at the right point.

Simple arithmetic shows us

Best quality wood-free - LOW DUST spec. Box Type & Weight £/box 2000 £13.95 1/9.5 60gsm Fanfold Listing 1/9.5 70gsm Microperforated 2000 £15.95 £10.95 11/9.5 85gsm Letter Quality 1000 £19.95 A4 Size 70gsm Microperforated 2000 £11.95 A4 Size 85gsm Letter Quality 1000 £21.95 1000

1/9.5 NCR 2-part Plain 1/9.5 NCR 3-part Plain £24.95 700 11/9.5 NCR 4-part Plain 500 £24.95 1000 A5 Size 80gsm Letter Quality £11.95

Our own invention - Carbon in a Can!

Simply lift off ribbon casing & apply fresh carbon to your ribbon - double its life in seconds! One can does 20-100 ribbons

still just £8.95





25 x 5.25" Branded Quality £13.95 50 x 5.25" Branded Quality £24.95

25 x 3.5" 135tpi Branded £24.95 50 x 3.5" 135tpi Branded £47.95

LABELS

Address Labels 3.5" x 1.5" 1 or 2-acros £3.75 per 1000 + Carriage

3/5-day: £5.00 24-hour: £10.00

ABELS 3/5-day: £2.50

EVERYTHING ELSE 3/5-day: FREE 24-hour: £10.00

24-hour: £10.00 Overseas: Postage at cost. Callers (of course!) FREE

Order by FREEPOST - Cheque/PO/Visa/Access Caspell Computer, Dept BI, FREEPOST, Poole, Dorset BHIS 2BR

Order by PHONE - VISA/ACCESS WELCOME! **(0202) 666155** (24hr)

CALLERS WELCOME at our Sales Centre Unit 2A, Sterte Ind Est, Sterte Rd, Poole

Offers valid for 28 days

next to the hump back bridgel

£ No. Amstrad Fabric Longlife Colours PCW8256 PCW8256 2741 PCW8256 Multistrike Films 2741MS PCW 9512 Fabric Longlife PCW9512 Colours PCW9512 Multistrike Films 2746 CCBAD 2746C 2746MS DMP2000/2160/3000/3160 2482 DMP 4000 2426 LQ3500 2741LL C (Please ask if yours isn't here!) 2696MS

Other Brother HP15/25/40 2412 2412 2223 Brother M1009/1109/1209 Commodore MPS-803 Canon PW1080A CCBC Citizen 120D/180E/LSP-10 2488 Citizen MSP-20/40/50 2477 Citizen HQP-45 Epson FX/MX/RX-80 2478 2273 Ë Epson LX/GX-80 2454 B Epson LQ-500 2477 Epson EX-800 Juki 6100 Daisywheel NEC Pinwriter P1/P2 2774 2563MS BC 2254 NEC Pinwriter P6+/P7+ NEC P2200 2870 2844 DC 2228 Panasonic KX-P1081 Panasonic KX-P1180 Seikosha GP100 Seikosha SL80 2904 2317 2741 BCC Seikosha 500/550 Shinwa CP-80 Star LC-10 Star LC-10 Colours Star LC24-10 Star NL-10 2698MS CBE 2861 2869

1500 BOOKSI LIST 50p

RIBBON PRICES inc VAT & post 1-off 2-off 5

5-off £2.95 £5.75 £12.95 Price Band A Price Band B £3.95 £7.45 £16.95 £4.95 £5.95 £19.95 £22.95 £8.95 Price Band C D £10.95 Band Price £34.95 Price Band E £7.95 £14.95



that 0.16 of a line occupies 0.026 inches, which is 5.67 two-hundred-and-sixteenth units of an inch

(For clarity I have rounded some of the above figures, but the resultant calculated figures are done using the full precision values).

If you send the code for 6/216in linefeed at the end of the page, the error is reduced from one line 'creep back' in six pages to one line 'creep forward' in 109 pages. The code for 5/216in would 'creep back' one line in 54 pages – that is, a fifty-fourth of a line on each

page. This is as close as you can get on A4 fanfold paper.

The code for a 1/216i line-feed is ESC J, so ESC J 6 would perform the desired effect. This is obviously easy to implement in your own programs but how can we do it on a wordprocessor? The normal method is to include the control codes at the end of the footer definition. In Wordwise Plus this is particularly easy. If the footer is normally the page number, the definition would be

<CE>Page <PP><ES"J", 6>
(The chevrons show the command on and off keys, f1 and f2, which turn text green or white on screen).

In View it is more difficult – you cannot include a control code directly in the footer text, so you would have to use a printer driver generator, and redefine a highlight sequence to work as ESC "J" 6, then use

that highlight sequence at the end of the footer.

This may be made easier by the numerous utility products and add-ons for the *View* family.

If you are using a program which allows different footers for left and right pages, you could further refine the error margin by having, say, left-hand pages advance by 5/216in and right-hand pages by 6/216in. This improves the 'creep' even more, leaving a 'creep back' of only one line per 213 pages.

These figures apply to 9-pin dot-matrix printers only. 24-pin printers work on exactly the same principles and with exactly the same codes but their smallest paper advance is 1/180in.

(I have always thought it somewhat strange that the superior printer has a lower resolution of linefeed.)

In the above examples, be-

cause 6/216in is the same as 5/180in, using ESC "J" 5 will result in the same 109 pages before the running printout is a whole line out. Using ESC "J" 4 will allow 41 pages before one line 'creeps back'.

An associated point to all this is the use of the 'skip over perforation' code which many people seem to think is useful in the above problems. This feature exists for one type of printing only, which is printing to 11in or 12in paper (the two sizes the printer internally recognises) from a program which has no vertical formatting at all in its output, such as the LIST command in Basic.

You should never set this in normal use with a wordprocessor, nor should you use it at all if you are using A4 paper. It is guaranteed to get things out of alignment.

Vertical printing is less of a

INVEST WITH PRO-PUNTER

PRO-PUNTER is an extremely powerful analytical program for horse racing that can produce over 50% winners from top-rated selections and over 70% winners from recommended bets ("Investment Advices").

But don't just take our word for it: take that of the "Racing Post" – "the results were impressive...Pro-Punter is the best (racing software) available." (Racing Post, 13th Feb. 1990) – or take the similar conclusions of many other reviewers since 1987. Better still, take the evidence of our proofing to the racing press during 1987-88 and recently re-started to coincide with the launch of the second edition of *PRO-PUNTER* on the BBC and IBM PC computers: forecasts for 15 top-class races proofed to the press over four Saturdays producing 7 top-rated winners and including 4 winners from 5 Investment Advices.

PRO-PUNTER produces a forecast finishing order, a numerical rating for each horse and expresses the probability of each horse winning as odds. Designed as an "expert system" for novice and expert alike, it tells you when to bet or if not, why not. There is an optional form database but there is no day-to-day updating involved: use PRO-PUNTER as and when you like.

Interested? Send for our free information pack containing details/results/reviews or telephone 061-330 0184. PRO-PUNTER is available for the BBC B/MASTER 128 (DFS) and IBM PC compatibles at £62.50 inc. VAT p&p. Also available for the ATARI ST, AMSTRAD PCW, and CPC 6128 at £57.50 incl. We accept Access and Visa. Full after-sales support.



(Raceform Handicap Book)

DGA SOFTWARE, PO BOX 36, ASHTON-UNDER-LYNE, LANCS. OL7 9AJ

TEL: 061 330 0184





DGA Software trades from Barnfield House, Kings Road, Ashton-under-Lyne. All correspondence please to PO Box.

French Light Bold

FANGY Dress Party

Poster Sophie 7amsin

Warsaw **Ultra Bold**

Italian Book Oblique

These are just a few typefaces selected from over 100 available now. They can be used with any DTP program and may be mixed freely with other fonts.

The prices range from £3.99 to £9.50 per font for private use. Site licences for schools and business use available.

We also sell Canon BJ-130e Ink Jet printer with a resolution of 360 dots per inch. This printer can use A2 paper and is ideal for professional work.

Price, including the Printer Driver, is £795.00, but we give up to 30% discount depending on status.

Prices are exclusive of VAT and delivery

Please write for a free Font Catalogue & Price List to:

The Electronic Font Foundry • 18 Brockenhurst Road • ASCOT SL5 9DL

or telephone 0990-872923 (24 hours)

We accept Visa, MasterCard, EUROCARD & Access

problem with A4 paper, which is 0.23in or 2.77 pica width characters narrower than US Letter paper. By imagining the total sheet is only 77 rather than 80 characters wide, you will be able to set your margins and rulers in improved balance.

CUT SHEET FEEDERS

A4 paper in cut sheet feeders is a totally different matter. When using a cut sheet feeder it is important to remember that whatever the size of the paper (within reason) the printable area is fixed.

On most Epson compatibles working at the normal six lines per inch, this is 56 lines. Unlike the continuous paper, printer manufacturers seem to have recognised the existence of A4, and most feeders correctly allocate the 56 lines by rolling the paper down by eight lines, leav-


ing a seven line margin at the top and bottom.

If using a cut sheet feeder, you should set your page length in your wordprocessor to 56 lines, and set the top and bottom (not header and footer) margins to zero, unless you want even more than seven lines at the top and bottom! That's really all there is to it.

If you are having problems



The popular Star LC-10



with a cut sheet feeder, remember that for the feeder to work correctly, and avoid creeping, blank pages and so on, there should be no character output between the carriage return on the last line of the 56 lines (the


page footer, or last line of text if there is no footer) and the first character on the top of the next page. If you test exactly the same document on fanfold paper, it should all run together on consecutive lines.

JETSTREAM!

- The Economical Archimedes Tape Streamer

Protect your data from disaster with the new Jetstream Tape Streamer from Digital Services.

- ★ Fast and convenient backups
- ★ Sophisticated error correction techniques guarantee data integrity
- ★ Backup and restore individual files, directories, or entire hard disks
- ★ Friendly desktop interface
- ★ Multitasking archives your data while you continue to work
- ★ Uses standard ¼" tape cartridges giving up to 30Mb capacity
- ★ Includes half-width floppy drive podule



Jetstream Tape Streamer for Archimedes

£599.00 + VAT

-digital-services-

DIGITAL SERVICES LIMITED
9 WAYTE STREET, COSHAM, PORTSMOUTH, HANTS PO6 3BS
TEL (0705) 210600

The only other difference is that a form feed command to a cut sheet feeder always rolls up to the correct position on the next sheet, not to what the printer thinks is the end of the page, as on fanfold.

This means programs which perform linefeed corrections, such as the one above, should not be used.

DOWNLOADABLE CHARACTERS

Another problem that perplexes many people concerns downloadable characters. Their printers have enough Ram to download characters and they eagerly get hold of character defining software but the downloaded characters fail to materialise.

This one is very simple to solve. Virtually all printers offering this feature contain 8K of Ram which can be used either for download characters or for a printer buffer, controlled by one of the Dip switches. Invariably the printer is factory set to use the Ram as a buffer, as this is the more common use. Another 'read the manual' situation, it would seem!

One final popular problem. The Star LC-10 colour printer is one of the most popular colour machines around due to its very low cost but many of you have discovered once you have bought the machine that it is far from automatic to get colour output from it.


The printer is compatible with an obsolete colour Epson model, the JX-80. A set of BBC dumps are on the *BAU* October 1985 monthly disc (see how far ahead of our time we were!) and a snapshot dump is available in the *BAU Userdump* Rom.

For text work, the standard ESC commands (ESC "r" <colour number>) to change colour in the text can be inserted using the ES command in *Wordwise* or through a redefined highlight (see above) in *View*.

You may be interested to know that the Citizen Swift 24 and new Swift 9 printers have an optional colour upgrade (unlike the Star LC10, this can be fitted later to the mono machine) and these two work with the BBC dumps we did in 1985.

When used with these programs, the Swift 24 does what all 24-pin printers do if a 9-pin dump routine is used – elongate the picture by 20 percent (a ratio of 216:180 because of the deeper minimum feed) and of course the software only works at 9-pin 'quality'.

That's all for this month. Next time, it'll be back to the regular format of readers' submissions. I'm glad to see that you're starting to send me application and user tips, as opposed to purely technical bits and bobs, but more still please, including listings and bootable demonstrations if appropriate.





A 24-pin printer will print a 9 pin dump (top) stretched out by 20 percent (bottom), and at 9-pin quality

SOFTSHOP

Archimedes Software

A small sample of our range, please phone for prices not shown.

Acorn DTP	£120	Pipedream V3	£120	DABS Basic comp £75
Ancestry	£58	Realtime Solids Modeler	£105	Armadeus£60
ANSI C rel 3	£120	Render Bender	£60	Arpeggio St 24 + £75
Arc Comm	£25	Mailshot	£27	Atelier£75
Assembler	£152	Matrix 3	£75	Deltabase£25
Ist Word +	£70	Mogul	£18	Film Maker £62
Fortran	£85	Pipedream spellchecker	£39	Flying Start II £78
ISO Pascal	£85	Reporter	£30	Hearsay£51
Instigator	£39	Twin	£24	Logistix £85
Lisp	£152	Euclid	£52	Presentation Syst £40

We can supply hardware addons for your Archimedes, and software for the BBC range, the full range of Commodore PCs and Schneider PCs at low prices, phone for details.

Telephone HOTLINE 9am to 8pm 0279 70767



or send your order to Softshop at 8 Dukes Orchard, Hatfield Broad Oak, Herts CM22 7HJ

Please add postage of £1.00 and VAT (15%) to your order.



MORE NEW RELEASES FROM DABS PRESS

Z88 PipeDream: A Dabhand Guide

from John Allen - expert Z88 journalist

PipeDream, the built in word processor, spreadsheet and database built into the Z88 is an extremely powerful tool, and John Allen, author of many articles of the Z88, and experienced user has produced what must be the ultimate tutorial and reference work on the software. With many example documents and templates, this book takes you from first principles to a thorough understanding of the program. Linking to PipeDream on other machines such as the BBC and Archimedes is also covered.

Only £14.95 all inclusive

AVAILABLE 24th APRIL

Also still available is our first book on the famous Cambridge portable marvel, Z88: A Dabhand Guide, written by Trinity Concepts, authors of the Z88 operating system. Also priced at £14.95

THE LATEST DABHAND GUIDE

We have moved! Please note our new address and telephone number for all correspondence.


DABS PRESS (AU5)
22 WARWICK STREET
PRESTWICH
MANCHESTER
M25 7HN

TEL: 061-773 8632 FAX: 061-773 8290

For personal callers Warwick St. is in the centre of Prestwich Village, just off Bury New Road.

Dabs Press books and software are available from all good bookshops and Acorn dealers, or in case of difficulty direct from the above address. Access/Visa/official orders accepted. Free catalogues on request. Prices include 15% VAT (on software) and UK postage. Foreign deduct VAT but add £2.50 Europe/surface, £12 airmail.

061-773 8632



Cambridge Pascal is a comprehensive version of the Pascal language and includes many extra enhancing features over the standard specification including full dynamic string handling, local error handling, random access files, direct access to 'star' commands and RISC OS SWI calls. It is 100% Desktop compatible but can

also be run from the command line. All programs compile into fast, efficient machine code.

Cambridge Pascal requires any Archimedes running RISC OS with at least 1Mb of RAM. Hard discs and extra memory are useful, but the system is perfectly workable with this minimum configuration.

Price £79.95 (£69.52+VAT). Site licences available. Free demonstration disc and full specification sheet available on request.

DEMO DISC FREE ON REQUEST

ARCHIMEDES FIRST STEPS

Beginners Guide to the Archimedes & BBC A3000

This book is the perfect introductory guide to the Archimedes, to guide you through the first few months of ownership, acting as an easy-to-read supplement to the User Guide.

The book describes in detail how to put the RISC OS Desktop to best use, and also documents the programs on the Applications Discs provided with the machine.

But the book also goes beyond this and describes the sort of software and hardware additions available to the Archimedes owner, and how to choose and install them.

The many features of this book include:


- Applicable to all Archimedes with RISC OS
- Using the Desktop, RAMdisc and ADFS
- · Edit, Paint, Draw and Maestro
- The Task Manager
- The BBC and PC emulators
- Hardware and software additions
- Illustrated throughout

AVAILABLE NOW!
PRICE £9.95

ONE OF OUR BEST SELLERS

Become a Computer Genius!

(with ClassMate it's possible at any age)



They're getting younger every year those computer wizards. It would seem that they're playing with the keyboards before they are out of nappies.

Now there's ClassMate. It's a new word processor from Clares, designed especially for the educational market. Allowing kids to get to grips with WP's from an early, tender age (until possibly leaving school or simply when they feel confident with word processors), no computer teething problems here.

It's a true RISC OS product that runs in windows. It uses the Acorn outline font manager and has a specifically designed font. In fact you can use any outline font such as those with Acorn DTP or Tempest.

Each young genius may have his or her own name on the icon bar, it also appears on the title bar of the text window. So their

own masterpieces can be filed and called up whenever they want. The teacher has total control, however, being able to specify certain menu options inactive (the only thing worse than a wandering mind is a wandering mouse).

ClassMate WP from Clares is a boon to any child's education. Fun, simple to use, in fact (dare we say it), it's literally childsplay.

ClassMate W.P. - £39.95 (inc VAT)






SHOPPING:

Jealous of the Arc? ALAN BLUNDELL has the windows program for the Master to even things up a little

indowing environments are all the rage these days. From Apple's Macintosh computer, which first popularised 'Wimps' (the now-widespread Window, Icon, Menu and Pointer 'user interface') to Acorn's own Archimedes series, windows have become a fact of computing life. There are a lot of points in favour of this approach, as anyone who has used such an interface will know.

'Windows' are an enhancement to the computer's screen display which allow panels to be temporarily overlaid with, for example, a menu of choices or some explanatory text. Programs such as AMS's Super Art and Stop Press! and the Computer Concepts' Inter series make effective use of windows, and BBC Acorn User has featured a number of articles on windows-related topics, particularly for the Archimedes. When I read all of these and thought about my trusty model B, I have to admit to feeling more than a little envious.

Having recently upgraded from a model B to a BBC Master 128 computer, I decided to see what I could do in the way of





windowing using the extra features of the Master series – in particular, 'Shadow' screen memory, sideways Ram banks and the extensive documentation of VDU variables in the Master's manuals.

Sensibly putting to one side the idea of recreating the Macintosh interface in BBC Basic (I know my limitations!), I put together the following 'wish list' of features I would like to see:

- a choice of window design (with borders, title bars, a choice of colours, etc.).
- the ability to have more than one window on-screen at the same time, and to switch between current windows.
- fast opening and closing of windows, with no after-effects on the screen display
- windows to be usable for both text and graphic displays.
- proper use of shadow Ram to allow the use of windows in all screen modes (except, perhaps, teletext modes).
- windows which would cope properly with scrolled screens.
- little or no interference with user Ram.
- no restrictions on window size.

I looked at this list of desirable features and

resisted the temptation to add others such as icon displays, automatic menu bars, scroll bars and so on. This list is sufficiently ambitious. The program would obviously need to be in machine code for speed and compactness and would preferably be in the form of a Rom 'image' so it could be loaded into, and used from sideways Ram.

Since it was to be in sideways Ram anyway, I realised that I could reduce the impact on 'user memory' still further by putting the screen data stored when opening a window in the same bank of sideways Ram.

Also, the stored data would have to be compressed in some way, because it would not take long for even a couple of relatively small windows on, say, a mode 0 screen to fill the available space (given that a mode 0 screen occupies 20K of memory, and a full sideways Ram bank is only 16K – not counting space taken up by the program itself!).

After giving some thought to the choice of styles of window which I wanted to have, I decided that it would be a good idea to make use of the Master's extended character set. These were thoughtfully added by Acorn to the character set to make better

use of the private Ram on the Master, giving a 'fully exploded' set. These characters make it simple to draw lines and boxes without resorting to graphics commands or defining your own characters.

I finally settled on a range of seven 'styles' of window, as shown in figure 1. While I was at it, I allowed for the specifi-

OSWORD Call with A=&2Ø (32):

block?Ø=Ø	Close any and all open windows
block?1=1	Close last window opened
block?Ø=2	
block?Ø=3	Open a window, but don't clear it or set colours
block?Ø=4	Open a window, clear it and set colours
block?Ø=5	As 4 with a title bar
block?Ø=6	As 4 with title bar and squared frame
block?Ø=7	As 4 with title bar and rounded frame
block?Ø=8	As 4 with boxed title bar and squared frame
block?Ø=9	As 4 with boxed title bar and rounded frame
*WFREE	print size of remaining free window data storage space
*WCLEAR	reset WindRAM, no effect on display
*WBACK	make previous window active

Table 1. WindRam commands

*WFORE

cation of different foreground and background colours for the border and title bar (if used) and the window itself.

make next window active

All of these choices made the use of standard 'star' commands a bit unwieldy, what with one parameter for the style, four for the window's size, up to six for its

colours and another for its title. In the end, the program uses a previously unused OSWORD call, catered for by the operating system, to take its instructions.

The program

Armed with a pot of strong coffee and an armful of manuals, I set to work. The result was listing 1 in the yellow pages. Because of the complexity of the problem, the program is very long - not for the faint of heart! If in doubt, the easy way of getting the full program working is to buy this month's program disc.

Listing 1 is the assembler source code for a machine code sideways Rom image which it saves under the name WindRAM. The image is about 2.5K long.

When loaded into any of the Master's sideways Ram banks it leaves about 13.5K of the bank free to hold com-

pressed screen data. WindRAM includes code to deal with four of the standard calls made via the sideways system by the OS:

- HELP calls. The program will respond to *HELP WINDOWS (or *H.W.) with a short summary of the features available.
- Notification of BREAK. This call is used to clear the data buffered in sideways Ram. As the screen display has already been lost when BREAK was pressed, the buffered data is no longer of any use.
- Star commands. The program provides four new commands: *WFREE, *WCLEAR, *WBACK and *WFORE. The use of these is summarised in table 1.
- OSWORD calls. The program checks for OSWORD calls issued with A=32 (&20). If the call is recognised, the parameter pointed to by (XY+0) is used to determine what action is required.

Table 1 summarises the options available; these include closing and releasing windows, together with the seven styles of window described earlier.

Don't worry if you are unfamiliar with operating system calls. You don't need to know about OSWORD to use WindRAM. Later, we'll look at how calls can be made from your own Basic programs.

As each window is created, a 'header' is set up in sideways Ram to hold information about the window and the state the screen was in before the window was opened. Table 2 describes the contents of the header for those interested in the technical details. Much of the information stored in the header is obtained either directly or indirectly from

В	TE(S)	CONTENTS	NOTE
Ø 1 2 3		28 text window left text window bottom text window right	VDU 28,L,B,R,T
1234567		text window top 17 text foreground colour 17	VDU 17,X COLOUR x
8 9 10		text background colour 31 text cursor X	VDU 31,X,Y
		text cursor Y 29 graphics origin X graphics origin Y	VDU 29,X;Y;
17		graphics window left graphics window right	VDU 24,L;B;R;T;
24		graphics window bottom graphics window top 18	VDU 18,H,C
28	3	foreground plot mode foreground plot colour 18	GCOL M,C
32		background plot mode background plot colour 25	VDU 25,4 (MOVE X,Y)
36		previous point X previous point Y 25	
	9 5-41 2-43	current point X	

Table 2. Window information block

the VDU variable workspace maintained by the operating system in page 3 of memory (from location &300 onwards).

The header is refreshed each time it is accessed so if, for example, you were to change the colour of a window and then temporarily switch to another, the changed colour would still be in effect when you switched back again.

Following the header block, the screen data for the area covered by the window is stored in compressed form.

This allows a certain amount of freedom in sizing of windows, providing that the original screen display is not overly detailed.

By using a few bytes of the sideways Ram bank at the end of the code for storage of its internal variables, and only zero-page workspace allocated by Acorn for use by sideways programs during the processing of commands, WindRAM uses no user Ram at all.

As screen data is read and written only using the operating system's OSWRSC and OSRDSC routines, compatibility with normal and shadow display memory is assured.

Table 3 summarises the details which WindRAM expects to find in the OSWORD parameter block.

Note that not all of these need to be specified in every case - for example, if the window is a simple rectangle without title bar or border,





he LaserDirect consists of an interface board, our RISC OS printer driver software, and a special version of the 300 dpi Qume six page per minute printer. Because the board drives the printer 'engine' directly, not only does this save a complex controller board usually resident in the printer, but it also means it prints very much faster than traditional printers. The speed is a combined result of our optimised RISC OS printer driver, the RISC processor and the unique 2Mbit/second data link to the printer. One other significant advantage is that the LaserDirect uses the Acorn outline fonts installed in the machine, so guaranteeing all fonts seen on screen will print - no need to make sure the fonts match those installed in your PostScript printer.

The result is a printer whose quality is the same or better than traditional lasers, that can use all RISC OS outline fonts, that is faster than traditional printers, and costs less.

THE ARCHIMEDES LASER PRINTER

Special features - Software on board means it is always available and can be automatically installed on startup - no loading from disc • The LaserDirect offers special links to other Computer Concepts

software. For example, when combined with the new Scan-Light Plus software, it offers a direct scan to print facility. It can scan and print a full A4 page in under a minute. • A PostScript compatible interpreter will also be available, turning the Archimedes and LaserDirect printer into a very fast PostScript compatble printer (but using the Acorn outline fonts).

LaserDirect Qume (incl. printer, interface board, and software) £999 +VAT & carriage

The Qume Liquid Crystal Printer is not technically a laser printer. Instead of having a laser and spinning mirror arrangement, this printer has a conventional light source shining through a liquid crystal shutter array. The result is fewer moving parts, a lower cost and a more reliable printer. It also occupies a very small amount of desk space - 42cm by 42cm, no more than a standard dot-matrix.

Compatible with all applications that use RISC OS printer drivers, e.g. Draw, Paint, Pipedream, ADP, Impression etc.

PERFORMANCE TESTS

4'29s

£ 999

 test 1
 test 2
 test 3
 RRP

 Typical PostScript
 12'03s
 5'13s
 4'16s
 £ 3000

 Typical LaserJet
 5'35s
 4'29s
 31'35s
 £1400

1'00s

The LaserDirect requires a minimum of 2Mbytes of RAM in the Archimedes. However, the more memory available the better the performance. The tests were performed on an A420 machine (2Mbytes RAM) with hard disc. All times in minutes & seconds.

Test 1 - A complex page of text and graphics from Acom Desktop Publisher

2'43s

Test 2 - The same test page from impression
Test 3 - A 10 page text document from impression

LaserDirect Qume





Table 3. OSWORD 32 Parameter Block

CODE	MESSAGE	ROUTINE
64	'No window active'	*WBACK
65	'Last window already active'	*WFORE
66	'No memory for window data'	OSWORD calls with A=3-9
67	'No window open'	OSWORD calls withA=1-2
68	'Not suitable for teletext'	OSWORD calls with A=5-9
69	'Parameters'	OSWORD calls with A=3-9
17	'Escape'	all printing messages

the parameters at block?7 onwards do not need to be specified.

Table 4 summarises the error codes and messages which WindRAM can produce. There aren't many, as the program checks for and corrects many problems itself. But a program as complex as this has to have some way of handling 'fatal' errors.

Using the program

To install WindRAM, the following procedure should be followed. First, type in or load listing 1 (and if you've gone to all the trouble of typing it in, save it!).

Run the program. If all is well, the WindRAM image will be automatically created and stored on disc (or even tape). Type *ROMS to see which of your sideways Ram banks is not currently in use by other programs and then type:

*SRLOAD WindRAM 8000 X

where 'X' should be replaced with the number of your free bank of Ram. Finally, press CTRL-BREAK to activate the image.

WindRAM should now be installed and ready to work. To try it out, type *HELP WINDOWS. If all is well so far, all you need is a program which makes use of windows.


Listing 2 on the yellow pages is a

demonstration of some of the features of WindRAM. Once the program is installed, the demo can simply be chained. Then, sit back, watch, and take a well- earned rest!


Once you've seen the fruits of your labours, hopefully you'll be interested in using windows in your own programs. If you intend to write in assembler, you should already have sufficient information to do so. For use from Basic, however, OSWORD is not the easiest way of accessing Wind-

gram needs is a set of PROCedures which are easy to use and capable of using all of the features available.

just such a set of procedures. Rather than one long and complex routine, the task is split into several easier-to-handle jobs.







- set up a control block and prepare for
- PROCcolours is used to set up the colour options for foreground and background for

the window itself, any title bar and/or window 'frame'.

- PROCwindow is the main procedure which actually creates a new window of the size and style specified.
- PROCcloseall simply closes any and all windows which are open.
- PROCclose closes the last window opened.
- PROCrelease removes the window header and screen data for the last window opened from sideways Ram store - like PROCclose, except the window itself stays on the screen.

To use windows in your own application, simply append this standard set of procedures to your program and insert the appropriate calls into the main part of the program.

If I ever recover from writing Wind-RAM, I may yet follow up this article with an application program. The ideas I have in mind at the moment include a windows-based, real-time pixel editor for graphics screens, a windowing version of one of the art programs published in BAU and a DFS/ADFS front end'. In the meantime, I look forward to seeing what readers can produce - I'm sure there are plenty of other uses you can think of.

THE MODEL B

Thanks to Acorn's consistency in the evolution of the BBC micro series operating system, WindRAM contains code to a large extent compatible with the BBC model B.

If you are the proud owner of a model B and have at least one bank of sideways Ram (such as the Acorn User UserRam), you may be able to adapt WindRAM for your own use. The following features of the Master cause some problems, but nothing which a little effort can't overcome.

The program uses some new assembler commands for the 65C02 microprocessor. Only the commands PHX, PHY, PLX and PLY have been used. These could be replaced at each occurrence with, respectively, TXA:PHA,

TYA:PHA,PLA:TAX and PLA:TAY.


The character set is not fully expanded on a standard model B so it would be necessary to define the 'box' characters using VDU23 each time the program was used.

The VDU variables in the workspace at page &3 of memory are not in precisely the same format.

Some changes would be necessary to ensure graphics colours are stored and restored correctly (no other variables are affected).

However, the program is long enough for BAU already so these conversions will have to be left as an exercise for the reader.

For details of the changes necessary, I recommend reference to one of the more advanced manuals, such as The Master Operating System by David Atherton, published by Dabs Press.




ast month we looked at some of the fundamentals of picture storage on computer and one way of processing images. Convolution provides you with a powerful image processing tool. It can be used to sharpen images, detect edges, remove noise and so on. However, it only addresses local processing problems. Global problems (those involving the whole image), such as underexposure, require different methods.

A couple of very powerful techniques involve the use of histograms. A histogram is essentially a bar chart (see figure 1 which shows the beer consumption per person per week in Cloudcuckooland). For image processing purposes, the term histogram acquires a more specific meaning than usual.

It shows the number of pixels per grey level in the image. This lets you see whether the image is underexposed (too many pixels are dark) or overexposed. By manipulating the histogram of an image, you can bring out detail which otherwise would escape notice. The first method to be examined is known as 'histogram stretching'.

Histogram stretching involves expanding a part of the histogram so that it fills the whole available range. This involves a compromise. By expanding some of the histogram, you have to compress the rest to allow it to fit into the same range as before. But provided the detail you want to bring out lies in the expanded portion, then this will be more distinct than the original.

To see what can be done, look at the pictures of the face. These images all originally had 16 grey levels but have been reduced to eight to demonstrate the effects of




DAVID KNELL continues our look at image processing and analysis with histogramming and thresholding










histogram stretching more clearly. The first image, the original, fairly clearly shows a face. Its histogram is also shown. Note the large peak at mid-grey: this corresponds to the large area of grey background. Note also that there are very few white pixels in the image - this indicates an image which has been slightly under-exposed.

eight to demonstrate the effects of histogram stretching

The second picture shows the same image but with the histogram stretched so that the darkest four grey levels occupy the whole available range. Anything lighter than these is shown as full white. The face is much improved by this stretching but the shirt and background detail is washed out.

The third image shows the result of expanding the lightest four grey levels to fill the entire range. At first sight, this isn't nearly as good as the other stretching - the face has been entirely wiped out. However, the pattern on the shirt is clearer than in the original. More significantly, some detail has emerged which was invisible in the original. The shape of the contents of the dustbin (inside rectangle) can be seen, whereas it blended into the original's background.

Let's have a look at the code for these functions. The procedures are written in a similar fashion to last month's, so they can be used on any type of image just by chang-



ing the ReadPixel and WritePixel functions.

The first pair of procedures, PROC ImageHistogram and PROCPlotHistogram calculate the histogram of an image and draw it as a bar chart on-screen, respectively.

The second routine, PROCStretchHistogram, allows you to stretch a histogram in the way described above. It allows you to specify a portion of the histogram which it then expands to fill all of the available grey levels, with pixels with intensities outside this range being forced to either black or white. Note that a small random perturbation is added to the pixel value read (0.5 either way) to help spread the intensities in the




Fig 3. Divided cumulative frequency

stretched image over the available range, improving the look of the final image.

The next technique is histogram equalisation. Often images contain more dark pixels than light ones, or vice versa. This means you don't get the best value from the available shades of grey as some are underused and some overused.

You can rectify this by using histogram equalisation, which produces an image with a flat-ish histogram, and hence a roughly equal number of pixels with each grey shade.

So how do you achieve this? Firstly, you calculate the cumulative frequency graph

for your histogram. This sounds complex, but it isn't (see figure 2).

Now the clever bit: divide the frequency scale into as many equal portions as you have grey levels and draw horizontal lines until they hit the graph and then down until they hit the grey level axis (figure 3).

From this you see that if you redistribute the pixels so that those with a grey level between 0 and 0.5 get set to level 0, those between 0.5 and 1 to level 1, those between 5 and 8 to 7 and so on, you will effectively straighten out the cumulative frequency graph. Hence you will have an image with the same number of pixels in each bit of its histogram, which is the desired effect.

Take a look at the equalised version of your original picture. It shows both of the improvements of the stretched versions, in that the face looks significantly better and the dustbin contents are visible, without losing as much of the detail.

The code to perform histogram equalisation is the third listing given. Note that it won't work on its own. It needs the procedure to calculate a histogram as well.

The routine is straightforward in operation. First the cumulative frequency graph for the image histogram is calculated. Each pixel then has a dither value added, and the number of pixels below it on the graph is found. This value is used to determine what shade the resulting pixel should be. The two methods of image processing seen so far, convolution and histogram manipulation, are very different. One alters local properties of an image and the other global ones.

Image analysis

Image processing is powerful – it can give you a glimpse of the contents of a bin which would otherwise have remained hidden! Image analysis attempts to take the process further and extract information.

The kinds of question which image analysis can reliably provide answers to are quantitative – how many objects are there in this scene and what is their average perimeter? Qualitative problems (such as: who is this a picture of?) are typically much harder.

The first stage in an image analysis is to identify which parts of the image are object and which are background. A surprisingly powerful technique is 'thresholding', where a pixel is marked as being part of an object if it is darker (or lighter) than a threshold grey level, and as background otherwise.


Thresholding can be regarded as taking a grey level image and producing a black-and-white one. It is a useful technique because it unambiguously labels pixels as being part of an object or not, providing a useful base for further image analysis.

Listing 4 in the yellow pages shows the thresholding routine, which compares each pixel with a pair of threshold values and sets it to 0 or 1 appropriately.

The only variable with thresholding is where to set the threshold. In practice, you want to threshold so that objects in which you are interested are marked as being such and the background isn't. The second set of images show what happens as the threshold is varied. If the threshold is set too low, too much gets selected, too high and objects are lost. The middle setting is about right.

Next month we'll look at thresholded images and some examples of real-life image analysis. Until then, here's a problem. Given a thresholded object, find the pixels which make up its boundary (from this, you can then calculate its area, perimeter and what have you).









Thresholding – a powerful image processing technique where a grey level image is taken and a black and white one is produced

memory expansion now available memory expansion var user fittable

E ACORN SPECIALISTS

2 & 4 MB Ram Expansion For The Archimedes 310

CJE Micro's 320/340 RAM expansion board provides the ideal upgrade path for Archimedes 310 owners. The board can be supplied with 1MB fitted giving 2MB total or 3MB fitted giving 4MB total. The 1MB board can have 2MB more RAM fitted at any time. The extra memory is functionally the same as a 400 series. Available NOW

Professional fitting is required, so collection, fitting, return of your computer and VAT is included in the price.

Upgrade 1MB to 2MB £380, 1MB to 4MB £600

Please phone to book your upgrade fitting and/or more details. Prices include VAT

BBC A3000 NOW IN STOCK

Phone for details of SPECIAL DEALS on A3000 & 400 Series

Phone/Credit Card/Official Orders/Trade and Export orders welcome. all prices shown include VAT

> Officially approved ACORN Dealer & Service Centre. Demonstrations available.

C.J.E. Micro's (Dept, AU), 78 Brighton Road **Worthing, W. Sussex BN11 2EN**

Tel: (0903) 213361 (3 lines)

OF THE AND THE

Are computers able to program themselves? **WILLIAM BAINS** looks at so-called genetic algorithms

ere's a knotty little problem for you. You type into your Archimedes the series: 1,1,2,3,5,8,11. Now it has to guess the next number in the series. Anything under a 75 percent success rate is a failure.

Any guesses for how long it would take you to program?


There is another, simpler method of doing it, and you have probably already implemented this solution in the time it has taken you to read this far.

You can do it yourself

Why is it so much easier to solve such a problem yourself, when calculating square roots or searching a database for a keyword is a task rational people leave to a computer? Because you already have the algorithms for things such as finding regularities in series or calculating trajectories or recognising faces, in your head.

So, for that matter, have dogs or chickens, who make poor programmers at best.

We have all evolved to have a large repertoire of in-built algorithms for realtime problem solving but no-one ever sat down and programmed us. Those algorithms evolved through natural selection, as did all



SINGLE MCRO

the rest of us. They are coded in the genes which four billion years of breeding have donated to us.

Evolution has worked on those genes through a combination of genetic change and natural selection. Each new organism is genetically unique – it has a new collection of genes, a new algorithm. Is it a good one? There is no master programmer to say, so it is tested out.

If one gene, or combinations of genes, gives it an edge over its competitors, then it is successful. It leaves more offspring. After a while, most of the offspring in the population will carry that collection of genes, simply because they and their children do better than anyone else.

Then another innovation arises to add onto the first and that sweeps through the gene pool. Then another. By this stepwise approach, organisms which are very good at simply being alive and reproducing dominate the world.

In the middle of the century computer scientists started to ask whether they could use the same approach to avoid the tedium of finding good algorithms for solving problems by computers. Why, instead of trying to write a perfect program, just write a rotten one and let it evolve to (near) perfection? Thus was born the concept of the genetic algorithm.

The theory behind genetic algorithms was formalised a long time ago. It was thought that any solution to any problem could be formulated as a string – a string of arithmetic operations, a list of rules, a large number. This is formally the same as our genes, which are strings of 'bases' – the building blocks of DNA, in which the plans of how to build a human being (or a dog or a wasp or a tree) are held.

Natural selection is the best process by which new strings of DNA are generated and then tested for their ability to solve the great problems of life, the universe and everything, or at least to stay alive until you have a chance to create more genes by breeding.

So the genetic algorithm approach is to create a whole lot of new programs based on the best you have come up with so far, and then test them for their 'goodness' at solving some problem.

It is this analogy between how genes evolve and how you might get your programs to evolve that lead to the name 'genetic algorithm'.

This really simple idea has been around for years but it is only recently it has been applied in any sensible way. This is because, although natural selection does indeed come up with well-adapted organisms, it does so very inefficiently.

Nearly all the 'new programs' are worse than the original and disappear. So it is with genetic algorithms. Nearly all the new programs are actually worse than the original.

Nature gets round this by having millions of each organism breeding away — among that lot, good ideas come up fairly frequently. In these days of parallel computers a similar approach allows a parallel computer to run dozens, even thousands of programs at so simulating such a propula-

once, so simulating such a 'population' of programs. Even serial computers are getting fast enough to analyse thousands of programs in acceptable time.

Early trials, have been fairly simple but impressive. The highly parallel 'Connection Machine' containing 64,000 semi-autonomous processors has been set to 'evolve' a program which will sort numbers into ascending order. From random bytes it evolves implementations of several of the known ways of sorting things. While this is a simple problem for the programmer, getting a computer to generate its own solution is quite a feat.

Genetic algorithm approaches are now being tried in several areas, from looking for algorithms which will predict stock market values to optimising car aerodynamics to reduce wind noise.

Sex

Those of you who started reading here, go back to the beginning.

There are two parts to a genetic algorithm approach: generating new solutions and testing them. Testing algorithms is usually straightforward, as you know what they are to solve, so let's concentrate on the two ways of generating a new solution.

The first, and biologically most common is, of course, sex.

It is only the genetic theory of sex which

is important here, not the rest of it. Sex takes the genes from two individuals and shuffles them to produce new combinations: you might have 'your mothers hair' (the genes which make your hair like your mother's) but your father's nose.

In a program, 'sex' takes part of one string and shuffles it together with part of another. The simplest way to do this is to take one end of one string and put it together with the other end of another. The 'ends' need not be halves. You could add 2/3 of one string to 3/4 of another, creating a longer string.

The other route is mutation. This takes a string and changes it a bit. Humans suffer mutation too but at a lower rate than we suffer sex. Mutation generates novelty in our genes, sex shuffles that novelty around in new combinations. Between them they are responsible for all the variation in living things, from aardvarks to zebras.

This is all easy to say but a bit hard to see how you would actually apply it. The problem is in evaluating the solutions you have chosen. Usually programs (what the computer does) and data (what it does it on) are kept separate, so manipulating programs as if they were data is difficult.

There is no particular reason for this, other than doing anything else makes for hopelessly unstructured and crash-prone programs. However, BBC Basic gets round this dichotomy in one respect with its EVAL funtion, so it is an ideal vehicle to demonstrate genetic algorithms.

You should use the EVAL function to show how to use genetic algorithms to solve the problem of fitting a curve to data points.

Curve fitting

Your program has a population of strings, pops. These contain equations which do (or more likely, do not) fit some data you have typed in (and stored in 'answer'). To make things more interesting, this is a three-

dimensional graph you are fitting

you type in x, y and z values
and the program finds an
equation in x and y to
generate z.

To test if an equation actually does generate the right value, you only have to do z=EVAL(pop\$(i). So you can forget about the evaluation side, and concentrate on sex.

The program is called *Gregor*, after Gregor Mendel. Calling it 'Darwin' would have been too obvious, and anyway dozens of people have beaten me to it.

Lines 1000-1300 set the program up. Lines 1310-1700 select the pops entry which



either a sexually produced new string (generated by PROCsex) or a mutated string (generated by PROCmute). The new string is then evaluated.

The odd programming in lines 1490-1580 is to avoid the problems that arise when your equation gives not merely a bad result but an impossible one (by, for example, dividing a number by zero).

When there is no difference between what the equation produces and what you typed in, then Gregor stops triumphant.

To make things easier, the program generates strings with the following syntax:

var (arith var)n.

where var is a variable (x,y or a number 1-9) and arith is an arithmetic operator (+ - */). Such strings are bound to be valid Basic expressions, so you avoid a lot of syntax errors. Describing the syntax you are going to allow is essential to get anything out of a genetic algorithm, or else nearly everything you produce is garbage.

So, to sex. PROCsex selects two strings, selects two arithmetic operators in them and adds the front end of one with the back end of the other so they join at the arithmetic operator. This preserves the syntax so (in theory) the string still 'works'. A few wrinkles are dealt with in sub-procedures.

Mutation is trickier, as there are many kinds of mutation. Either arithmetic operators or variables can be replaced by something else. Also, chunks can be deleted, and chunks of random rubbish added in. So, PROCmute has several subordinate sections, which are selected at random to give a range of mutations.

Again, you have to be sure to keep the syntax. This is not essential - if you get a syntax error, the string will cause an error and a very high 'score'. "

But most possible strings will generate errors in EVAL, so to save time you do some pre-screening.

So how does it work? Try it out as it is, on some model problems such as $x^2+y^2=z, z=3$ and on randomly typed numbers, for example. Or try an 'impossible' problem, such as $z=EXP(x)+EXP(y)^{*}$ (which would need an \$ infinite series of +-*/ to solve). How well does it do?

208.022687 5+8 => 204 Gregor places the best-fitting equation at the bottom

You are probably getting a clue why the dinosaurs were around 100 million years before mammals were invented to replace them. Natural selection is certainly slow.

The program is actually not realistic in one respect. In real life, the worst surviving organism is not rigorously weeded out to be replaced by a better one. In real life, death comes to all organisms, soon or late, and even the best adapted can have a tree fall on them in a gale.

Indeed, it is not clear that we are any more successful than the dinosaurs. We just happened to evolve when a tree (or, more accurately, a 10 trillion tonne asteroid) wiped the dinosaurs out. To mimic this, replace lines 1300-1380 with lines which select a pop\$ at random but are biased towards high-scoring (poorly adapted) strings.

The second program, Gregor-Fix, lists the replacement lines. Now even really rotten equa-

tions can survive for a while by chance. But the program does not fare much worse than in the 🚜 original – indeed, sometimes it gets to a solution faster. This is because, although not much use in themselves, those 'rotten solutions' are the feedstock for future evolution - bear in mind that we did not evolve from bison or dinosaurs or other conspicuously successful species. We evolved from things that looked like thin, quill-less hedgehogs, and were so rare that any Cretaceous conservationist would have slapped a protection order on them at once.

The other thing you could do is alter the amount of sex going on. Altering 'sexprob' alters the ratio of calls to PROCmute and PROCsex. Setting sexprob to 1 means 50:50. As you increase 'sexprob' the equations get to look more and more similar.

We, of course (well, some of us) have sex much more frequently than we acquire mutations. This is why people look much more alike than your equations do.

Just leaving Gregor running will provide hours of harmless fun. Watch and marvel as it hunts

fruitlessly for an equation to match some random numbers you typed in on the spur of the moment! Watch it generate an equation like:

z=x*x/x+7*y-y-y-y+x/y*y-6*y+x/2*4when you typed in data to match

z=4x-3v

And consider that, fun though sex is, it is a good thing that most programmers stick to designing their programs properly.



GOING-WALLEY

When it comes to flipping, rotating, reversing and otherwise messing around with the characters on your screen, TIM CAMPEN has the means and the end

obody would deny that the BBC micro and Master are capable of a great deal but when it comes to printing characters on the screen, their capabilities fade a little in the light of the Archimedes. Character font routines (such as the Acorn User Calligraphy program) go some way to rectify this but when it comes to manipulating the characters you already have, this is the program you need

It all started with a short machine code utility sitting in page 9 which rotated selected characters. Unfortunately as I incorporated more features, the program which once sat snuggly in less than a page grew out of all proportion and started eating other people's work space!

I had no choice but to convert the program for use in sideways Ram, and so the back issues of *BBC Acorn User* were dusted off for action.

However, all was worth it, as the *Crazy Characters!* program which resulted provides model B and Master owners with star commands to rotate, enlarge, flip and fatten characters plus a whole lot more.

Using the program

Once you have typed in and run the first listing from the yellow pages, you will be asked if the program is to run on a BBC Master. Simply answer Y or N to your configuration (explained later). If the checksum gives the all clear it will *SAVE the sideways image as CRAZYC. This is the sideways Rom image and should be loaded into a spare sideways Ram slot according to your particular sideways Ram user guide

with *SRLOAD, *RLOAD or whatever.

If your sideways Ram has a write protect switch make sure it is not write protected as the unity uses the extra Ram to store data.

Press CTRL-BREAK and type *HELP. You should be greeted with Crazy Characters! and in brackets the version. If an 'M' is displayed, you are running under the Master version. A 'B' signifies it configured for a model B. A demo program also appears on the yellow pages to put the system through its paces.

For writing your own programs, typing *HELP CRAZY produces a list of the *Crazy Characters!* star commands available.

All these commands can be used from Basic or machine code programs for fast and effort-free character fun!

Commands

The first command that must be used when starting from scratch is *CHARxy. This informs the computer that only characters from x to y in alphanumeric order are to be altered by any of the *Crazy Characters!* commands (apart from *NORM).

The command *ANTI will rotate the characters 90 degrees anticlockwise. The utility does not poke the character workspace but goes the official route through VDU23 which should stop clashes with other software — which is what *Crazy Characters!* is all about *CLOCKW performs the same trick but in a clockwise direction.

To flip the characters across the x-axis, use *FLIPX. *FLIPY does the same thing across



the yaxis. *FAT will broaden the characters and likewise *THIN makes them skinnier. *INVERSE will reverse the bits of the characters, producing a silhouette effect and *LARGE. ABC will print ABC, x characters high where x is a hexadecimal number.

For your own character definitions, *CPUT followed by a filename will save character definitions previously defined by *CHAR to tape/disc, *EGET followed by a filename will load a Crazy Characters! file and define the new definitions *DEFINx will display the definitions of character x in hexadecimal metation

Finally, *NORW resets all characters to their original definitions.

The program

The first 43 lines make up the standard header code needed for the operating system to recognise a sideways Ram program and handle the service calls.

Crazy Characters! assembles at &5800 which would mean all the absolute addresses calculated would not sit inside the sideways Rum area. To combat this, every absolute address used has &2500 added on, held as the variable diff%.


The first task for the serve routine is to preserve the accumulator, X and Y registers. The accumulator tells the computer what is requested and is stored at temp. There are over 20 different possible sources of a service call. The two that *Crazy Characters!* is interested in are service types 4 (unrecognised star command) and 9 (*HELP).

If the call is type 9 the computer branches to help (line 700) and if it is a 4, branches to unrec (line 1290). If neither are requested the accumulator, X and Y registers are reset to their original states and exits.

The help routine prints the title and version. The program scans the star command which is pointed to at location &F2-F3 plus the Y register. If any characters have an Ascii code of 91 or more, they are adjusted so that they fit in the band 65 to 90. When the computer finds the RETURN button was hit (line 920) it checks to see how many letters were typed. If four were typed in the user does not wish to have a list of commands and so just a short message is printed, the computer jumps back and exits.

If more characters follow, the computer checks the user's word against CRAZY. If they match the computer branches to explain and lists the additional text found at coded (line 4080).

Testing for the different star commands caused some problems, which accounts for the spagetti like programming. The problem is that more than one star command can have the same number of letters. Therefore I could not distinguish between them just by the number of characters. I finally solved the problem in the following way.



Location &72 and &80 flags are set to 0. If the first letter encountered matches any of the star commands it is checked for a RETURN. If it is not &80 is kept at 0 and &72 is increased. If &72 equals 3 (four characters in length), characters it is one of the *Crazy Characters!* commands. If the fourth letter matches any of the four letter commands, the computer branches to the relevant routine. If &72 equals 5, it could be a *LARGE or *DEFIN command so the computer jumps to another routine to find if it was either. Once it finds RETURN it branches to find.

Because the rest of the commands have differing numbers of characters, the x register merely has to be checked to find out which command was entered.

Routine char22 is called if CHAR is en-

Routine char22 is called if CHAR is entered. The two characters preceding the command are stored at charX and charY.

The *FAT and *THIN commands are executed from the same routine (font2). To distinguish between the two, the accumulator either holds a 1 (*FAT) or 0 (*THIN). To fatten the characters, each row is shifted one bit to the right and ORed (OR) onto its original position. This gives an effect similar to dragging the character, leaving a trail a short distance across the screen.


Instead of an ORA operation, an AND is used to make the characters skinnier. When looking at the character set you will find most of the vertical lines are two bits wide so after shifting the definition and ANDing onto the original character, all the vertical lines that were two bits wide are now one.

Because the only difference is the one instruction, the coding is cut down by poking the memory location where the operation is to take place. This is labelled convert 61 is the code for OR A and 29 for AND. Once all eight rows have been altered, routine definition is called up – explained later.

*ANTI and *CLOCKW also use the same routine. Location &74 is poked with # 0 if *THIN is requested and a 1 for *CLOCKW. The rotation routine starts off by determining what the character definition is and then whether a clockwise or anticlockwise movement is wanted. Routine, and deals with the anticlockwise rotation. The important zero page locations are &73 for keeping a record of the column to be BITed, &76 for the row and &71 which keeps a running total of each column. Each column is BITed to test for # bit set (a 'lit' pixel). If one is found, location &71 adds the equivalent position going horizontally through addy.

Once all eight rows of the first column have been totalled, the result is stored along the top row of the character. The column to the left then follows through the same routine to be stored under the first row. Once all eight columns have been rotated, routine end is called to define the character. The computer then samps to startA to rotate the next character.

DABHAND COMPUTING LTD



A 3000 Learning Curve Pack Details below £649

Pack includes PC Emulator, 1st Word Plus, Genesis, Learning Curve Video and literature.

A 3000	base unit	£549
A410/1		£1099
A420/1		£1499
A440/1	***************************************	£2099

We think there are no better Archimedes deals around, but if you think differently, call us and we will attempt to beat any advertised price.

ARCHIMEDES A3000	
User & Midi Podule	£46
Serial Upgrade	£19
Monitor Stand (Acorn)	£29
Monitor Stand (Pres)	£24
OAK 20Mb SCSI disc Upgrade	£549
1 Mb RAM Expansion	£149
5.25" External floppy disc interface	£15
External 40/80T 5.25" c/w PSU	£129
ARCHIMEDES 400 series	
20 Mb Hard Disc Upgrade	£189
40 Mb Hard Disc Upgrade	£319
50 Mb Hard Disc Upgrade	£459
64 Mb Hard Disc Upgrade	£499
105 Mb SCSI Hard Disc	£699
215 Mb SCSI Hard Disc	999
I/O Expansion Card	£79
Midi Expansion Card	£65
1 Mb RAM Upgrade	£69
OAK SCSI Board	£189
OAK SCSI 45 Mb Disc & Board	£449
ARM 3 Upgrade (30 MHZ)	£595
ARM 3 Upgrade (20 MHZ)	£495
5.25" External floppy disc interface	£30
Scanlight Junior Scanner (CC)	£179
Scanlight Senior Scanner (CC)	£399
Sheet Feeder for above (CC)	£149
Scavenger Junior Scanner (Beebug)	6180

NEW RELEASES

A PER A REPORT OF THE PROPERTY	
Ring for availability	
Apocolypse (3D Space Game)	£24.95
FontFX (Special Effects for Draw/Impre	ss) £10
Datastore Utilities Disc	£12
The Pawn (Magnetic Scrolls Adventure)	
The Guild of Thieves (Mag.Scrolls Adv.)	
Rotor (Arcade Strategy Game)	£19.95
Talisman (Minerva Graphical Adv.)	£12.95
Battle Tank (Minerva)	£12.95
Maddingly Hall (Minerva Adv.)	
Trivial Pursuits (Classic Board Game)	
Fireball II (Superb Breakout Game)	£17.35
Arc DFS (DFS Filing System)	£26.04
VIDC Enhancer (Modes 96 - 118)	£26.04

CHECK OUT OUR PRICES!
NO UK CARRIAGE CHARGES
(UK Residents add 15% VAT)

MONITORS

Philips CM8833	£225
Acorn badged Colour	£199
EIZO 9060SZ Multisync .	
A CONTRACTOR OF THE PROPERTY O	
Taxan 775 Multisync	
All monitors come with free lead.	State
computer type when when order	ing.
ARCHIMEDES SOFTWARE Acorn Desktop Publisher	
Acorn Desktop Publisher	£119.95
ANSI C V.3 Compiler + free C Front	£139.95
Arcade Soccer	. £12.95
ArcComm (BBC Soft)	. £24.95
Armadeus (Sound Sampler)	. £69.95
Artisan 2 (16 Colours)	£139.00
Artisan 2 (16 Colours)	£70 05
Casino (Minerva Deskton Games)	£14 95
Casino (Minerva Desktop Games) Caverns (Minerva Arcade Game)	£17.35
C-Front (Mitre Front End for ANSI C)	£17.35
Disc Tree 2 (Mitre Hard Disc Utility)	£39.95
Euclid 2 (3D Drawing)	£57.95
E-Type (Driving Simulation)	£12.95
E-Type 100 Miles / Designer ea	£12.95
Family Favorites (Minerva Compilation) First Word Plus V2 (Acorn)	£14.95
First Word Plus V2 (Acom)	£79.95
Fireball 2 (Superb breakout clone) Fugitives Quest (Robico Adventure)	£24.95
Genesis (Hypermedia System)	£23.95
Graphbox (Minerva)	C60 05
Holed Out (Golf Game)	£14.95
Holed Out Extra Courses . Designer	£12.95
Ibix the Viking (Arcade Adventure) IMPRESSION NOW IN STOCK	£15.95
IMPRESSION NOW IN STOCK	£139.95
Interdictor (Flight Simulator)	£24.95
Mini Hyperpacks (3 games per pack) HYPERPACK (12 Games)	£24.95
HYPEHPACK (12 Games)	£79.95
Multistore Database (Minerva)	£199.00
PC Emulator + free PCE Sh/ware 1&2	£17.35
Pinedream 3 (WP)	299.00
Pipedream 3 (WP) ProArtisan (256 Colours)	670.05
Bender Bender (Clares)	£50 05
Render Bender Demo Discs (Clares) Render Bender Demo Discs (Dabhand)	£10.00
Render Bender Demo Discs (Dabhand)	£10.00
Stranded (Robico Adventure)	£23 95
System Delta Plus (Minerva)	£69.00
System Delta Plus (Minerva) Thundermonk (Arcade Adventure)	£14.95
Trivial Pursuit (Board game)	£24.95
U.I.M. (Submarine Battle)	£24.95
Worra Battle (Oak Tank Battle) Worra Plot (Draw > HPGL Plotter Driver)	£14.95
World Class Leader Board (U.S. Gold)	£24.95
WORLD Class Leader Board (U.S. Gold)	119.95

TERMS: UK residents add 15% VAT to all prices, except books. Delivery FREE on all postal items in the UK. Export, no VAT, carriage at cost. (quotations available). Europe maximum £2.50 software, £35 hardware. Access/Visa cards accepted by post/phone/in person. We are authorised Acorn dealers. Official orders accepted from public sector/education/PLCs, otherwise cash with order. Tender invitations welcome. Callers welcome. We are about 800yds north of J 17, M62. Fax: 061-766 8425. Price subject to change without notification. Goods offered subject to being unsold.

DABHAND COMPUTING (Dept AUJ) 5 Victoria La, Whitefield, Manchester, M25 6AL

061 766 8423





The Best in the North West ...

SPECIAL OFFER

FREE WITH EVERY
410/1 - 3MB RAM - Price £1099
(or 10% of marked price while stocks last)

BOOKS (no VAT)

C: A Dabhand Guide £14.95 Archimedes Assembly Language £14.95 Archimedes Operating System £14.95 The above books have accompanying discs add £5 for 5.25", £7 for 3.5" Archimedes First Steps £9.95 BASIC V: A Dabhand Guide £9.95 RISCOS PRM's now in stock £79.95 NEW Acorn DTP Advanced U.G. £14.95 BBC Basic Guide (Acom) £19.95 Master 128 Ref. Man.Pts 1&2
SPECIALS Voltmace Joystick (Replaces mouse) £24.95 Draw Format Clip Art (Use with Draw/DTP) . £29.95 Star LC10, Integrex, HP Paintjet, Swift colour printer sprite dumps (multitasking) £26.04 CONSUMABLES 3.5" Floppy Discs (10 in plastic box) £8.65 Printer Ribbons (most makes) £call
MASTER COMPUTERS Master 128 £369 Master Colour Monitor £175 Eprom Cartridge £10.95 BBC Dust Covers £9.95 PORTABLE COMPUTING Psion MC400 Mobile Computer £749 Psion PC Comms Link £54 288 - 32k Portable Computer £195 Z88 - All-in-one Pack £239 Z88 - Arc Link £24.95 Z88 - A Dabhand Guide (Book) £14.95 Z88 - 128k RAM cartridge £41.26 Z88 - 32k EPROM cartridge £16.48 Z88 - BBC Link £20.61 Z88 - SpellMaster £56.95 Z88 - Mains Adaptor £8.65 All Psion/Z88 accessories and s/ware available

PRINTERS

9-PIN PRINTERS (free lead)
Citizen 120-D+ (Serial option add £20)£129
Citizon Swift 0
Citizen Swift 9
Star LC10 B/W / Colour£159 / £189
24-PIN PRINTERS (free lead)
Panasonic KX-P1124£249
Shoot Enodor for above
Sheet Feeder for above
Citizen Swift 24 £269
Colour Kit for above (also Swift 9) £39
Star LC24-10£219
COLOUR PRINTERS (free lead)
Integrex Colourjet 132 £509
HP Paintjet£795
LASER PRINTER (free lead)
HP Laserjet IIP Printer£995
Additional 444 DAM (UD
Additional 1Mb RAM for IIP£199
NEW - ATARI LYNX - NEW
NEW - ATAMILTINA - NEW
Atari Lyny C140
Atari Lynx£149

Electrocop.....£24
Blue Lightning£24
Chip's Challenge£24
Gates of Zendocon£24

The process for a clockwise movement runs along the same lines except that the columns turning right to left are stored from the bottom upwards. Location &76 points to the current row which is copied across to the X register for saving at cwsave.

Routine inv handles *INVERSE. 255 is Exclusive-ORed onto the character definitions within the loop, pop which cycles through eight times. This reverses the states of the bits within the definition. Once every character has been inversed, the end routine is called. The process then repeats until all the requested characters have been inversed.

The routine Ripxx is responsible for flipping the characters across the x plane. The X register works from the top of each character down and meets half way with the register which works from the bottom upwards. Each time through loopxx, they swap the bytes between themselves by storing the X's information at the Y's position and the Y's information at the X's position!


*FLIPY is executed from routine flipYY. Loop flump governs this routine. Location &73 scans left to right on each row of the characters. At the same time location &80 travels in the reverse direction. Every time a bit is full, pointed to by location &80, location &71 is updated by the contents of &73. Therefore once the whole byte has been scanned, location &73 is arranged back to front to the original. After eight passes to read the bytes incremented by the Y register the new definition is defined. The computer then branches back into flump until all the requested characters have been flipped.

*NORM performs an FX20,fxcode. Originally, while writing solely on the Master, fxcode was zero. However, for use on a model B, if more than 32 characters are altered,

corruption takes place, due to the 'high-water mark' as the Advanced Users Guide states. &600 bytes must be preserved for the operating system. If Crazy Characters! is to run on a BBC model B and you want to alter all the characters, make sure PAGE is set &600 higher than normal before loading any Basic programs and bear this in mind when storing machine code. Master owners ignore this as all character definitions are accounted for in the private sideways workspace.

The key to the multi-height routine

'All the hard work is done so all you need is a star command to drive those characters crazy!"



is how the eight rows of the characters are split up and printed on separate lines. The DIV operator is used to produce the row count. For example, to produce a character twice the normal size, each row of the original character definition must appear twice, and using D1 2 on a count produces 0,0,1,1,2,2,3,3... which are the numbers corresponding to the rows of the original character matrix. The larger the number used with DIV, the larger the height.

Once all rows of the character have been inspected, the equivalent amplified version is defined in character 240 to be printed.

The file routine determines whether a *CPUT or *CGET is requested. If *CPUT was issued, the computer jumps to save. The workspace to issue *SAVE ts cleared to get rid of any rubbish left behind from a previous load/save. Routine findname is called which stores the filename in the reserved workspace. Since a block of sideways Ram within the range &8000 to &BFFF cannot be stored with *SAVE, the routines swapup and swapdown are used to transfer the character data between &26E0 and sideways Ram which is then *SAVED.

One final point, the *SAVE/LOAD command can be executed within sideways Ram on the Master but not on the Beeb. The whole saying command is also copied down

into the main area.

*CGET (routine load2) is the same as *CPUT except a *LOAD command is issued with less parameters. The workspace is cleaned and main/sideways Ram is swapped.

The final command, *DEFIN is called up by routine founder. The specified character has its definition called. Loop defKloop runs through eight times. An '&' is printed followed by the hex number of each row.

To get the hex number for each row, each byte of the definition in turn is stored on the stack. The four right-hand bits are wiped. The four leftmost bits are shifted to the far right positions. If the number is greater than 9 it is adjusted by routine Hset before being printed. The old byte is then pulled back for the furthest four bits to be wiped and increased by 48, adjusted if need be, then printed.

At this stage Crazy Characters! is probably as clear as mud and if you want to make head or tail of it at all, keep on studying the source code.

sideways Ram pathway clockwise THIN, MIMMISSI FATTEN, ind a definition: A=&3C,&66,&66,&7E,&66,&66,&66,&00

his month we start with a joke: What's green and white and puts the wind up most teachers? Before you answer 'a poll tax demand notice, the correct answer is the technology National Curriculum. Yes, your school's copy probably fell through the letter box in late March and since then most of the staff will have been wondering how they're ever going to cope with it.

When questioned, it is inevitably attainment target 5 (IT capability) which worries them the most. This reaction is indicative of how IT has had to struggle along in schools since those heady days of 1982 when the DTI provided schools with the opportunity to purchase a heavily subsidised microcomputer.

Arguably, it is the primary sector which has struggled the most, with very little coming its way in the intervening years in terms of training or support.

So this month I want to air some of the issues regarding the delivery of AT 5 of the National Curriculum for technology in primary schools.

The first major issue concerns the training of teaching staff. The original condition connected with the DTI purchase was that two members of staff should receive training which would be passed on to the rest of the staff. This proved woefully inadequate.

One member of staff at my school returned from her two days 'hands-on' training totally mystified and negative about the whole experience.

How many colleagues have you heard grumbling that they've been on a two-day computer course and 'not got a lot out of it because they didn't start us off with the basics and that's what I wanted'?

Eight years on from 1982 and only a minority of primary teachers are confident enough to use computers as an integral part of their day-to-day teaching. In fact, recent studies have revealed that only a small number of teachers are using computers at all in primary schools (Research Project, Centre For Educational Studies, Kings College, London).

Many of the teachers who have attended short courses are only confident enough to operate the hardware and run a few familiar software packages. Frequently, teachers come away from such courses missing the essential element - how to integrate computers into their good classroom practice.

Assuming an IT-enthusiast returns to the school 'fired-up' and ready to put all the theory into practice, what does she or he find: the one and only machine is available just once or twice a week.

Inevitably, the impact of IT on the curriculum is very restricted. Time and time again it has been proven that using a computer for one or two sessions a week is not

PRIMARY OBJECTIVES

The National Curriculum for technology has at last been sent out to schools. CHRIS DRAGE asks how teachers, especially in the primary sector, will cope



enough to have any real influence on the curriculum at all.

The technology National Curriculum contains five strands of IT capability:

- 1. Communicating information
- 2. Handling information
- 3. Designing, developing, exploring and evaluating models of real or imaginary situations
- 4. Measuring physical quantities and controlling movement
- 5. Making informed judgements about applications and the importance of IT and its effect on the quality of life

Nationally, the very first thing that must be done is to provide suitable INSET so that all teachers can gain the competence and consequently confidence to start integrating computers into classroom practice. This is essential because AT 5 does not suggest that IT should be taught as a separate subject but points out that it should be used across the curriculum to enhance learning wherever appropriate.

Reducing IT training to the 'twilight hours' (typically 4.30-6.00pm) would be both foolhardy and non-productive. Learning to use and apply IT effectively is not like participating in a workshop session, it is still a new area for many teachers and therefore requires particularly fresh and receptive minds. The programmes of study in the technology National Curriculum emphasise a developmental process.

The foundations of both information handling and wordprocessing, for example, are laid down from the earliest years and are built upon in succeeding years. The kinds of computer use described are the most difficult for teachers to master and will require extensive training.

At key stage 1 (levels 1 to 3) five to seven-year-olds should be taught: '...how to give instructions to electronic devices such as programmable toys and computers. ...how to store, select and analyse information using software, for example a simple database. ...how to organise and present ideas using software, eg a wordprocessor.'

Few infant teachers, as yet, will be that conversant with wordprocessing, data handling software or programming in Logo to confidently integrate these aspects of IT into their everyday classroom practice.

In addition to AT 5, explicit statements relating to computer use appear throughout the core subjects of the National Curriculum. However, there's more to it than that,

for throughout the statutory statements, there are specific implications that a computer must be employed.

Logo in the maths curriculum is one example, wordprocessing in science is another. The overall implementation of IT is really broader than is at first apparent.

If there is one thing that is guaranteed to put any teacher off using computers in his or her teaching is when, after all the preparation, a system failure renders the computer or a peripheral, useless. Frequently, the teacher has neither time nor expertise to put the problem right.

The first person called upon (when time permits) is the IT co-ordinator who also has a full teaching commitment and little time other than a lunch hour or after school in which to troubleshoot the problem. By this time it's too late. Unlike their secondary colleagues, primary teachers have little non-contact time, hence there is no one to call for assistance when things go wrong.

Obviously, with proper training and IT familiarisation many of the operator-related 'problems' could be eliminated. However,

all schools need an infrastructure for proper technical backup. Replacing aging machines with the latest, reliable technology would also help solve this.

The second major issue concerns resourcing. The fact is that most primary schools do not even yet have a micro in every classroom. Many others share one machine between two classes and there are schools still with their single DTI subsidised computer.

It doesn't take a mathematical genius to work out that given one computer per class of 30 pupils, over a typical school year of 40 weeks of 25 teaching/learning hours there isn't going to be much more than 25 to 30 hours handson experience per pupil; even less when you consider the time demands made by other areas of the curriculum (daily assemblies etc). Is 30 hours a year really enough?

Some computerbased activities are very time-consuming. In my class of eightyear-olds, for instance, it is common for one or two children to take the best part of a morning to complete a piece of Logo wizardry or to type their story collaboratively on the wordprocessor. If their time is rationed, their motivation and enthusiasm for the task is soon lost.

And what about even more time-consuming, yet equally valuable, computer activities like simulations and adventure software? They are mentioned in AT 5 at level 4 and can provide a suitable focus for a whole class for several weeks on end. If wordprocessing and data interrogation are also to take place concurrently, as they probably should, one computer per class becomes a joke.

Now don't get me wrong, I am all for the technology National Curriculum orders concerning IT capability. At last IT has been elevated in status to a level where it will play a vital role in the overall curriculum. However, it is important that this recognition is backed up with proper INSET (teacher training/retraining initiatives) and

the necessary hardware and software funding to prevent teachers being thrust even deeper into the slough of despond with IT becoming the straw that breaks the metaphorical camel's back.

One solution might be to 'phase in' the technology National Curriculum over a period of three to four years during which time funding could be made available for teachers to attend substantial curriculum-based courses in IT.

In addition, there could be on-going, school based INSET on matters like policy-into-practice and assessment with the provision of supply cover while teachers attend such courses.

With regard to hardware, the aim should be to place at least five modern microcomputers in every classroom in the country, with the installation of suitable security systems and the provision of technical backup.


Software tools will be all important. At present it appears that schools will continue to do what they have always done: run jumble sales and the like in order to fund software. With the new demands made

upon them by the technology National Curriculum schools must get some form of annual funding for buying software.

The result would be twofold: as schools could then pay realistic prices, it would encourage and foster educational software development (for which this country is envied throughout the world) and schools would also be willing and able to invest in innovative software.

Idealistic? Maybe! The scrapping of a Trident missile or two may release the odd penny which could be directed towards the proper implementation of IT in our schools (when was the last time you heard of the army having to run a summer fete to purchase a new tank?).

The simple fact is that if the primary sector is not properly trained and resourced, the innovative and comprehensive technology National Curriculum will collapse in its infancy.



tokus os

A LOW COST DISC BASED

PROFESSIONAL **ACCOUNTING PROGRAM**

"MICRO-TRADER"

INTEGRATED SALES PURCHASE AND NOMINAL LEDGERS

Turn any BBC Computer from the humble Model B to the latest Archimedes into a fast, powerful business tool. 'Micro-Trader' can provide easy to use and timesaving computer accounts for businesses with a turnover up to £21 million per year.

Ledger facilities including SALES INVOICE and STATEMENT PRINTING with a capacity of up to 1,000 accounts and 5,000 transactions per month

Nominal Ledger features quick and easy entry of everyday transactions. Up to 6 Bank Accounts, full V.A.T. facilities, Journal Posting. Full Reporting for individual accounts, Audit Trail, Trial Balance, Profit & Loss and Balance Sheet.

"MICRO-STOCK"

Stock Control program, fully integrated with "Micro-Trader". 4,000 Stock Items with user defined Codes Invoice and Credit Notes and Cash Sales routine. Full Stock Held Reports. £75.00 + V.A.T.

"EXTENDED PAYROLL"

Micro-Aid Full Feature Extended Payroll. For use stand alone or integrated with "Micro-Trader"



"MICRO-MAILER"

A Mailmerge program, fully integrated with "Micro-Trader". With a user Database

ARCHIMEDES

Improved program for RISC OS features faster searches, larger capacity and improved analysis facilities.



PHONE TODAY FOR A FREE FACT SHEET

11, LONDON STREET, WHITCHURCH, HAMPSHIRE, RG28 7LH

Telephone: Whitchurch (0256) 892008

BANK MANAGER for disc systems only

The most advanced and versatile personal bank account management program available for all BBC computers. Consistently acclaimed!

"data entry is a delight . . . professional . . . excellent product" - Micro User April '86 "data entry is a delight...professional...excellent product" – Micro User April '86
Enter cheques and receipts. Standing orders any frequency. Automatic date sequencing.
Reconcile statements. Search, amend and delete. Unreconcile. Move forwards or backwards.
Analyse expenditure. Forward cash flow forecast. Up to 36 simultaneous 'bank accounts'
online, inter-account transfers. 9999 standing orders. 99 analysis categories. 12 actual and 12
budgets per category, over 4,000 postings on an 80tk disc. Reports to screen or printer.
Graphics. Foreign currency support. Password. File recovery. Auto exec file. Field editing,
Itemised look ahead. Programmable report writer.

Standard Bank Manager for the BBC B, B+ £17.50

BANK MANAGER MASTER for disc systems only

Includes all of the facilities of the Standard Bank Manager plus ADFS file system support, shadow screens, uses sideways RAM, 40 or 80 column screen reports, improved graphics, m/c windows, function key support and onscreen labels, additional functions added to the already extensive report facilities.

Bank Manager Master for the MASTER and MASTER COMPACT £22.50

ARCHIMEDES BANK MANAGER

All facilities of Master version plus high speed 'native' mode, wild card analysis enquiry, analysis code sort and other enhancements.

and other enhaltements.
"Impressed, ideal, easy to use" – Micro User, March '88
ARCHIMEDES AND A3000 BANK MANAGER £25.00

BANK MANAGER BUSINESS UTILITIES for disc systems only

For the 'professional' who also uses the BANK MANAGER to control the business accounts the BUSINESS UTILITIES add double entry trial balance and programmable spreadsheet analysis reports. Generated from cheque and cash transactions keyed into BANK MANAGER. Just pass the reports to your accountant! Available for all Bank Manager versions, state which.

Bank Manager Business Utility Pack 1 £12.00

TYPING TUTOR

Quickly learn to touch type. Over 90 smoothly graded lessons graduate you from the basic home keys to complete keyboard mastery. Unique word scan line checking. Target WPM and percentage correct. You may revice the targets or lessons as required. Audio key click for positive key depression. Establish a typing rhythm using the automatic metronome. Free format option. Disc version includes several enhancements eg. on screen keyboard, exact mode, on screen parameters. Recommended.

Cassette £12.50, Disc for BBC B, B+, MASTER and COMPACT £12.50 FOR ARCHIMEDES and A3000 £15.00

ALL PRICES FULLY INCLUSIVE FREE POSTAGE WITHIN UK. Enquiries and Credit Card orders telephone 0234 838347



Please state: cassette, 31/2" disc, 51/4" 40tk disc, or 51/4" 80tk disc and computer type (B, Compact, Master or Archimedes)

CONTEX COMPUTING

15 WOODLANDS CLOSE, COPLE, BEDFORD MK44 3UE

MUPADOS RECORDER TUTOR

Music Plays and Displays on screen

The best selling music software teaching aid in the UK as used in 65% of schools in Wales

No school that takes the teaching of music seriously can afford to be without this excellent aid which will enable you to begin teaching a class of children to play the recorder for just £11.99 including VAT and

Running on BBC B and Master computers, only one complete Tutor, which covers middle C to top G, is required per school giving a complete years course of tuition with no pre-lesson preparation needed. 3,000 UK schools cannot be wrong!

The Tutor uses an innovative scrolling music display and has an optional beat counter and "bouncing ball" whilst the practice tempo is variable and controlled by the user.

VOLUME I includes music book and accompaniment tape for the complete tutor £11.99

VOLUMES II & III £9.99 each

COMPLETE TUTOR only £24.99

"For primary schools and children of that age it's a dream . . . an easy and thoroughly enjoyable way of learning the recorder" A & B COMPUTING

"This package must be a winner. The presentation is good, the practice it affords is excellent", ACORN USER

"Marked by inventiveness and integrity", THE TIMES EDUCATIONAL

See the Recorder Tutor in action and try it for yourself by sending for our FREE demo pack comprising demo disk, accompaniment tape, and video featuring the world famous Dr Carl Dolmetch

LEAS: ask about bulk discounts and our INSET scheme

For total peace of mind purchase only from the creators themselves: Cue Video (Wales) Ltd, Pontsian, LLANDYSUL, Dyfed, SA44 4UP Telephone Pontshaen (0545 55) 315

MAKE YOUR ACORN/BBC EARN!

Yes making money with your Acorn/BBC becomes incidental when you know how. Your micro is, if only you knew it, a gold mine. The size and make is irrelevant. Make the initial effort NOW by starting your own HOME BASED BUSINESS.

This may be the most important move you will ever make!

REMEMBER: You'll never get rich by digging someone else's "ditch". Anyone in the country, including YOU, can become very rich in a relatively short period of time just by doing a few basic things! It's more rewarding than playing games. The benefits are many and varied. Full or part time. For FREE details send S.A.E. to:



HOME BASED **建筑型型以及政策**

31 Pilton Place, Dept AU25 King and Queen Street Walworth, London SE17 1DR

Best display in Scotland of **BBC** and Archimedes

FREE installation of all upgrades Scottish dealer for WATFORD ELECTRONICS

Excellent prices on printers, monitors, drives etc . . . REPAIRS to BBC machines


THE COMPUTER DEPOT

205 Buchanan Street, GLASGOW G1 2JZ Tel: 041-332 3944 CREDIT FACILITIES

55 Clerk Street, EDINBURGH EH8 9JQ Tel: 031-668 4146 * * NOW OPEN * *

EIGHT BITS SPECIAL

This month's bonus is a bumper bundle of useful hints and tips for 8-bitters, with extra yellow pages



ANIMAL

CRACKERS

This is a tree-type database program (listings 5 and 6). By using the indirection operators, this type of database is quite easy to program.

The program could have been written in a number of ways, using arrays for instance. A tree-structured database has a structure like figure 1.

These programs can be made to learn as they go along. If the program reaches the end of the tree, and the correct animal is not found, it will ask what the animal was. A new question then has to be entered and this is added into the structure, so that the tree grows.

Listing 5 is a tree program for animals. It could easily be adapted for a variety of tasks. A sample text print out would be:


Are you thinking of an animal?

Yes

Does it have four legs?

No

Is it a sparrow?



DESCRIPTION OF LISTING 6

Line 70 The initialisation procedure.

Line 80 The procedure to load a file.

Line 90 The main procedure. Line 100 The procedure to save the tree

Lines 140-150 s% is the start of the memory location. E% gives the end point in the memory. Initially this is set to four locations further on from the start point. This then allows space for this pointer value to be added at the start of the file when saving to disc. a% allows space for a text file of 39 characters plus a Return code. b% allows space for the text file and the first pointer. c% is the total length for a single entry. Lines 160-210 Data to start the tree. The text in these lines can be changed to suit your particular application.

Line 250 P% is the pointer to the memory location of the current record.

Line 260 Clear any text windows and clear the screen.

Lines 270-280 Print the title in double height. Electron owners should not enter line 280, and should omit the CHR\$141. Line 290 Set a text window on the screen so that the title is

Line 300 The question to start the tree off. Again the text here can be changed to suit your

not scrolled.

own application.

Line 310 The question which will only accept a Y or a N as an input.

Line 320 Answering N here will end the program after saving the current tree file.

Line 330 The yes pointer will be zero if the text contains an object rather than a question. Therefore if an object is recognised, the words 'is it' are printed out.

Line 340 Print the object or the question.

Lines 360-370 If an object than either the computer wins or a new object can be added to the tree.


Lines 380-390 If a question then jump to the next branch in the tree.

Lines 430-460 Wait until the Y key or the N key is pressed, then print either Yes or No.

Lines 500-570 Input a new object and a new question. Checks are made to ensure that the length of the text is within the allowed length. Line 560 is necessary to ensure that the question is related to the correct object.

Lines 580-630 Put the new question and object into the tree and set the yes pointer and the no pointer.

Lines 670-720 Ask if there is a tree to load. If yes, load the file 'TREE' into the memory area reserved for the tree. Save the memory area of the tree. It is always saved under the filename 'TREE'.



No

What are you thinking of?

Tell me a question that will distinguish between a sparrow and a duck Can it swim?

What would the answer be for a sparrow?

No

The last question is necessary because the program needs to know whether the question that has been input refers to the duck or the sparrow.

Then the program will start again. If you

YES NO

IS IT A REPTILE? IS IT A BIRD?

YES NO YES NO

Fig 1. The database has a tree structure

Location	Text	Yes PTR	No PTR
3000	Does it have four legs	3030	3060
3030	A Dog	0	0
3060	Can it swim	3090	30C0
3090	A sparrow	0	0
30C0	A duck	0	0
30F0		-	

Fig 2. How Animals stores text

say you are not thinking of an animal, the program will save the tree structure, which can then be loaded in the next time.

The program has a very simple storage structure. Basically each entry has three elements. The text, a 'yes pointer' and a 'no pointer' as shown in figure 2.

The program is easily able to differentiate between an animal and a question because the animals do not have a yes or a no pointer to jump to. When a question has been asked, the program will jump to the location given by the yes pointer or by the

Programming this is really quite straightforward. The first 40 locations are reserved for the text string. The next four are for the yes pointer and the next four are for the no pointer. E% gives the current end of memory position. a% gives the offset to the yes pointer, b% gives the offset to the no pointer, and c% gives the offset to the new end of the file. Thus to add a new animal the following structure is used:

\$E%="A DOG" Put text into memory.

E%!a%=0 Put 0 into yes pointer

E%!b%=0 Put 0 into no pointer

E%=E%+c% Move end of file pointer Listing 6 is the essential add-on to the tree program, a method of editing the text in the tree structure. It is a very useful extension.

WRITE TO THE EDITOR

Listing 1 is a disc sector editor and will display the contents of a single disc sector on the screen. Any sector can be selected, as can different drives. A printout option is also included.

It is possible to scan a sector, pause, then

read the next sector, then the next, and so on. The sequence can be stopped at any time by pressing the space bar. These various options are selected by using the function keys.

All the information stored on the disc (or in the computer's memory) is in a coded form. Each sector will store 256 bytes of information, where each byte is a number in the range 0-255.

Sometimes this number is the Ascii code for a text character, sometimes it is the token for a Basic keyword. So it is useful to not only display the actual number but also, where possible, the Ascii character.

In order to get all the characters on the screen at once it is necessary to use an 80-column display (mode 0). This means that the program has to be kept quite short because memory space on a BBC B is at a premium.

For this reason, meaningful variable names have not generally been used. The main variables are:

C%: sector character

D%: drive number

G%: keyboard input ASCII code

M%: display type, ASCII or hex

S%: sector number

T%: track number

t%: number of tracks on disc

x%: horizontal screen position

y%: vertical screen position

p%: parameter block for sector read/
write data: memory page where
sector values will be put.

PROCinit sets all the variables and defines the function keys. It also defines the screen colours.

These are set to blue and cyan here, but any other colour combination can be used. (This is quite critical as in mode 0 some monitors give much better results with certain colours than others). Because of the shortage of memory, some memory blocks are given actual memory locations, so if you wish to use this with the second processor, you will have to dimension the memory blocks by using DIM.

PROCrun is the main run loop of the program. PROCscreen draws the screen display, making use of a double-height, double-width routine originally given in Hints & Tips, *AU* November 1985.

Although only two colours can be used on the screen at any one time, different effects can be obtained by the use of inverse print.

PROCdisplay prints out the contents of a sector in both hexadecimal format and in Ascii characters. PROCtype looks at the locations in memory where the contents of the disc sector were put and prints these on the screen.

The parameter box determines which of the two boxes the information is put into. Box 0 is the hexadecimal display, and box 1 is the Ascii display. Selecting box=2 will enable both boxes to be updated.

What happens to those numbers which are not directly convertible to Ascii codes? Numbers below 32, if converted to Ascii codes, can have an effect on the screen display so these must be filtered out. Codes above 126 cannot be converted to Ascii codes so these too have to be filtered out. Usually in such programs those codes outside the Ascii code range 32-126 are replaced by full stops, but this tends to be confusing, so instead rectangular blocks are displayed here.

These are held in user-defined characters 128 and 129. Code 128 is a hollow block, and 129 is a solid block.

PROCinput is the routine to input a character from the keyboard, or to select one of the function key inputs. Once a character has been input which is not one of the function keys, PROCupdate will alter the value on the screen and in memory. If the cursor is in the hexadecimal display, two digits must be entered.

PROCprint is the procedure to give a hard copy of the display. To be as compatible with as many printers as possible, and to work speedily, this is not an actual screen dump, but a simple text print. A hard copy is often useful when you experiment with a sector and you might want to return it to its previous state.

PROCdouble and PROCme form a doubleheight, double-width print routine. The assembly code routine is compressed to save some memory space.

PROCrdsec is the heart of the program – it reads a sector of memory into a memory block in the computer. It uses the OSWORD call which requires a parameter block of information to be given first:

Byte 1: drive Bytes 2-6: address

Bytes 7: number of parameters

Byte 8: set to read
Byte 9: track number
Byte 10: sector number
Byte 11: read one sector

Catalogue Track 0, Sectors 0 and 1 WRITE PROTECTION NOTCH

9
0 1
2
7
6 5
7
Track 39 (or 79)
Track 0 Sector

How data is held on BBC discs

Once the OSWORD call has been made, errors found will be reported in the following byte. Normally the DFS translates these to the error messages you have learned to fear. With the sector editor, these are simply reported as 'Disc read error'.

Similarly PROCwrsec reads a sector from the disc and stores it in the memory block pointed to by data.

PROCdr, PROCsec and PROCts are the input routines for the drive, sector and track. PROCtsno is the procedure to find how many sectors are on the disc.

It can cause damage to the disc drive if it

is made to look for more tracks than the drive is capable of accessing.

There is no way of determining this from the hardware, so you have to rely on the value stored on the disc. PROCscan is the routine to start the program scanning through the sectors.

POLAR


GRAPHICS

Listing 2 is a short program to produce an amazing variety of polar graphs. Polar coordinates are a different way of locating points on a surface.

Positions are given as the angle and distance from the 'pole'. In the program, the variable z contains the angle which loops from 0 to 2*PI (line 450) and r is the distance. This is set according to the equation chosen (line 460).

To plot the graph of a polar function, the polar co-ordinates must be converted to conventional 'Cartesian' or (x,y) co-ordinates as these are used by Basic's MOVE, DRAW and PLOT commands. This is done using the trigonometrical functions sine and cosine (SIN and COS). PROCinitialise ensures that graphs plotted at the right size to fit comfortably on the screen.

The program has seven pre-defined equations and there are two variables (A and B)



Archimedes & A3000 Owners!


Ouite a few Archimedes owners are apparently still unaware of Archive Magazine and the various services that Norwich Computer Services provide.

- Archive Magazine, now in its third year, provides vast quantities of information about Archimedes computers. (£17 for 12 issues each approx 60 pages A5.)
- Archive Bulletin Board keeps you in touch, on a day-to-day basis, with what is happening in the world of Archimedes. Part of it is open for public access, so give it a call on 0603-745932, scrolling, 8n1, up to 2400, 3 lines.
- Archive Shareware / Careware discs. We have a range of over 30 discs of public domain software from various sources. Many of the discs contain several quite substantial programs for as little as £3.50 per disc.
- · Members' Discounts (up to 15% or more) are available on both software and hardware. A single purchase of a £150's worth of software or hardware could save you the complete cost of a year's subscription to Archive Magazine.

If you would like more details please let us know by letter, phone or fax.

Norwich Computer Services

18 Mile End Road, Norwich, NR4 7QY. (0603-507057 / Fax 250095)



TRADE IN YOUR WORKING BBC B AND WE WILL OFFER £125 OR MORE AGAINST ANY OTHER POPULAR MICRO.

ACORN MASTER 128 ARCHIMEDES A3000 400 SERIES ATARI STFM AND STE FROM £260.00

AMIGA A500

£395.00 £599.00 FROM £1099.00 £346.00

A WIDE SELECTION OF PRINTERS AND OTHER PERIPHERALS IN STOCK. PLEASE PHONE FOR PRICES. ALL PRICE ARE EX. VAT.

NEW A3000 LEARNING CURVE PACK NOW IN STOCK.

♦ PC EMULATOR **GENESIS** FIRST WORD PLUS INTRODUCTORY VIDEO

£699 PLUS VAT



A WIDE SELECTION OF SECOND HAND MICROS AND PERIPHERALS FOR SALE

The choice of experience. PLEASE PHONE FOR CURRENT

298-302 PORTOBELLO HIGH STREET **EDINBURGH EH15 2AS**

TEL: (031) 657 3941 (3 LINES) FAX: (031) 657 2988

	OFESSIONAL medes Softw	
Tools#1	£10	FastROM HardReset BEdit Shell BigMode
Tools#2	£10	DiscTree MouseModule FileFinder DisAssembler
Tools#3	£10	BootFileGenerator Setup AutoMount AssRoutines
Paint 16	£10	WatfordDigitser 3D-Part Magnifier Colour Statistic
Paint 256	£129	RiscOsApp Scanners Digistisers (Arvis - Watford) advanced KeyCommands
MacroAssembler	£59	comingsoonaskforit!
DemoDisc	03	pleasesendusaSAE
G.M.A. mbH \ 2000 Hamburg 76 West Germany Te	Wandsbeker Cl	

FREE support with all our systems

*Expert advice! on system purchase

*Expert help! on using your system
*Expert backup! software support and hardware servicing

Consult the experts!

CSS Computer Centre

Unit 3A Townfoot Ind. Est. BRAMPTON Cumbria CA8 1SW **2** 06977 3779


corn

Acorn Qualified dealers and Unix centre

Authorised SJ Networks, installer *Education specialists Government plc and education orders welcome



HINTS AND TIPS



which can be entered and are best in the range 1 to 10. You can also experiment with different equations by altering FNequation and PROCinput. For a rolling demonstration of possible polar graphs, enter and run listing 3.

PRINTING IN A SPIN

Listing 4 is a routine to print text vertically in any screen mode (except 7 of course!). This is often useful when labelling graphs and so on. After assembling the code, the method of use is:

PRINT TAB(X,Y);

*LINE Any old text...

Note the semicolon after the brackets. The text following the *LINE will appear at the screen position (X,Y). The program works by assembling a piece of code at &900 and changing the user vector at &200 to point to this code.

HORIZONTAL TEXT IS BORING!! USE-



A checksum routine is included to report any typing errors and a short demonstration is also given. To print text the opposite way, change the following lines:

540 LDA &80, Y:ROR A

560 LDA &88, X:ROR A

800 LDA #10:JSR wrch

ROL shifts each bit one place to the left, ROR shifts each bit one place to the right and this reverses the letter.

So the text moves down the screen rather than across, Ascii code 10 is used instead of Ascii code 11.

SCREEN

DUMPS

Often it is useful to produce a printed copy of the current screen. Listing 7 is a screen

dump tailored for screen modes 1, 2, 4 and 5. Listing 8 is a mode 0 dump. Both are designed for use with 8-pin printers. To use one of the machine code dumps in your own programs, type in the listing and save. Run the program. When it is finished, type:

*SAVE SDUMP 900 +FF

The machine code part will be saved in a file called SDUMP. To use this in your own programs, you can include a line like this:

50 *LOAD SDUMP and then:

100 CALL &900

when the screen dump is required. Obviously this line should be inserted at the point in the program when the drawing is complete. You can use:

100 *SDUMP

as an alternative, as this both loads and runs the machine code.

The problems with listings 7 and 8, and most other screen dumps, is that the vertical and horizontal scales are different. What appears as a circle on screen is printed as an oval on paper.

Proportional screen dumps print with the same vertical and horizontal scale, so circles are truly round. This sort of facility is absolutely vital for any drawing or painting program.

As they stand, listings 7 and 8 do not produce round circles. The reason for this is that printers print with a vertical spacing of 72 dots to the inch. Thus the circles appear as ellipses.

Newer printers include another graphics command. This is the ESC * code, which will allow several graphics variations. Epson 8-pin printers have seven variations; some printers, the Citizen 120D included, have eight.

This code, with a parameter of five, allows graphics with 72 dots to the inch to be produced, thereby offering true circles. The changes to be made to listing 7 are:

380 LDA #27:JSR printer:LDA #42:JSR printer:LDA #5:JSR printer

Do note that this latter option will not work

on some printers – check your manual to make sure.

Listing 9 is a useful variation on listing 8. By printing the screen sideways, it gives a full-screen proportional screendump. This dump uses the ESC * graphics print mode of a printer with the mode set to 5.

Many printers will only fit this way round, as the dot column width of most printers in proportional mode is 576 dots, and the screen dots are 640 wide by 512 up. The normal printer graphics mode (ESC K) will only print 480 dots wide, so this will not work at all.

One other point on screen dumps. The graphics origin must be set at 0,0 to produce a full screen graphics dump. Otherwise the dump will include areas that are off the screen. These areas will be printed in black.

PART SCREEN DUMPS

Listing 10 is a screen dump that will dump just part of a screen. The dump requires four numbers to be stored in memory before it will work.

These are the screen co-ordinates of the bottom left and the top right-hand corners of the screen area to be printed. They are stored in memory locations &80 to &87 in the following way:

!&80=xmin:!&82=ymin !&84=xmax:!&86=ymax

The! indirection operator is normally used to store a four-byte number, storing the lowest byte first. Storing the hexadecimal number &12345678 using the! operator by entering:

!&80=&12345678 would put


&78 in location &80


&56 in location &81

&34 in location &82

&12 in location &83

The screen co-ordinates are each given as a two-byte number. Putting the next screen co-ordinate into a memory location two





A normal screen dump (left) shows elliptical distortion. Right – a proportional dump

HINTS AND TIPS

bytes further on overwrites two zeros, which are not required.

This is a much neater way than having to split up each co-ordinate into the low-byte number and the high-byte number:

?&80=xmin MOD 256

?&81=xmin DIV 256

There are important differences between listing 10 and the full screen dumps (listings 7 and 8). It is not assumed the dump starts at co-ordinates (0,0) but instead minimum x and y co-ordinates are specified. This is dealt with at start for the x co-ordinate, and at newline for the y co-ordinate.

The number of graphics characters sent

Do note there are no checks in the assembler listing to ensure that the co-ordinates given are sensible.

Therefore, if such a routine is included in a program, then you should ensure that each co-ordinate is in the range of the screen graphics area and that maximum points are greater than minimum points.

BANNER PRINTING

Here's a banner program which will print out a message in giant letters on almost any printer which accepts continuous paper. character. The first is the top row, the second is the second row and so on.

The program therefore needs to separate out the individual bits from each byte of the data, and this is done in a loop. The blocks printed consist of # characters although this can easily be changed by altering the Ascii character in quotes used in the setting of bs.

If your printer has a solid block character, perhaps in the Ascii range 128-255, then you can change the program to use this one. If you can't just type the relevant code, use the CHR\$ function, for example b\$=CHR\$(255).

The program allows for magnification from 1 by 1 to 9, and the vertical and horizontal magnification may be different. Kieran found that 3 by 6 or 4 by 8 gives the best results.

To use the program, switch your printer on and follow the prompts, giving the text string, followed by the magnification. Printing will then commence.

You might like to improve the print quality by inserting the relevant codes for bold type, and so on, immediately after the line starting DEF PROCsideprt.

BANNER!

to the printer on each line also has to be changed.

This is sent to the printer each time a new line is started, and forms part of the 27,42,n1,n2 printer command at newline where n1 and n2 form a two-byte number giving the information to be sent. (See Hints & Tips in the September 1986 issue for a fuller description.)

The number of dots to be sent will be the height of the required screen dump divided by two (because the dump prints sideways). Finally, there is a test to stop the x co-ordinate stored at location &84 and &85. This is done at checkend.

Listing 10 draws a set of random triangles in black on a white background. Then a red rectangle is drawn, and the area inside the rectangle is dumped to a printer. The rectangle is only drawn for the purpose of the demonstration and serves no useful part in the program.

The size of the dumped area can be changed to suit a particular application. It should be noted that as in the x direction the screen dump scans across 16 pixels, a few dots might appear outside the rectangle. These will always appear at the bottom of the printout.

The listing can be saved as an assembler listing by running the program and then typing:

*SAVE PDUMP 900 + FO

Then to use the dump, enter the two sets of co-ordinates into the zero-page locations as described above, load the dump into memory and call it up using:

CALL &900

As an alternative to loading the dump at the start it can be loaded and run from disc by using:

*LOAD PDUMP

There's no need for the printer to be Epson compatible, so long as the printing is done using text only.

The program, listing 11 on the yellow pages, is fairly short and neat. It works by taking a string, one character at a time. It reads the definition of the character with Osword 10, a call to an operating system which uses a parameter block (an area of memory), to store its results.

All Osword calls work by setting the X and Y registers to the address of the parameter block. Addresses on the Beeb consist of two bytes, and the X register is set to the low byte, and Y to the high byte. In Kieran's program he has used location &70 for the block. So X is &70 and Y is zero. You don't have to use a zero page location, but this is a good place as it's a memory area not used by Basic.

Note that in the program, the Osword call assigns Basic variables X% and Y%. Doing this before a CALL on USR statement sets up the values of the X and Y registers immediately before the machine code call is made.

Osword 10 works by placing an Ascii code in the first byte of the parameter block, then making the call (which from Basic is always CALL &FFF1).

After the routine has finished, the next eight bytes of the block, in this case &71 to &78, are filled with bytes representing the pattern of the character.


The bytes follow the same format as those used in the VDU 23 statement which defines new characters, and a side effect of the program is that if any characters are redefined, then the banner will show their redefined forms.

When the definition is known, each byte in the parameter block represents a row of eight pixels making up the shape of the

TEXT FORMATTING ROUTINES

Programs which print a lot of text on the screen can be enhanced by the text formatting procedure given in listing 12 on the yellow pages.

Wordprocessors normally offer four options for text display: left-ranged, right-ranged, justified and centred. PROCformat



provides the same facilities, taking a line of text up to 255 characters long and output it as a paragraph in the desired way.

PROCformat takes four parameters – the indent (positive or negative), line length, target string and style – 'RIGHT', 'CENTRE' or 'JUSTIFY'. Anything else is treated as ordinary left justification. Listing 12 includes a short demonstration of the possibilities.

The indent can be negative for a hanging indent or 0 for none and the line length must not exceed the width of the screen. The string to be printed should not contain RETURNS or control characters.

PINEAPPLE SOFTWARE

The Pineapple Software Real Time Colour Video Digitiser

des but very few can accurately claim to fit the above description. The requirements are that it must be able to 'grab' a single field of video information from a colour moving source, such as a video recorder, TV, or video camera, and then process the image and display it on the computer screen.

The Pineapple Digitiser does just this, - and at a price which is less than some Digitisers which can only

HARDWARE

The hardware consists of a double width podule which fits inside a 300 or 400 series Archimedes, and comprises a PAL colour decoder, 256K memory and various control and interface circuitry. The PAL decoder converts the input signal from your TV or video recorder into separate red, green and blue signals. These are then converted into digital form and stored in the 256K ram in a format giving 512 pixels across the picture and 256 rows vertically. The video signal in the ram is constantly changing at the same rate as the incoming video picture until the podule receives a signal from the computer to 'freeze'. At this point the last picture in the rem is frozen and can be transferred to the computer screen in many different ways depending on which software commands are issued.

SOFTWARE

The software to drive the podule is supplied on disc in the form of a relocatable module. This provides a host of additional ** commands and SWI's which can be used even by inexperienced programmers to produce very impressive displays of live pictures or ones previously saved on disc. For non-programmers, ready written programs are provided to explore all the features of the Digitiser and produce 'Sprite' images which can be used in many other applications and 'Art' packages. The software is very easy to use and scaling routines are provided which allow you to manipulate the grabbed image by selecting any part of the picture (using a box drawn on screen controlled by the mouse) and placing it on any area of the screen, again using a box to select the position and size. This enables multi-picture images to be produced very rapidly using either live pictures or ones you have previously saved on disc. The 80 page handbook provides full details of how to implement the commands even for the inexperienced programmer.

EDUCATION

The Digitiser has many uses in education. The software commands can show many of the effects typical of the digital storage of TV pictures which can help to explain the way in which TV works. It can also be used to produce powerful audio-visual displays tailored to your own requirements from images captured using video cameras etc. For younger children, programs can be created to help learning by giving high quality visual images of animals, birds, trees etc, built into a 'quiz' format. The possibilities here are endless.

FUN & GAMES As well as showing off to all your friends who don't have an Archimedes, what a great computer it is, you can use the Digitiser to produce images for all sorts of games and visual demonstrations. Games such as 'Guess the Celebrity' or 'Guess the Advert' can be produced by even inexperienced programmers, simply by 'grabbing' all the necessary images from TV and saving to disc.

er	EC	15	104	71	OM

Video Inputs Pal coded video, .75 Volts – 2·5 Volts pk to pk R, G, B & sync input

All inputs may be terminated by internal DIP switches

Storage system

Standard version 4 bits Red, 4 bits Green, 4 bits Blue - 192KRam Extended version 5 bits Red, 6 bits Green, 5 bits Blue – 256K Ram

The Digitiser harware allows the full screen area normally viewed to be stored in the podule ram. Horizontal shift, Vertical shift and width can be

adjusted internally if required.

PAL Decoder The PAL decoder provides manual control of Brightness, Contrast and

Saturation, combined with full auto saturation control.

OUESTIONS & ANSWERS

- Q What is the difference between the 12 bit and 16 bit version?
- A The 12 bit version can produce very high quality pictures, those shown on this page were produced that way, but 16 bits can give even better results particularly in high resolution screen modes.
- Q Why have an R, G, B input?

Picture Area

- For those who have professional video cameras capable of producing R, G, B outputs, the R, G, B inputs can give significantly better results than the PAL inputs by avoiding the coding-decoding process. This removes some of the defects of the PAL system such as cross-colour, and also reduces noise'
- Is a moving picture available?
- A Yes, you can show a real live moving TV picture on the computer screen. This means that if you are using a video camera or recorder as an input source then you don't need a separate monitor to frame up the picture
- A Yes, we can provide an inexpensive adaptor box which will enable the digitiser to work on the A3000 computer
- Q -Are the controls difficult to set up?
- A -No, the three controls are exactly the same as on a normal TV set, Brightness, Contrast and Colour (Saturation). They may appear difficult to get at as they are at the back of the computer, but once set to y preference the brightness and colour should not require further adjustment, and the contrast (which is the easiest to get at) will only need adjusting if the video input source is changed.
- Q -Does it take a long time to Digitise a full screen colour image?
- A -Not really, a full screen image takes just 6 seconds on a standard 310, and reduced size images take proportionately shorter times.
- Q -What software commands are built into the module?
- A -The software is under continual development and updates will be made available under our usual updating schemes (i.e) most updates are free), but the currently available commands are: -Average, Bits, Default, Digitise, Flip, Focus, Freeze, Image, Loadscreen, Loadsprite, Loadvideo, Mono, Moving, Negative, Noise, Outline, Palette, Primary, Restorescreen, SavesIM, Savescreen, Savesprite, Savevideo, Screenarea, Setvideo, Unfreeze, Videoarea.

BBC PCB Designer

This ever popular Rom based PCB designer is suitable for all BBC micros It's fast high density 1:1 scale print routine allows prototype boards to be made directly from a printout, and a 2:1 scale print may also be used to produce professional quality boards. A second Eprom is optionally available to add a powerful auto-track routing facility to the program. This utilises a 'rats-nest' input rountine and allows any component to be 'picked up' and moved around the board without having to re-specify component interconnection.

The full auto-route facilities are available even on a standard unexpanded

model 'B'


PCB Autoroute is remarkable. No similar software comes near the price. ACORN USER Aug 88

PRICE

Manual track routing Auto track routing

£85.00 £185.00 £35.00 Plotter Driver P&P Free

Still available at new discounted price! DIAGRAM II £25.00 !!!





A Multi Picture Imag



- 'Pineapple has produced one of the 'ultimate' Computer Video Digitisers' -
- The Pineapple Colour Digitiser looks to be one of the most professional products yet to

Prices

Standard £285.00 Extended £315.00

A3000 Adaptor Box £65 POSTAGE AND PACKING FREE

ADFS Utilities Rom


ADU is an invaluable utility for all ADFS users. It adds over 22 new *

	Marconi	Tracker Balls
RB2/101	Bare for BBC£49.83	Mousetrak adapter to enable 101 and 101+ to work
RB2/101+	With software£54.83	
RB2/115	Archimedes£49.83	with Mouse software
RB2/107	Atari ST£49.83	Archimedes adapter to enable 101, 101+ to work with
RB2/109	Amiga£49.83	Australia
RB2/110	Nimbus£49.83	Archimedes£19.95
RB2/306	IBM PC/XT/AT£99.66	Postage & Packing on Tracker Balls£1.75





Acom User - April 90



THE · PURE · CLASSIC

The Tempest, a pure classic. But, we're not talking about that play by William Shakespeare. Or the endless TV adaptations of the same. Our Tempest is on a different screen. It's a desk top publishing package from Clares. But like all classics it sets standards and a style that will always be ahead of the competition.

It is fully RISC OS compatible using the Outline fonts and RISC OS printer drivers.

It has been designed specifically to run on a 1 megabyte BBC A3000 or Archimedes 310 without sacrificing



any features or quality.

On an Archimedes 400 series with extra memory you can run *Tempest* and have a bigger font cache as well as huge documents.

Users of the Acorn DTP can be using Tempest fully within one hour. And although Tempest is more sophisticated than ADTP the initial menus are similar. But it's a lot faster than ADTP. And that's just act one. There are many more star features that allow you to produce a masterpiece from any Desk Top Publishing task.

Tempest DTP. You'll be hooked on this classic.

Special Introductory Offer – £129.95 (inc vat) Education £99.55 (plus vat)



A Classic Desktop Production



98 Middlewich Road, Rudheath, Northwich, CHESHIRE CW9 7DA. Telephone: 0606 48511 Fax No: 0606 48512

YELLOW PAGES

COMPATIBILITY

Program	Page	ввс в	B+/128	Master 128	Master Compact	Electron	Are	6502SP/ Turbo	ADFS	Econet	Shadow Ram	Monthly Disc
Music	30											
Listing 1(1)			=	п					В			
Risc Revue	30				point a section							
Listing 1-3												
Genetics	64											
Listings 1-2												
Image Analysis	68										ma Hill	
Listings 1-2			88	100								
Windows	71											100
Listing 1-3	diyelet						Total Car					
Crazy Characters	74				The Search	A STATE OF					les de la constitución de la con	
Listings 1-2(2)						1444		В	-			
Classic Eight Bits	81			declare of								
Listings 1-13												

Note: (1) requires Ample (2) requires sideways Ram

MUSIC

```
Listing 1
```

```
"RUN" [] "electom" [] "fullreed" []
"guit" [] "maracca" [] "mix" []
"mix" [] "mix" [] "partid" []
"partla" [] "parte" [] "partid" []
"part2a" [] "part2b" [] "part2d" []
"part2a" [] "part3d" [] "part3b" []
"part3c" [] "part3d" [] "part4d" []
"part4b" [] "part6d" [] "part4d" []
"part5d" [] "part5d" [] "part5c" []
"part5d" [] "part5d" [] "part5d" []
"part5d" [] "part5d" [] "part6d" []
"part6d" [] "part5d" [] "part6d" []
"part6d" [] "part6d" [] "part6d" []
"part6d" [] "part6d" [] "part6d" []
"part6d" [] "part6d" [] "part6d" []
"pufflute" [] "rhyt" [] "snane" []
"title" [] "x" [] "z" []
                                                                                                               SHARE 1 VOICES
electom
4 SHARE 1 VOICES
Simpleins
PNUM SHARE
                                                                                                               3 SHARE 1 VOICES
                                                                                                               "mix1" LMSMIX
5 SHARE 3 VOICES Ringsyn
96 VOL
6 SHARE 1 VOICES fullreed
114 VOL
PNUM SHARE
 "RUN" [title "123456-d1a2b1ac"PLAY
                                                                                                               "mix2" [MSMIX
5 SHARE 3 VOICES pufflute
112 VOL
6 SHARE 1 VOICES guit
 "electom" [2 CHANS
 1 CHAN
 Metal Flat
255 FM -20 PITCH
2 CHAN
                                                                                                                   124 VOL
                                                                                                                PNUM SHARE
Pure Drop
-112 SHIFT
EVERY CHAN
                                                                                                              "part1a" [64=L
16 FOR( -3 Len 24, 1:ccccccc )FOR 0,^
]
                                                        128 AMP
 "fullreed" [2 CHANS
HOLLOW FLBT
450 SHIFT ON SYNC
2 CHAN
HOLLOW Delvib
128 AMP
                                                                                                               "part1b" [40=L
18 FOR( 24,0:ccccccc )FOR
                                                               Soft
                                                                                                               "part1c" [192,^^ -3 Len 24,0:ccccccc c^^^c^
                                                        Soft
                                                                                                               "part1d" [192,^^ 24,ø:ccccccc
 "guit" [2 CHANS
1 CHAN
                                                                                                               "part2a" [64=L
16 FOR( 24,//X//X/X )FOR
   Pure
2 CHAN
Broad
EVERY CHAN
Delvib Verylong
ON PHSET 128 AMP
                                                                                                               "part2b" [50=L
11 FOR( 48,/X/X )FOR
48,/X/24,XX
5 FOR( 48,/X/X )FOR
"maracca" [2 CHANS
1 CHAN
ON RM
2 CHAN
-400 SHIFT
EVERY CHAN
                                                                                                                                  48,/X/24,XX
                                                                                                               "part2c" [192,^^ 24,0://X///X/ X^^^X^]
                                                                                                               "part2d" [192,^^^24,0://X///XX
   Metal Drop Puff
-24 PITCH ON PSENS OFF PHSET
                                                                                                              "part3a" [64=L 12,
7 FOR( -2:6G6/D/g/ ggg/D/g/
D///ggg/ D/D/ggg/ )FOR
-2:6G6/D/g/ ggg/D/g/
Ø:CC/Cgg/g dd/dgg/g
"mix" [M5MIX 48,125=T
1 SHARE 1 VOICES
maracca 116 VOL
2 SHARE 1 VOICES
snare 124 VOL
```

```
"part3b" [50=L 24,

3 FOR( -1:CC/C/C// gg/g/g// )FOR

-1:CC/C/C// !CC~gddgg

4 FOR( -1:CC/C/C// !CC~gddgg

-1:CC/C/C// !CC~gddgg
  "part3c" [192,^^ 48, 145=T
12,-2:GGG/D/g/ ggg/D/g/ 24,g^^^g^
 "part3d" [192,^^^ 96,^12,-1:GG/Gdd/d
"part4a" [64=L -12 Len 24,
4 FORC -1:C^/C^C^C g^/g^g g )FOR
-2:A^/A^A^A d^/dodod
-2:A^/A^AA d^/dodod
-2:G^/G^G^G f f/fofof
-2:G^/G^G^G f f/fofof
"part4b" [5@=L
2 FOR( 24,-2:G//GG/// d//dd/// )FOR
24,-2: A//AA/// d//dd///
G//GG/// G^^^^^^
G//GG/// d//dd///
G//GG/// d//dd///
G//GG/// d//dd///
G//GG/// d//dd///
G//GG/// d//dd///
G//GG/// d//dd///
 "part4c" [SCORE 48,-1:D/// D/// 24,g/gg/ggg g^^^!g^ ]
  "part4d" [192,1:G///
  "part5a" [64=L -6 Len
0,
4 FOR(0: E(GB) rhyt d(+FB) rhyt )FOR
2 FOR(0: E(GC) rhyt 0: +F(AC) rhyt )FOR
2 FOR(0: D(+FB) rhyt 0: C(FA) rhyt )FOR
  "part5b" [50=L 48, -4 Len.
2 FOR(0: z D(+FB) z x
z c(EA) z x )FOR
z c(EG) z x
                          z c(+FA) z x
z b(D+F) z x
z D(0+F) z x
b(0+F)zzz
z D(F+A) z x
z +D(G+A) z x
z c(+FA) z x
z c(+FA) z x
2 FOR(Ø: z D(+FB) z x
```

```
z c(FA) z x )FOR
b(D+F)zzz
  192,z
 "part5c" [48, Ø:z/C(12,+FA)/ ////
Ø, D(GB)rhyt
24, D(GB)zzz g(BD)z
   "part5d" [192,1:^/
 3
"part5f" [64=L 24, -12 Len
4 FOR(Ø: z/ E(GB)z/E(GB)zE(GB)
z/ d(+FB)z/d(+FB)zd(+FB) )FOR
2 FOR(Ø: z/ E(GC)z/E(GC)zE(GC)
Ø: z/ +F(AC)z/+F(AC)z+F(AC) )FOR
Ø: z/ 0(+FB)zD(+FB)zD(+FB)
Ø: z/ 0(+FB)zZD(+FB)zD(+FB)
Ø: z/ 0(+FB)zZD(+FB)zD(+FB)
Ø: z/ 0(+FB)zZD(+FB)zD(+FB)
Ø: z/ C(FA)zzC(FA)zC(FA)
 Ø, z
"part6a" [K( +F )K

"64=L -2 Len
-1: 12, ^/// BED/ /// ///

©: 24, /CbG d/// /ccD DEEF FFGd /b//

©: 24, /FFE eddb
0: 12, /// GBB /// ////

24, /Cag ABf/
0: 24, G/// ///Ag fd/d /d/d
0: 24, G/// /// /// Ag fd/d /d/d
0: 12, GAB/ /// /// ag/
24, =f=f=f=f=f=f
0: 12, GAB/ /// /// ag/
24, =f=f=f=f=f=f
0: 12, GAB/ /// /// a/g/
24, =f=f=f=f=f=f
"part6b" [5$=L K(+f)K

12, -1: BaB/ /// //// ///

24, /8/C /8/a g/// gfeF

24, /d///// G/// /fG

24, /d///// BC bb/b /// /92,^

24, 0: +A+A/+A /// +A+A/+A //g=F+d

dd/d //// dd/d /cbC

b//b b/// a//a a///

B//B B/// a//a a///
 "part6c" [-2 Len K(+F)K
24,0:F/^/ //FG A/A/ g/f/
G^GG ^GGG G^^^ g^
  "part6d" [192,1:^^^
```

Continued ▶

YELLOW PAGES

MUSIC

⋖ Continued

"pufflute" [2 CHANS 1 CHAN HOLLOW Flat Puff ON RM 193 SHIFT 2 CHAN Pure Slowvib Tailed EVERY CHAN 128 AMP J

```
"rhyt" [24, z z x z z x z x Ø,
]
"snare" [2 CHANS
1 CHAN
ON RM
2 CHAN
-400 SHIFT
EVERY CHAN
Metal Drop Short
```

RISC REVUE

Listing 1

```
10 REM >Interfere (RR1)
20 REM Interference Patterns
30 REM by Simon Levitt
40 REM for Archimedes Only
50 REM (c) BAU July 1990
        70 MODE 13
    70 MODE 13
80 ON ERROR PROCEFFOR
90 *FX 4,1
100 CLEAR
110 startX=TRUE
120 REPEAT
130 *FX 113,1
140 *FX 112,1
150 PROCEDURE
       16Ø PROCanimate
       17Ø start%=FALSE
      200 DEF PROCHOUSE
      220 IF start% THEN
     230 PROCinputdetails
240 PROCdrawcrosses
250 ENDIF
260 PROCdrawcrosses
      270 REPEAT
     270 REPEAT
280 MOUSE XX,YX,ZX
290 acxX=XX/4\acyX=YX/4
300 PROCvariable(800,1016,0,"X Co-ord:
    ",acxX*zcomX-(sizeX/2))
310 PROCvariable(800,980,0,"Y Co-ord:
    ",acyX*zcomX-(sizeX/2))
320 PROCvariable(0,1016,1,"(S)ource:
    "sex")
                 sceY)
      330 PROCvariable(0,980,2,"(A)mplitude:
     ",amp%)
34Ø PROCvariable(Ø,944,3,"(F)requency:
                     freg%)
       350 PROCvariable(0,908,4,"(Z)oom:
       zoomX)
360 IF ZX=1 OR ZX=4 THEN PROCmovecross
370 mmpX(sceX)=ampX:freqX(sceX)=freqX
380 WAIT
       380 WAIT
390 PROCKeys
400 UNTIL ZX=2
410 PROCSetupsources
420 ENDPROC
430 :
430:
430:
430 DEF PROCmovecross
450 PROCcross((xcent%(sce%)*4)/zoom%,(
ycent%(sce%)*4)/zoom%,FALSE,zoom%)
460 xcent%(sce%)*=acx%*zoom%
470 ycent%(sce%)*=acx%*zoom%
480 PROCdrawcrosses
490 ENDPROC
500:
510 DEF PROCdrawcrosses
520 FOR IX=1 TO noofsources%
530 PROCcross((xcent%(IX)*4)/zoom%,(ycent%(IX)*4)/zoom%,TRUE,zoom%)
540 NEXT
        540 NEXT
550 ENDPROC
560 :
570 DEF PROCinputdetails
        58Ø GCOL 63 TINT 255
59Ø INPUTTAB(Ø,Ø);"No. of sources";noo
  599 INPUTTAB(Ø,Ø);"No. of sources";noo
fsources;
600 REPEAT
610 INPUTTAB(Ø,Ø);"Display size (pixel
sq) (64/128/256)";size%
620 UNTIL size%=64 OR size%=128 OR siz
        63Ø PROCVariables
64Ø VDU 5
65Ø ENDPROC
66Ø :
        660 :

670 DEF PROCKeys
680 incrX=0:drawcrossX=FALSE
690 charX=INKEY(0)
700 IF charX=33 chaX=1
710 IF charX=65 chaX=2
720 IF charX=70 chaX=3
730 IF charX=70 chaX=3
730 IF charX=90
```

```
770 WHEN 1:sce%+=incr%
  //W WHEN 1:sec%+=incr%
780 WHEN 2:smp%+=(incr%+25)
790 WHEN 3:freq%+=incr%
800 WHEN 4:oldz%=zoom%:zoom%=zoom%*(2^incr%)
810 ENDCASE
820 FINE SEC%
          810 ENDCASE
820 IF sceX>noofsourcesX sceX=1
830 IF sceX<1 sceX=noofsourcesX
840 IF ampX>200 ampX=50
850 IF ampX>50 ampX=200
850 IF ampX<50 ampX=200
860 IF freqX>12 freqX=1
870 IF freqX<1 freqX=1
870 IF freqX<1 freqX=1
900 IF zoomX>8 zoomX=1
900 IF incrX>00 THEN
910 IF chaX=1 THEN
920 freqX=freqX(sceX)
             910 IF chaX=1 THEN
920 freqX=freqX(sceX)
930 ampX=ampX(sceX)
940 ENDIF
950 IF chaX=4 PROCredrawcrosses
960 ENDIF
96# ENDIF
97# ENDPROC
98# :
99# DEF PROCredrawcrosses
10#0# FOR IX=1 TO noofsourcesX
10** PROCCross(XccentX(IX)**4)/oldzX,(ycentX(IX)**4)/oldzX,FALSE,oldzX)
10**20 PROCCross((XcentX(IX)**4)/zoomX,(ycentX(IX)**4)/zoomX,TRUE,zoomX)
10**30 NEXT
10**4# ENDPROC
10**50 :
           1060 DEF PROCvariable(xpos%,ypos%,opt%,
 1060 DEF PROCVARIABLE(xpox%,ypox%,opt%,
string$,var%)
1070 ORIGIN 0,0
1080 MOVE xpox%,ypox
1990 IF chox=opt% THEN GCOL 3 TINT 0 EL
SE GCOL 63 TINT 255
1100 PRINTstring$;CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);DHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(127);CHR$(12
             1140
    1140 :
1150 DEF PROCCross(x%,y%,draw%,zoom%)
1160 IF draw% THEN GCOL 63 TINT 255 ELS
E GCOL 0 TINT 0
1170 xorigin%=(1280-((size%*4)/zoom%))/
  2
1180 yorigin%=(1024-((size%*4)/zoom%))/
          1190 ORIGIN xorigin%,yorigin%
1200 MOUSERECTANGLE -xorigin%,-yorigin%
1280,1024
           1280,1024
1210 RECTANGLE 0,0,(size%*4)/zoom%
1220 LINE x%,y%-(32/zoom%),x%,y%+(32/zo
             1230 LINE x%-(32/zoom%),y%,x%+(32/zoom%
     ),y%
1240 GCOL 63 TINT 255
1250 ENDPROC
             1260
             1260 :
1270 DEF PROCMOUSEWAIT
1280 REPEAT
1290 MOUSE XX,YX,ZX
1300 UNTIL ZX=0
1310 ENDPROC
              133Ø DEF PROCvariables
134Ø DIM dist% 18Ø*noofsources%,bascol%
             1350 DIM space size%*size%*noofsources%
1360 DIM xcent%(noofsources%),ycent%(no
       ofsources%)
              1370 DIM amp%(noofsources%), freq%(noofs
     1370 DIN ampx(nootsourcesx); Treourcesx)
1380 DIN colourx 16,codex 2048
1390 ampx=50:freqx=1:chax=2
1400 screenx=1:scex=1:zoomx=1
1410 incx=400/15
1420 #fx 112,2
```

1420 *FX 112,2 1430 CLS 1440 *FX 112,1 1450 CLS 1460 RESTORE

147¢ FOR IX=¢ TO 15 148¢ READ colourX?(IX)

```
1500 FOR IX=0 TO 45
1510 READ bascol%(I%)
        1520 NEXT
1530 PROCarmcode
1540 CLS
1550 *POINTER
     1350 *POINTER
1560 FOR IX=1 TO noofsourcesX
1570 ampX(IX)=ampX
1580 freqX(IX)=freqX
1590 NEXT IX
1600 ENDPROC
1610 :
1628 DEF PROCsetupsources
1638 ORIGIN 0,0
1648 GCOL 3 TINT 255
1658 HOVE 164,528
1668 PRINT "Setting up sources-please wait"
1678 *FX 112,2
1688 CALL setup
1698 FOR KX=1 TO noofsourcesX
1708 FOR IX=0 TO 180
1718 colX=7+(ampX(KX)*SIN(RAD(freqX(KX)*IXX4))) DIV incX
1728 distX?((188*(KX-1))+IX)=colX
1738 NEXT
1748 mindistX=(SOR(2*2^30))
        1620 DEF PROCsetupsources
  1739 NEXT
1749 mindistX=(SQR(2*2*3$))
1759 maxdistX=0
1769 PROCchecklimits(SQR(xcentX(KX)*2+y
centX(KX)*2))
1779 PROCchecklimits(SQR(xcentX(KX)*2+(
  1779 PROCchecklimits(SQR(KcentX(KX)^2+(
ycentX(KX)-sizeX)^2))
178Ø PROCchecklimits(SQR((xcentX(KX)-si
zeX)^2+(ycentX(KX)-sizeX)^2))
1799 PROCchecklimits(SQR((xcentX(KX)-si
zeX)^2+ycentX(KX)^2))
        1800 PROCcheckifcornerisnearest
1810 FOR IX=maxdistX*4 TO mindistX*4 ST
  EP -4
1829 poloolX=((IX/4) MOD 180)
1839 GCOL bascolX(poloolX DIV 4) TINT 6
4*(poloolX MOD 4)
1840 CIRCLE FILL xcentX(KX)*4,(10/24-(sizeX*4))+ycentX(KX)*4,IX
1850 MeXT
1860 AX=space+((KX-1)*(sizeX^2))
1870 CALL setarray
1830 MeXT
1809 ENDPROC
1900 :
          1910 DEF PROCcheckifcornerisnearest
    1920 fleg%=FALSE
1920 fleg%=FALSE
1930 IF xcent%(K%)>=Ø AND xcent%(K%)<=s
ize% THEN
  1936 If XCHIKKX)>=9 AND XCHIKKX>>=3
128X THEN
1946 flogX=TRUE
1956 If ycentX(KX)>$\sizeX THEN mindistX=\sizeX
1966 IF ycentX(KX)>sizeX THEN mindistX=\sizeX
1976 ENDIF
1986 IF ycentX(KX)>=\sizeX
1976 ENDIF
1986 IF ycentX(KX)>=\sizeX THEN
1996 IF xcentX(KX)>=\sizeX
2\sizeX THEN
2\sizeX THEN
2\sizeX THEN
1996 IF flogX THEN mindistX=\sizeX
2\sizeX THEN
2\sizeX THEN
1996 IF xcentX(KX)>\sizeX THEN mindistX=\sizeX
2\sizeX THEN
2\sizeX THEN
2\sizeX THEN mindistX=\sizeX
        2020 ENDIF
2030 ENDPROC
2040 :
2050 DEF PROCanimate
         2060 CLS
         2070 PROCswap
2080 REPEAT
       2000 REPEAT
2000 CALL setup
2100 AX=noofsourcesX
2110 BX=sizeX
2120 AX=USR(display)
2130 PROCswap
       2136 UNTIL INKEY(-99)
2150 ENDPROC
2160 :
2170 DEF PROCSWap
2180 OSCLI"FX112,"+STR$(screen%)
2190 screen%=3-screen%
```

```
221Ø OSCLI"FX113,"+STR$(screen%)
  2210 OSCLI"FX113,"+STR$(screen%)
2220 CLS
2230 ENDPROC
2240 :
2250 DEP PROCchecklimits(distance%)
2260 IF distance%>maxdist% THEN maxdist
   2270 IF distance%<mindist% THEN mindist
%=distance%
228Ø ENDPROC
229Ø :
   2300 DEF PROCERTOR
2310 VDU 4:CLS:OFF
2320 IF ERR=17:IF INKEY-1 MODE 13:END E
LSE ENDPROC
    233Ø IF ERR=11 THEN
234Ø PRINTTAB(Ø,Ø);"Not enough memory f
or all arrays"
2350 PRINTTAB(10,1); "Press any key"
     236Ø g=GET
237Ø ENDPROC
    2380 ENDIF
2390 *FX 112,1
2400 *FX 113,1
2410 PRINT REPORT$;" at line ";ERL
     2420 END
      243Ø ENDPROC
     2440 :
2450 DEF PROCarmcode
2460 FOR pass=0 TO 2 STEP 2
2470 PX=codeX
2480 [OPT pass
    2409 setup
2500 STHFD R13!,(R14)
2510 ADR R0,screen
2520 ADR R1,screenad
2530 SWI "OS_ReadVduVariables"
2540 LDHFD R13!,(R15)
 2549 LDHFD RT3!, (RT5)
2559:
2559:
2559:
2559:
2559:
2559:
2579 SWI "OS RemoveCursors"
2588 STHFD RT3!, (RT4)
2599 LDR RT2, screenad
2600 HOV RT1, R0
2610 HOV RT0, H0
2630 HOV RT1, R0
2630 Loopa
2640 HOV R7, H0
2650 Loopa
2650 Loopa
2660 HOV R8, H320
2670 HUL R8, RT0, R8
2680 ADD R8, R8, R9
2690 LDRB R7, LR12, R8]
2700 STRB R7, LR12, R8]
2710 ADD R6, R6, H1
2720 ADD R9, R9, H1
2720 ADD R9, R9, H1
2730 CHP R9, H31ex-1
2740 EDD Loopa
2750 ADD R6, R6, H1
2760 ADD R10, R10, H1
2770 CHP R10, H31ex-1
2780 BLO Loopa
2790 LDHFD RT3!, (RT5)
2800 :
2810 . display
2820 STHFD RT3!, (RT4)
2830 LDR RT2, screenad
2840 LDR R11, spacead
2850 LDR R11, spacead
2860 LDR R16, H1 H(SizeX*(sizeX-1))
2890 HOV R4, H(SizeX*sizeX)
2900 HOV R4, H(SizeX*sizeX)
2900 HOV R8, H(SizeX=2)
      2990 .loop
2910 MOV R8,#(sizeX-2)
2920 MOV R3,#0
2930 .loop1
2940 MOV R9,R11
     2940 NOV R9,R10
2950 NOV R5,R10
2960 .loop2
2970 LDRB R6,EP3
2980 SUBS R6,R6,#1
rward for each frame
2990 ADDMI R6,R6,#180
3000 STRB R6,EP3,R4
3010 LDRB R6,EP5,R6]
                                                                                           \No. of steps fo
        3020 ADD R3, R3, R6
```

BBC ACORN USER JULY 1990

740 IF char%=139 incr%=1 750 IF char%=138 incr%=-1 760 CASE cha% OF

RISC REVUE

⋖ Continued

```
3030 ADD R5,R5,#180
3040 CMP R5,R0
3050 BLO Loop2
3060 HOV R9,#0
3070 HOV R5,#noofsources%
   3080 .div
3090 SUBS R3,R3,R5
   3100 ADD R9,R9,#1
3110 BPL div
 3120 LDRB R9,[R2,R9]
3130 STRB R9,[R12],#1
3140 ADD R11,R11,#1
3150 SUBS R8,R8,#1
3156 BPL (Loop1

3176 ADD R11,R11,M1

3186 ADD R12,R12,#(320-(sizeX))

3190 ADD R12,R12,#1

3206 CHP R11,R7

3210 BLO (Loop

3226 LDHFD R13!,(R15)
 324Ø .screen
325Ø EQUD 148
326Ø EQUD -1
```

```
3270 screenad
   328Ø EQUD ØØ
329Ø .distad
33ØØ EQUD dist%
331Ø .spacead
3310 .spacead
3320 EQUD space
3330 .colad
3340 EQUD colour%
3350 ]
  336Ø NEXT
337Ø ENDPROC
3380 :
3390 REH Height Colour Data
3400 DATA 0,1,2,3,44,45,46,47,208,209,2
10,211,252,253,254,255
3410 :
3420 REH Screen Colour Data
3439 DATA 0,1,16,17,2,3,18,19,4,5,20,21
6,7,22,23,8,9,24,25,10,11,26,27
3449 DATA 12,13,28,29,14,15,30,31,32,33
,48,49,34,35,50,51,36,37,52,53,38,39
```

Listing 2

```
10 REM >Confirm (RR2)
          20 REM by Dave Acton
30 REM for Archimedes Only
40 REM (c) BAU July 1990
50:
60 MODE 0
70 *POINTER
80 PRINT"My dog's got no nose."
90 PRINT"Do you really want to know h
wit smells?"
100 IF FNconfirm PRINT"Terrible!" ELSE
PRINT'I won't tell you then."
110 *POINTER 0
120 END
130:
140 DEF FNconfirm
       130 :
140 DEF FNconfirm
150 SYS "OS Confirm" TO ;flags%
150 =(flags% AND 4)>0
```

Listing 3

```
10 REM >Checkfile (RR3)
           20 REM by Dave Acton
30 REM for Archimedes Only
40 REM (c) BAU July 1990
          60 chunk%=&1000
70 DIM work% chunk%
80 REPEAT
90 INPUT"Checksum which file? "file$
90 INPUT"Checksum which file? "file$
100 inX=OPENIN(file$)
110 UNTIL inX>0
120 PRINT"Checking..."
130 check*=0
140 UNTIL inX>0
140 UNTIL ENT EOF#inX
150 SYS "OS GBPB",4,inX,workX,chunkX T
0,,notreadX*
160 readX=chunkX-notreadX
170 IF readX>0 THEN SYS "OS_CRC",check
X,workX,workX+readX,1 TO checkX
180 ENDWHILE
        18Ø ENDWHILE
19Ø CLOSE#in%
2ØØ PRINT"Checksum is ";check%
```

GENETICS

```
Listing 1
     1000 REM GREGOR
1010 REM Genetic algorithm-based curve-
 matching program
1020 REM by William Bains
1025 REM for B/B+/M/C/A
1026 REM (c) BAU July 1990
      1040 DIM pop$(50), score(50), arith$(4)
answer(100,3), temp(50), var$(20)
      1060 REM Program setup
1070 :
1080 ariths(1)="+": ariths(2)="-": ariths(3)="*": ariths(4)="/"
1090 FOR i=1 TO 5: var$(i)="x": var$(i+5)="y": NEXT
1100 FOR i=1 TO 9: var$(10+i)=STR$(i):
 NEXT 1110 totpop=20: maxlen=70: sexprob=1.5: best=1000000 1126 FOR i=1 TO totpop 1120 FOR i=1 TO totpop 1130 pos(i)=yar$(RND(19))+arith$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var$(RND(4))+var
 ND(19))
                                     score(i)=100000
        1150 NEXT
 1170 REM Input the values aginst which the equation is to be matched
      1109 INPUT "How many data points do you
intend to enter ";dat
1200 PRINT: PRINT "Please enter x,y,z v
 alues "
1210 FOR i=1 TO dat
1220 INPUT answer(i,1),answer(i,2),answer(i,3)
      123Ø NEXT
      1250 REM Display the start screen
1260 :
     1270 CLS: FOR point=1 TO totpop
1280 PROCCIS
                                    PROCdis
      129Ø NEXT
13ØØ :
     1300 :
1310 REM The main program.
1320 REM This selects the member of 'po
$' which has the highest score
1330 :
     1349 FOR i=1 TO totpop
1350 FOR i=5 To totpop
1360 IF score(i)>mx THEN mx=score(i):
target=i
1370 NEXT
1399 REM Now we either mutate or sexual
ly replace the target 'pop$'
1400:
1410 k=RND(sexprob+1)
1420 IF k>=2 THEN PROCSEX: GOTO 1450
1430 point=RND(totpop): IF point=target
THEN GOTO 1430
      1440 PROCutute
1450 pop$(target)=new$: point=target
1460:
1400 :
1470 REM And this section values and di
splays the new string
1480 :
1490 score(target)=0
     1500 ON ERROR GOTO 1660
1510 j=1
                          x=answer(j,1): y=answer(j,2)
z=EVAL(pop$(target))
```

```
1540 score(target)=score(target)+ABS(
z-answer(j,3))
1550 j=j+1
1560 IF jc=dat THEN GOTO 1520
1570 ON ERROR OFF
1580 PROcdis
1590 IF score(target)>=best THEN GOTO 1
310
 1660:
1610 REM If this is the best score so f
ar, write it at the bottom of the screen
1620:
1630 PRINT TAB(1,28); STRING$((maxLen+1
0)," "); TAB(1,28); pop$(target);" => ";
score(target)
4640 It score(target)=0 THEN STOP
    core(target)
1640 IF score(target)=0 THEN STOP
1650 best=score(target): GOTO 1310
1660 score(target)=1000000: GOTO 1570
urs.
1710 :
1720 DEF PROCCIS
1730 :
  1730 :
1740 REM This routine displays the equa
tion pointed to by 'point'
1750 :
   1760 PRINT TAB(1,point);STRING$((maxlen
+10)," ")
1770 PRINT TAB(1,point);pop$(point);" =
     ";score(point)
1780 ENDPROC
     1800 DEF PROCSEX
   1820 REM This routine selects two of the population at random and 1830 REM 'sexually' recombines them.
 1840:
1850 REM Select the two target pop$() e
ntries to be used (x,y), and the
1860 REM point (a,b) at which they are
to be recombined
1870:
     1880 x=RND(totpop): IF x=target THEN GO
   TO 1886
     1890 y=RND(totpop): IF x=y THEN GOTO 18
 1990 J F y=target THEN GOTO 1890
1990 a=RND(LEN(pop$(x)))
1920 b=RND(LEN(pop$(y)))
     193Ø ty=Ø
   1950 REM Find the nearest arithmetic operator to a and b.
     1960 :
1970 FOR zap=LEN(pop$(x)) TO a STEP -1
1980 point=x: PROCarch
1990 NEXT
     2000 IF ty⇔0 THEN GOTO 2040
2010 FOR zap=1 TO a
2020 point=x: PROCarch
2030 NEXT
    2059 NEXT
2040 tx=ty: ty=0
2050 FOR zap=LEN(pop$(y)) TO b STEP -1
2050 point=y: PROCarch
2070 NEXT
2080 IF ty⇔0 THEN GOTO 2150
2090 FOR zap=1 TO b
2100 point=y: PROCarch
```

2110	NEXT
2120	L
	REM And maker a 'new\$' out of the lives of the pop\$(x and y)
2140	:
215ø	new\$=MID\$(pop\$(x),1,tx)+MID\$(pop
y),(t) 216ø	/+1))
2170	IF LEN(new\$)>maxlen THEN GOTO 18 IF LEN(new\$)<2 THEN GOTO 1800
	ENDPROC
2190	
2200	DEF PROCarch
2210	:
222Ø ng is	REM This routine checks if somet an artithmetic operator
223Ø	:
2240	: FOR j=1 TO 4 IF MID\$(pop\$(point),zap,1)=ari
2250	<pre>IF MID\$(pop\$(point),zap,1)=ari THEN ty=zap</pre>
2260	NEXT
227ø	ENDPROC
	DEF PROCVAR
2300	: REM This routine checks if somet
ng is	a variable.
2320	White the state of
2330	FOR j=1 TO 19
2340	FOR j=1 TO 19 IF HID\$(pop\$(point),zap,1)=var N ty=zap
j) THI 235Ø 236Ø	NEXT
2360	ENDPROC
237ø	
238Ø	DEF PROCmute
2400	REM This procedure mutates strip
point	REM This procedure mutates stringed to by 'point'. There are REM four possibilities: replace
2410	REM four possibilities: replace
2420	nmetic operator, replace REM a variable, delete a variable erator), insert a variable REM (+ operator).
(+ op	erator), insert a variable
2430	REM (+ operator).
2440	
2460	q=RND(4)
247ø	REM Chose to replace an operator
2480	Commence of the second
249ø 25øø	IF q=1 THEN PROCarr: GOTO 2720
2510	REM Otherwise, replace a variable
by so	: REM Otherwise, replace a variable mething. First find the variable :
252ø	
253ø 254ø	a=RND(LEN(pop\$(point)))
2550	ty=0 FOR zap=LEN(pop\$(point)) TO a ST
-1	
2560	PROCVar
257ø 258ø	TE THOSE THEN COTO 3434
2590	IF ty⊙Ø THEN GOTO 262Ø FOR zap=2 TO a
2600	PROCVar
261ø	NEXT
262ø 263ø	<pre>new\$=MID\$(pop\$(point),1,(ty-1)) new2\$=HID\$(pop\$(point),(ty+1))</pre>
2640	:
265ø	REM Then select the mutation typ
2660	
267Ø 268Ø	q=RND(3) IF q=1 THEN PROCdel
2690	IF g=2 THEN PROCins
2700	IF q=3 THEN PROCVarr
2710	new\$=new\$+bit\$+new2\$
272ø 273ø	ENDPROC:
2,50	

274Ø DEF PROCdel
2750 :
2760 REM This routine generates a blank
string to form a deletion
2770 :
278Ø bit\$=""
279Ø new2\$=MID\$(new2\$,2)
2800 ENDPROC
281Ø DEF PROCins
2820 :
2830 REM This routine generates a new s
tring of 1 - 10 'var'+'arith' units
2840 :
285Ø bit\$=var\$(RND(19)) 286Ø kk=RND(1Ø)
287Ø FOR kl=1 TO kk
288Ø bit\$=bit\$+arith\$(RND(4))+var\$(RN D(19))
289Ø NEXT
2900 ENDPROC
2910 :
2920 DEF PROCVARY
2930 :
2940 REM This routine generates one var
iable
2950 :
296Ø bit\$=var\$(RND(19))
297Ø ENDPROC
2980 :
299Ø DEF PROCarr
3000 :
3010 REM This routine replaces an opera
tor with another.
3020 :
3030 ty=0
3040 :
3050 REM First find the operator
3060 :
3070 a=RND(LEN(pop\$(point)))
3080 FOR zap=LEN(pop\$(point)) TO a STEP
3090 PROCarch
3100 NEXT
3110 IF tyon THEN GOTO 3180
3120 FOR zap=1 TO a
313Ø PROCarch
314Ø NEXT
3150 :
316Ø REM Then add it into the string
317ø :
318ø new\$=MID\$(pop\$(point),1,(ty-1))+ar
ith\$(RND(4))+MID\$(pop\$(point),(ty+1))
319Ø ENDPROC

Listing 2

```
1000 REM GREGOR-FIX.
1010 REM This section replaces Lines 13
10-1380 inclusive on GREGOR
10-20 REM to make the selection of a pop
9 entry to be replaced stochastic.
1030:
1310 REM The main program.
1315 REM This section selects a member
of pop$ randomly, but with a
1320 REM frequency biassed towards pop$
entries with large 'score' values.
1325:
1330 mx=0: FOR i=1 TO totopo
         1325 :
1330 mx=0: FOR i=1 TO totpop
1335 mx=mx+score(i)
```

Continued ▶

LET UM STATES

GENETICS

Continued

134Ø NEXT 1345 temp(1)=score(1)*100/mx 1350 FOR i=2 TO totpop

1355 temp(i)=temp(i-1)+score(i)*100/m 136Ø NEXT

1365 k=RND(100): target=1 1370 FOR i=1 TO totpop 1375 IF temp(i)<k THEN target=i+1

138Ø NEXT

IMAGE ANALYSIS

Listing 1

```
10 REM >Histogram
20 REM by David Knell
30 REM for B/B+/M/C/A
40 REM (c) BAU July 1990
60 REM ImageHistogram produces a hist
ogram of the grey
70 REM levels in an image.
80 REH
90 REH Call with PROCImageHistogram(h
ist%, grey%, x%, y%) where:
100 REH hist% contains the start addre
ss of a block of memory
110 REM with room for an integer
for each permissible grey
120 REH level in the image
130 REH grey% contains the number of g
rey levels in the image
140 REM x% & y% give the size of the i
mage
mage
150 REM
160 REM PlotHistogram plots the histog
ram returned by ImageHistogram.
 180 REM Call with PROCPlotHistogram(hi
st%, grey%) where hist% and grey%
190 REM are as above.
     200 :
210 REM Example for a Mode 2 screen:
220 grey% = 16: REM 16 possible
    22Ø grey% = 16: REM 16 possible colours, Ø-15
23Ø DIM hist% 4*grey%: REM 4 bytes per
   grey level
240 MODE 2:
                                                         REM Put somethi
250 PLOT 50, xx*8, yx*4
                  NEXT X%
     290
270 NEXI XX
300 NEXT YX
310 PROCImageHistogram(histX, greyX, 8
0, 64)
320 PROCP(otHistogram(histX, greyX)
330 END
    350 REM Function to read a pixel value
from a Mode 2 screen
360 DEF FNReadPixel(x%, y%)
370 = POINT(x%*8, y%*4)
     39Ø REM Compute the histogram of an im
 age
400 DEF PROCImageHistogram(hist%, grey
4, x%, y%)
410 LOCAL xx%, yy%, pix%
420 FOR xx% = 0 TO grey%-1
430 hist%!(xx%*4) = 0
440 MEXT xxX
450 FOR yxX = 0 TO yX-1
460 FOR xxX = 0 TO xX-1
470 pixX = FNReadPixel(xxX, yyX)
480 IF pixX = 0 AND pixX < greyX
THEN histX!(pixX*4) = histX!(pixX*4) + 1
490 NEXT xxX
500 NEXT yxX
510 ENDPROC
      530 REM Plot the histogram on screen
     540 DEF PROCPLotHistogram(hist%, grey%
550 LOCAL i%, max%, xl%, xh%
560 max% = 0: REM Find the bi
n with the most in
```

570 FOR i% = 0 TO grey%-1 580 IF hist%!(i%*4) > max% THEN max% = hist%!(i%*4) REM Now plot th e histogram 610 FOR iX=0 TO greyX-1 620 xlX = (1280*iX) / greyX 630 xhX = (1280*(iX+1)) / greyX 640 MOVE xlX, Ø MOVE xh%, Ø PLOT 85, xl%, (1024*hist%!(i%*4) / max% 670 PLOT 85, xh%, (1024*hist%!(i%*4)) / max% 680 NEXT iX 69Ø ENDPROC

Listing 2

```
10 REM >Stretch
20 REM by David Knell
30 REM for B/B+/M/C/A
40 REM (c) BAU July 1990
        60 REM StretchHistogram expands part
of the grey range of an
70 REM image to fill the entire space
available
        80 REM
90 REM Call with PROCStretchHistogram
 y KER LOLL With PROCStretchHistogram (grey%, lo%, hi%, x%, y%) where:
100 REM grey% contains the number of grey levels in the image
110 REH lo% & hi% give the grey levels to be expanded to black
120 REM and white respective
  ly
130 REM x% & y% give the size of the i
mage

140:

150 REM Example for a Mode 2 screen:

160 grey% = 16: REM 16 possible

colours, 0-15

170 DIM hist% 4*grey%: REM 4 bytes per
      190 REM Load a picture here
200 PROCStretchHistogram(grey%, 0, 7,
  8Ø, 64)
21Ø END
  230 REM Functions to read & write pixe ls from a Mode 2 screen 240 DEF FNReadPixel(x%, y%) 250 = POINT(x%*8, y%*4)
       27Ø DEF PROCWritePixel(x%, y%, col%)
28Ø GCOL Ø, col%
29Ø PLOT 69, x%*8, y%*4
3ØØ ENDPROC
        31ø
```

```
pix = ((pix-lo%) * grey%) / (h
38ø
i%-lo%)
  39ø
4øø
              IF pix < Ø THEN pix = Ø
IF pix >= grey% THEN pix = gre
              PROCWritePixel(xx%, yy%, pix)
   42Ø NEXT xx%
43Ø NEXT yy%
44Ø ENDPROC
```

Listing 3

```
10 REM >Equal
20 REM by David Knell
30 REM for B/B+/M/C/A
40 REM (c) BAU July 1990
50:
      60 REM EqualiseHistogram remaps the p
      ls of an image so that
70 REM its histogram is approximately
 flat,
80 REM i.e. there are the same number
of pixels with
90 REM each grey value.
90 REH each grey value.
100 REH
110 REH Call with PROCEqualiseHistogra
m(hist%, grey%, x%, y%) where:
120 REH hist% has room for the image's
histogram plus one more entry
130 REH grey% contains the number of g
rey levels in the image
140 REH x% & y% give the size of the i
    160 REM Example for a Mode 2 screen:
170:
     18Ø grey% = 16:
                                                    REM 16 poss
ible colours, Ø-15
19Ø DIM hist% (4*grey%+4): REM 4 bytes
  per grey level
200 :
210 REM Load a picture here
    23Ø PROCEqualiseHistogram(hist%, grey%
    8Ø, 64)
24Ø:
25Ø END
26Ø:
    270 REM Procedure to equalise a histog
    280
    290 DEF PROCEqualiseHistogram(hist%, g
rey%, x%, y%)
300 LOCAL xx%, yy%, pix, pixl%, freq,
pixcount%
31ø PROCImageHistogram(hist%, grey%, x
%, y%)
32Ø FOR xx% = 1 TO grey%-1: REM Calcul
```

```
420 REM Calculate cumulative frequency
for this pixel value
430 pixl% = pix
440 freq = hist!(4*pixl%)*(1-(pix
-pixl%)) + hist*!(4*pixl%+4)*(pix-pixl%)
   460 REM And work out correct grey leve
 470 pix = grey%*freq/(pixcount%+1)
480 PROCHritePixel(xx%, yy%, pix)
490 NEXT xx%
500 NEXT yx
510 ENDPROC
```

```
Listing 4
            10 REM >Threshold
20 REM by David Knell
30 REM for B/B+/M/C/A
40 REM (c) BAU July 1990
            60 REM Threshold thresholds an image:
    60 REH Threshold thresholds an image:
the pixel values are set to
70 REH 0 or 1 depending on whether a
pixel is regarded as part of
80 REH an object or not.
90 REH
90 REM
100 REM Call with PROCThreshold(lo%, h
1%, x%, y%) where:
110 REM lo% and hi% give the lowest an
d highest grey levels which
120 REM are to be regarded as being par
to f an object.
130 REM x% & y% give the size of the i
 mage.
14Ø REM
         160 REM Example for a Mode 2 screen:
170 MODE 2: REM Put somethi
170 MODE 2: REM Put something on the screen
180 FOR X=0 TO 63
190 FOR X=0 TO 79
200 GCOL 0, RRD(7)
210 PLOT 69, XX*8, YX*4
220 NEXT XX
230 NEXT YX
240 PROCThreshold(0, 3, 80, 64): REM T
hreshold for lower grey levels
250 END
260:
        260 :
270 REM Function to read & write pixel
      values from a Mode 2 screen
28Ø DEF FNReadPixel(x%, y%)
29Ø = POINT(x%*8, y%*4)
         300 DEF PROCWritePixel(x%, y%, col%)
320 GCOL 0, col%
330 PLOT 69, x%*8, y%*4
340 ENDPROC
        36Ø REM Threshold an image
37Ø DEF PROCThreshold(lo%, hi%, x%, y%
    380 LOCAL xxX, yyX, pixX
390 FOR yyX = 0 TO yX-1
400 FOR xxX = 0 TO xX-1
410 pixX = FNReadPixeL(xxX, yyX)
420 IF pixX >= LoX AND pixX <= hiX
THEN pixX = 1: ELSE pixX = 0
PROCHIPTIVE PIXEL(xxX, yyX, pixX)
450 NEXT xxX
450 NEXT yyX
460 ENDPROC
```

WINDOWS

Listing 1

```
10 REM WindSrc
20 REM by Alan Blundell
30 REM for Master Series only
40 REM (C) BAU July 1990
50 :
  60 MODE 7
70 HIMEM=&7000
80 PROCVARS
80 PROCVARS
90 PRINT "Assembling ROM . . ."
100 FOR pass=4 TO 6 STEP 2
110 PRINT "Pass "; (pass=2)DIV2
120 PX=88000 : 0X=87000
```

```
13Ø PROCromhead
  14Ø PROCWindows
15Ø NEXT
150 NEXT

160 PRINT "Calculating checksums ";

170 PROCchecksum("begin", "comcheck")

180 PROCchecksum("comcheck", "clear")

190 PROCchecksum("clear", "open6")

200 PROCchecksum("open6", "calcstart")

210 PROCchecksum("calcstart", "colconv"
```

320 REM Procedure to stretch a histogr am 33ø DEF PROCStretchHistogram(grey%, lo

350 ber Prickstretchnistogram(grey4, ic X, hiX, xX, yX) 340 LOCAL xxX, yyX, pix 350 FOR yyX=0 TO yX-1 360 FOR xxX=0 TO xX-1 370 pix = FNReadPixel(xxX, yyX) + RND(1) - 0.5: REM Dither

```
220 PROCchecksum("colconv", "restore")
230 PROCchecksum("restore", "bottomrigh
```

```
240 PRINT
250 OSCLI ("SAVE WindRAM 7000 "+STR$~O
%+" 8000 8000")
   260 END
```

ate cumulative frequency graph
330 hist%!(xx%*4) = hist%!(xx%*4) +
hist%!(xx%*4-4)

340 NEXT xxX
350 pixcountX = xX*yX: REM Total number of pixels in image 360 histX!(greyX*4) = pixcountX 370 FOR yY=0 TO yX-1 380 FOR xxX*=0 TO xX-1 390 pix = FNReadPixel(xxX, yyX) + RND(1) - 0.5: REM Dither 400 IF pix < 0 THEN pix = 0 410:

34Ø NEXT xx%

```
350 oswordptr=&FØ
360 rdscptr=&FØ
360 rdscptr=&F6
370 REH VDU variables
380 graphl=&300:graphb=&302
390 graphr=&304:grapht=&306
400 textl=&308:textb=&309
410 textr=&308:textb=&309
420 originX=&306:originY=&30E
430 cursorX=&310:cursorY=&312
440 oldcursorX=&314:oldcursorY=&316
450 Xpos=&318:Ypos=&319
460 screenstart=&34E
260 END
270 :
280 DEF PROCVARS
290 osbyte=&FFF4:oswrch=&FFEE
360 osnew1=&FFE7:osasc1=&FFE3
310 gsread=&FFC5:gsinit=&FFC2
320 osrdsc=&FFB9:oswrsc=&FFB3
   33Ø wrscptr=&D6
34Ø oswordnumber=&EF
```

Continued >

WINDOWS

⋖ Continued

```
1490 EQUS "*WBACK makes the previous wi
ndow active"+CHR$13
1500 EQUS "*WFORE makes the next window
active."+CHR$13
1510 NOP
1520 JMP outdone
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               359Ø SEC
36ØØ LDA #&FF
361Ø SBC ptrlo
362Ø PHA
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              2530 \
2540 \ errors
2550 PLA
2550 STA addr
2570 PLA
2580 STA addr+1
2590 LOY #1
2590 LOY #1
2590 LOOp3
2610 LOA (addr),Y
2620 BEQ skip1
2630 STA 8101,Y
2640 INY
2650 BNE Loop3
2650 SNE Loop3
2650 SNE 100p3
2660 .skip1
2670 STA 8101,Y
2680 STA 8100,Y
2680 STA 8100
2670 STA 8101,Y
2680 STA 8101
                   47Ø byteschar=&34F
48Ø TLHC=&35Ø
                449 TLHC=&350
bytesrow=8352
500 mode=&355
510 forecol=&357:backcol=&358
520 ptoffore=&358:plotback=&356
530 gforecol=&360:gbackcol=&36E
540 REM ZP usas
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            3620 PHA
3630 LDA #&BF
3640 SBC ptrhi
3650 JSR hexout
3660 PLA
3670 JSR hexout
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           153ø
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              1540 . comcheck
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         1550 PHA
1560 PHX
1570 PHY
1580 CLD
1590 SEC
              550 addr=&A8
560 temp=&AA
570 count=&AB
580 screen=&AC
590 mult=&AC
600 byte=&AE
610 repeat=&AF
620 ENDPROC
630 :
640 DEF PROCromhead
650 CDPT pass
660 .begin
                      55Ø addr=&A8
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      30/0 JSR hexout
3680 JSR print
3690 EQUS " bytes free for window data"
+CHR313
3700 NOP
3710 JMP outdone
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           1600 JSR gsinit
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      3710 JHP outdone
3720 \
3720 \
3736 .wback
3746 LDA activeLo
3756 CHP #data MoD256
3766 BNE skip4
3770 LDA activehi
3786 CHP #data DIV256
3790 BNE skip4
3896 LDX #64
3810 JSR errors
3810 JSR errors
3820 EQUS "No window active"
3836 BRK
3840 .skip4
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         161Ø BNE gsok
162Ø JMP out
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   1620 JHP out
1630 .gsok
1630 .gsok
1640 LDX #0
1650 JSR setjmp
1650 JSR setjmp
1650 JSR sgread
1670 CHP #ASC"X"
1680 BEQ notprefix
1700 .notprefix
1710 STY temp
1720 .loop2
1730 JSR gsread
1740 CHP #ASC"."
1750 BEQ gotcom
1750 GAR #32
1770 CHP commands,X
1780 BNE nextcom
1780 BNE nextcom
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    2700 JMP &100
2710 \
2720 .print
2730 STY temp
                      660 .begin
670 EQUB Ø
                670 EQUB 0
680 EQUW 0
690 JMP serviceentry
700 EQUB &82
710 EQUB (copyright-&8000)
720 EQUB 1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      2740 PLA
2750 STA addr
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              2796 PLA
2770 STA addr1
2770 STA addr1
2770 STA addr1
2770 Lloop4
2860 INC addr
2870 Lloop4
2870 INC addr2
2870 INC addr2
2870 INC addr1
2970 INC addr1
2970
                      73Ø .title
74Ø EQUS "WINDOWS"
75Ø EQUB Ø
76Ø EQUS "1.00"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               3840 .skip4
3850 JSR activetoaddr
3860 JSR pointblock
3870 JSR storeheader
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         3870 JSR storeheade
3880 JSR moveback
3890 JSR pointblock
3990 JSR restore
3910 LDA #82E
3920 JSR incaddr
3930 JSR setactive
3940 JHP outdone
3950 \
                      770 .copyright EQUB Ø
780 EQUS "(C)1988 Alan Blundell"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           1790 INX
1800 LDA commands,X
1810 BMI gotcom
1820 BPL loop2
              799 EQUB 0
800 \
800 \
800 \
800 \
800 PHP
830 CMP #4
840 BEQ command
850 CMP #8
860 BEQ osword
870 CMP #9
880 BEQ help
890 CMP #39
900 BEQ reset
                         790 EQUB Ø
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              183Ø .nextcom
184Ø INX
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         3950 \ 3960 \ wfore \ 3970 \ JSR checkptr \ 3980 \ LDA ptrlo \ 3990 CMP activelo \ 4000 BNE skip5 \ 4010 LDA ptrhi \ 4020 CMP activehi \ 4020 CMP activehi \ 4050 BNE skip5 \ 4040 LDX #65 \ 4950 JSR errors \ 4060 EQUS "Last window already active" \ 4070 BNK \ 4080 skip5
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         1840 INX
1850 LDA commands,X
1860 BPL nextcom
1870 JSR setjmp
1880 LDY temp
1890 LDA commands,X
1900 CMP #&FF
                      900 BEQ reset
910 PLP
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         1900 CMP #&FF
1910 BNE Loop2
1920 JMP out
1930 .gotcom
1940 STY temp
1950 JMP (addr)
1960 \
                      920 RTS
930 \
940 .command
950 JMP comcheck
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      4969 EQUS "Lest vinc
4970 BRK
4989 .skip5
4990 JSR ptrtoaddr
4190 .loop5
4110 JSR pointblock
4120 LDY #82C
4130 LDA (addr), Y
4140 CHP activelo
4159 BNE skip6
4160 INY
4170 LDA (addr), Y
4180 CHP activeli
4190 BEQ skip7
4200 .skip6
4210 JSR moveback
4220 JHP Loop5
4210 JSR moveback
4220 JHP Loop5
4259 PHA
4250 PHA
4250 PHA
4260 LDA addr
4270 PHA
4280 JSR moveback
4280 JSR moveback
4290 JSR pointblock
4270 JSR moveback
                      96Ø \
97Ø .c
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         1970 .setjmp
1980 LDA commands,X
1990 STA addr+1
2000 INX
                                                                 .osword
                                                              JMP oswcheck
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      3040 .hexou
3050 PHA
3060 LSR A
3070 LSR A
3080 LSR A
3090 LSR A
           990 \
1000 .reset
1010 PHA
1020 PHX
1030 PHY
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   1990 SIA addri

2000 INX

2010 LDA commands,X

2020 STA addr

2030 INX

2040 RTS

2050 \ oswcheck

2050 \ oswcheck

2050 \ oswcheck

2050 PHA

2060 PHA

2060 PHY

2100 LDA oswordnumber

2110 CHP #32

2120 BNE out

2130 LDY #0

2140 LDA (Oswordptr),Y

2150 CHP #10

2160 BCS out

2170 ASL A

2180 TAY

2190 LDA ostable,Y

2200 STA addr
           1040 JSR wclear
1050 JMP out
1060 \
1070 .help
1080 PHA
1090 PHX
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      3100 JSR pchar
3110 PLA
3120 .pchar
3130 AND #&0F
3140 CLC
3150 ADC #ASC"0"
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 3146 CLC 3156 ADC #ASC"0"
3159 ADC #ASC"0"+1
3159 ADC #ASC"0"+1
3179 BCC skip3
3188 ADC #6
3190 .skip3
3220 JNP oswrch
3210 \
3220 JNP oswrch
3210 \
3220 Lear DIV256
3246 EQUB clear DIV256
3246 EQUB clear MOD256
3256 EQUS "wclear"
3260 EQUB free HOD256
3276 EQUB "wclear"
3260 EQUB wback DIV256
3278 EQUS "wfree"
3290 EQUB wback DIV256
3390 EQUB wback DIV256
3310 EQUS "wfore"
3330 EQUB wfore NOD256
3340 EQUS "wfore"
3350 EQUB wfore NOD256
3340 EQUS "wfore"
3350 EQUB wfore NOD256
3340 EQUS "wfore"
3350 EQUB MOD256
3340 EQUS "Wfore"
3350 EQUB Wfore NOD256
3350 EQUB Wfore NOD256
3360 EQUB Wfore NOD256
        1100 PHY
1110 CLD
1120 CLC
1130 JSR gsinit
1140 BEQ helptitle
1150 LDX #255
1160 .loop1
1170 INX
1180 LDA helpstring,X
1190 BEQ ourhelp
1200 JSR gsread
1210 ORA #32
1220 CHP helpstring,X
                1100 PHY
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    4290 JSR pointblock
4300 JSR storeheader
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      2190 LDA ostable,Y
2200 STA addr
2210 INY
2220 LDA ostable,Y
2230 STA addr+1
2240 JSR getcoords
2250 JMP (addr)
2260 V
2270 .ostable
2280 EQUW closeall
2290 EQUW close
2300 EQUW release
2300 EQUW penase
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 4310 PLA
4320 STA addr+1
4330 PLA
4340 STA addr
           1210 ORA #32
1220 CMP helpstring,X
1230 BEQ Loop1
1240 CMP #ASC"."
1250 BEQ ourhelp
1260 JMP out
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    435Ø JSR restore
436Ø LDA #&2E
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            4360 LDA #82E
4370 JSR incaddr
4380 JSR setactive
4390 JMP outdone
4400 \ \text{-received} 
        1260 JHP out
1270 \
1280 .helpstring
1290 EQUS "Windows"+CHR$0
1300 \
1310 .helptitle
1320 JSR print
1330 EQUB 13
1340 EQUS "WINDOWS 1.00"
1350 EQUB 13
1360 EQUS " WINDOWS"
1370 EQUB 13
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      2309 EQUV reteas
2310 EQUV open3
2320 EQUV open5
2330 EQUV open5
2340 EQUV open6
2350 EQUV open6
2350 EQUV open8
2360 EQUV open8
2370 EQUV open9
2380 \
2390 .out
2400 PLY
2410 PLX
2420 PLA
2430 PLP
2440 RTS
2450 \
2450 \
2460 .outdone
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      3380 : RNDFACU | STATE | STATE
           1350 EQUB 13
1360 EQUS "
1370 EQUB 13
1380 NOP
1390 JMP out
1400 \
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               4480 JMP Outdone
4490 \
4590 .closeall
4510 LDA ptrlo
4520 CMP #data MOD256
4530 BNE skip8
4540 LDA ptrhi
4550 CMP #data DIV256
1400 \
1470 .ourhelp
1420 JSR print
1430 EQUB 13
1440 EQUS "WINDOWS 1.00"+CHR$13+CHR$13
1440 EQUS "USE OSUORD 32 to set/clear a window"+CHR$13
1460 EQUS "*WCLEAR clears any window da ta stored."+CHR$13
1470 EQUS " (- automatically cleared on break.)"+CHR$13
1480 EQUS "*WFREE reports the remaining data space"+CHR$13
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               4550 BNE skip8
4570 JMP outdone
4580 .skip8
4570 JMP closewindow
4690 JMP closeall
4610 \
4620 .close
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         2450 \
2460 .outdone
2470 PLY
2480 PLX
2490 PLA
2500 LDA #0
2510 PLP
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            3530 RTS
3540 \
3550 .free
3560 JSR osnewl
3570 LDA #ASC"8"
3580 JSR oswrch
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    463Ø JSR checkptr
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Continued ▶
```

YELLOW PAGES

WINDOWS

```
Continued
                            4640 JSR closewindow
4650 JMP outdone
4660 \
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             5700 LDY top
5710 INY
5720 INY
5730 INY
5740 JMP doframe
5750 \
                            4670 closevindou
                  4670 .closewindow
4680 JSR prtroaddr
4690 JSR pointblock
4790 JSR moveback
4790 JSR pointblock
4770 JSR restore
4730 JSR restore
4730 JSR incaddr
4750 JSR setptr
4750 JSR setptr
4760 LDY #0
4780 LOY #0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         5760 .open6789out
5770 JSR getcoords
5780 JMP open5
5790 \
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    5769 JRP opens
5790 \ 0.0pen67
5800 .open67
5810 JSR checkmode
5820 DEC top
5830 BHI open6789out
5830 BHI open6789out
5850 LDY H7
5850 JSR setcols
5870 LDX left
5880 INX
5880 INX
5890 JSR ptitle
5900 LDY H9
5910 JSR setcols
5920 CPX right
5920 CPX right
5930 BCS skip11
5940 LDA H166
5950 JSR doline
5950 skip11
5970 LDA topright
5960 skip11
5970 LDA topright
5990 JSR owrch
5990 LDY top
6000 INY
6000 INY
6010 JNP doframe
              4779 LDY #9
4779 LDA (addr),Y
4879 LDA (addr),Y
4889 STA coords,Y
4819 INY
4820 CPY #4
4830 BCC Loop6
4840 LDA #4
4850 JSR incaddr
4860 JSR calcstart
4870 LDY #9
4880 STY repeat
4879 Crows
         4899 .rows
4990 bla Left
4910 STA count
4920 LDA screen
4910 STA count
4920 LDA screen
4930 STA wrscptr+1
4950 STA wrscptr+1
4950 STA wrscptr+1
4950 JSR unpack
5900 JSR oswrsc
5010 INC wrscptr+5
5020 BNE skip
5030 INC wrscptr+1
5020 BNE cols
5060 BNE chars
5070 INC count
5080 LDA count
5080 LDA count
5080 LDA count
5080 LDA count
5100 BNE cols
5110 JSR nextrow
5120 INC top
5130 LDA top
5130 BNE rows
5150 BNE rows
5170 LDA TOP
5170 LD
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    0900 INT
0910 INT doframe
0620 \
0620 \ Setframe
0640 DEC Left
0650 BHI open6789out
0660 LDY mode
0670 INC right
0690 LDR right
0690 LDR right
0690 CHP colstable, Y
0100 BES open6789out
0110 INC bottom
0120 LDA bottom
0120 LDA bottom
0130 CHP rowstable, Y
0140 BES open6789out
0150 JSR printblock
0170 JSR storeheader
0150 JSR printblock
0170 JSR storeheader
0180 JSR setvind
0210 JSR setvind
0210 LDR bottom
0220 JSR setvind
0210 LDR bottom
0230 LDR LTC
0230 LDR LTC
0240 JSR oswrch
0250 LDR Lopleft
0260 JSR oswrch
0250 LDR Left
0260 JSR oswrch
0270 LDR Left
0260 LDR LOPL
0270 LDR Left
0270 LD
         5170 \
5180 .open6
5190 JSR square
5200 JMP open67
5210 \
5220 .open7
5230 JSR round
5240 JMP open67
5250 \
                  526Ø .open8
527Ø JSR square
528Ø JMP open89
         5300 .open9
5310 JSR round
5320 JMP open89
5330 \
                  5340 .open89
5350 JSR checkmode
              5350 JSR checkmode
5360 LDA top
5370 SEC
5380 SBC #3
5390 BMI open6789out
5400 STA top
5400 JSR setframe
5420 LDA #166
         5479 JSR setTrass

5429 LDA #166

5439 JSR doline

5449 LDA topright

5459 JSR oswrch

5469 LDA #169

5479 JSR oswrch

5480 LDY #7

5499 JSR setcols

5590 LDX Left

5530 CPX right

5540 JSR ptitle

5530 CPX right

5540 JSR doline

5570 JSR doline

5570 JSR setcols

5690 LDA #169

5610 JSR oswrch

5630 LDX Left

5630 LDX Left

5630 LDA #171

5640 JSR oswrch

5630 LDA #171

5640 JSR oswrch

5630 LDA #171

5640 JSR oswrch

5650 NSR oswrch
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             6580 JSR oswrch
6590 LDA bottomright
6600 JSR oswrch
6610 JSR getcoords
6620 JSR setwind
6630 LDY #5
6640 JSR setcols
6650 LDA #12
6660 JSR oswrch
6670 JSR storeheader
6680 JSR setptractive
6690 JHP outdone
6700 JSR setptractive
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             6700 \\
6710 .open5
6720 JSR checkmode
6730 DEC top
6740 BPL skip12
6750 INC top
                  5660 LDA #166
5670 JSR doline
5680 LDA #173
5690 JSR oswrch
```

```
6760 JMP open4
6770 .skip12
6780 JSR ptrtoaddr
6790 JSR pointblock
6800 JSR storeheader
     6800 JSR storehead
6810 JSR ptrtoaddr
6820 JSR storesc
6830 JSR setwind
6840 LDY #7
6850 JSR setcols
6860 LDX left
6870 JSR ptitle
6870 JSR ptitle
6870 JSR ptitle
     6870 JSR ptitle
6880 DEX
6890 LDA #32
6900 JSR doline
6910 INC top
6920 JSR setwind
6930 LDY #5
  0750 LDY #5
6940 JSR setcols
6950 LDA #12
6960 JSR oswrch
6970 JSR storeheader
6970 JSR storeheader
6980 JSR setptractive
6990 JMP outdone
7000 \
7010 .open4
7020 JSR open
7030 LDY #5
7040 JSR setcols
7050 LDA #12
7060 JSR oswrch
  7060 JSR oswrch
7070 JHP outdone
7080 \
7099 .open3
7100 JSR open
7110 JHP outdone
7120 \
7130 .open
7140 JSR ptrtoaddr
7150 JSR pointblock
7150 JSR pointblock
7160 JSR storeheader
7170 JSR ptrtoaddr
7180 JSR storeheader
7190 JSR storeheader
7190 JSR storeheader
7200 JSR storeheader
7210 JHP setwind
7220 \
           7060 JSR oswrch
        7220 \
7230 .calcstart
  7229 \
7239 \calcstart
7249 INC bottom
7259 INC right
7256 INC right
7256 LDA TLHC
7270 STA screen
7280 LDA TLHC+
7290 STA screen
7360 LDY top
7310 BEG skip13
7320 LDA screen
7340 LCC
7330 LDA screen
7340 CLC
7350 ADC bytesrow
7350 STA screen
7370 LDA screen+1
7380 ADC bytesrow+1
7390 STA screen+1
7390 STA screen+1
7390 STA screen+1
7490 BEY
7410 BNE Loop7
7420 skip13
7430 LDY Left
7440 BCS
7459 LOop8
7460 LDA screen
7470 CLC
7480 ADC byteschar
     7470 CLC
7480 ADC byteschar
7490 STA screen
7500 LDA screen+1
7510 ADC #0
7520 STA screen+1
7530 DEY
7550 BET 7540 BNE Loop8 7550 .skip14 7550 RTS 7550 RTS 7570 \ 7580 .storesc 7590 JSR chkedge 7690 LDY #0 7610 .loop9 7620 LDA coords, Y 7630 STA (addr), Y 7650 CPY #4 7660 BCC Loop9 7670 LDA #4 7680 JSR incaddr 7690 LDA top 7700 PHA 7770 JSR calcstart 7720 LDA screen 7730 STA rdscptr 7740 LDA screen 17750 STA rdscptr 7760 LDY #0 TT 7750 STA rdscptr 7760 LDY #0 TT 7780 STA byte 7770 JSR osrdsc 7780 STA byte 7790 LDA #1 7880 STA repeat 7880 TA repeat 7810 INC rdscptr
```

7820 BNE skip15 7830 INC rdscptr+1 7840 .skip15 7850 LDA left 7860 STA count 7870 LDX byteschar 7890 BNE chars2 7900 .rows2 7990 BNE Chars2 7900 .rows2 7910 LDA left 7920 STA count 7930 LDA screen 7940 STA rdscptr 7940 STA rdscptr 7950 LDA screen+1 7950 STA rdscptr+1 7970 -cols2 7980 LDX byteschar 7990 .chars2 8000 STX temp 8010 JSR osrdsc 8020 LDX temp 8030 CHP byte 8040 BEQ samebyte 8050 PHA 8060 JSR pack 8070 PLA 8070 PLA 8080 STA byte 80% JNC repeat 81% BNE stored 81% LDA repeat 8130 LDA repeat 8130 CHP #255 8140 BNE skip16 8150 JSR pack 8160 .skip16 8170 INC repeat 8180 .stored 8190 INC redsptr 8200 BNE skip17 8230 DEX 8240 BNE chars2 8250 INC count 8260 LDA count 8270 CMP right 8280 BNE cols2 8290 JSR mextrow 8300 INC top 8310 LDA top 8310 LDA top 8310 LDA top 833Ø BNE rows2 834Ø JSR pack 835Ø DEC bottom 836Ø DEC right 8360 DEC right 8370 PLA 8380 STA top 8390 RTS 8400 \ 8410 .storeheader 8420 LDY #0 8430 LDA #28 8440 LDX textb 8450 LDA textl 8460 LDX textb 8470 JSR put2 8480 LDA textr 8490 LDA textr 8590 JSR put2 8590 JSR put2 8510 LDA #17 8510 LDA #17 8520 JSR put 8530 LDA forecol 8540 JSR colconv 8550 JSR put 8550 PHA 8570 LDA #17 8580 JSR put 8590 LDA backcol 8600 JSR colconv 8610 ORA #280 8610 ORA #280 8620 JSR put 8630 LDA #17 8640 JSR sowrch 863¢ LDA #17 864¢ JSR oswrch 865¢ PLA 866¢ JSR oswrch 867¢ LDA #31 868¢ JSR put 869¢ LDA Xpos 870¢ SEC 871¢ SBC textl 8710 SBC textl 8720 JSR put 8730 LDA Ypos 8740 SEC 8750 SBC textt 8760 JSR put 8770 LDA #29 8770 LDA #29 8780 JSR put 8790 LDA originX+1 8800 LDX originX+1 8810 JSR put2 8820 LDA originY+1 8830 LDX originY+1 8840 JSR put2 8850 LDA #24 8860 JSR put 8870 LDA byteschar

WINDOWS

⋖ Continued

```
888Ø LSR A
8890 LSR A
8900 LSR A
8900 LSR A
8910 STA count
8920 LDA graphl
8930 LDX graphl
8930 LDX graphb
8940 LDA graphb
8960 LDA graphb
8960 LDA graphb
9070 JSR setY
8980 LDA grapht
9070 JSR setY
9010 LDA grapht
9020 LDX grapht+1
9030 JSR setY
9010 LDA grapht
9030 JSR setY
9010 LDA grapht
9030 JSR setY
9040 LDA grapht
9030 JSR put
9050 JSR put
9060 LDA plotfore
9070 JSR put
9060 LDA #18
9150 LDA #18
9110 JSR put
9120 LDA plotback
9130 JSR put
9120 LDA plotback
9130 JSR put
9140 LDA gbackcol
9150 ORA #880
9160 JSR put
9170 LDA #25
9369 .colconv

9370 .colconv

9380 STA temp

9390 LDX #255

9409 .Loop10

9410 LDA #17

9420 JSR oswrch

9430 INX

9440 TXA

9450 JSR oswrch

9450 JSR oswrch

9460 LDA temp

9470 CPP forecol

9480 BNE Loop10

9490 TXA

9560 RTS
  9490 TXA

9500 TXS

9510 \

9520 .put

9530 STA (addr),Y

9540 INY

9550 RTS

9560 \

9570 .put2

9580 STA (addr),Y

9590 INY

9600 TXA

9610 STA (addr),Y

9620 INY

9630 RTS
         963Ø RTS
964Ø \
         9650 .setX
9660 STA mult
9670 STX mult+1
9680 LDA count
    9688 LDA count
9690 .loop11
9700 ASL mult
9710 ROL mult+1
9720 LSR A
9730 BNE loop11
9740 LDA mult
9750 SEC
9760 SEC originX
9770 STA mult
9798 LDA mult+1
9790 SEC originX+1
9800 TAX
9810 LDA mult
9820 JSR put2
9830 RTS
9840 \
         9839 RTS

9859 .setY

9859 .setY

9869 STX mult+1

9876 ASL A

9888 ROL mult+1

9890 ASL A

9996 ROL mult+1

9990 SEC

9220 SEC originY

9930 STA mult
```

```
9948 LDA mult+1
9959 SBC originY+1
9950 SBC originY+1
9960 TAX
9970 LDA mult
9998 JSR put2
9998 RTS
19990 NTS
19990 
                                                     18699 JNP osurch

18780 \ 18718 .convY

18720 CLC

18730 LDY #0

18740 STY mult+1

18750 ASL A

18760 ROL mult+1

18770 ASL A

18880 ROL mult+1

18870 ROL mult+1

18810 ROL mult+1

18820 ROL mult+1
                                                                          18870 \
18880 invert
18890 LDA #1024 MOD256
19900 SEC
19910 SBC mult
18920 STA mult
18930 LDA #1024 DIV256
18930 LDA #1024 DIV256
18940 SBC mult+1
19950 STA mult+1
19960 RTS
```

```
11010 LDA mult+1
11020 JMP oswrch
       11020 JHP oswrch
11030 \
11040 .setcols
11050 LDA #17
11060 JSR oswrch
11070 LDA (oswordptr),Y
11080 JSR oswrch
11090 LDA #17
11000 LDA #17
    11090 LDA #17
11100 JSR oswrch
11110 INY
11120 LDA (oswordptr),Y
11130 DAA #880
11140 JSR oswrch
11150 LDA #18
11160 JSR oswrch
11170 LDA #0
11180 JSR oswrch
11190 DEY
11200 LDA (oswordptr),Y
11201 LDA #18
11201 LDA #18
       11220 LDA #18
11230 JSR oswrch
11240 LDA #0
11250 JSR oswrch
11260 INY
11270 LDA (oswordptr),Y
11280 ORA #880
       11200 ORA #880
11290 JMP oswrch
11300 \
11310 .pack
11320 LDA repeat
11330 STA (addr),Y
11340 IMY
       11340 INY
11350 LDA byte
11360 STA (addr),Y
11370 DEY
11380 LDA #2
11390 JSR incaddr
11400 LDA addr+1
11410 CMP #&BF
11420 BCC stillfree
11430 LDA addr
11440 CMP #&BF &E
bytes
\&FF-&2E-2 for 2 more
          11590 STA repeat
11600 INY
11610 LDA (addr),Y
11620 STA byte
11630 DEY
11640 LDA #2
11650 JSR incaddr
        11659 JSR incaddr
11669 JSR incaddr
11669 e.skip18
11679 DEC repeat
11689 LDA byte
11790 \
11710 .nextrow
11720 LDA screen
11730 CLC
11740 ADC bytesrow
11750 STA screen
11760 LDA screen
11760 LDA screen
11760 LDA screen
11760 CPP #8880
11790 BCC skip19
          11770 ADC bytesrow+1
11780 CHP #R880
11790 BCC skip19
11800 AND #R77
11810 CLC
11820 ADC screenstart
11830 .skip19
11840 STA screen+1
11850 RTS
11860 \\
11870 .incaddr
11890 ADC addr
11990 STA addr
11990 STA addr
11990 ADC #0
11990 ADC #0
11990 RTS
11990 \\
11990 LDC #0
11990 LDC #0
11990 LDC #0
11990 LDC (addr), y
```

11980 . LOop14 11980 . Loop14 11990 . LDA (addr), Y 12000 . JSR oswrch 12010 . INY 12020 . CPY #82C 12030 . BCC . Loop14 12040 . RTS

12Ø5Ø	1	
	.getcoords LDY #1	
12Ø8Ø	.loop15	
12Ø9Ø 121ØØ	LDA (oswordptr) STA coords-1,Y	,Υ
12110	INY	
1212ø 1213ø	CPY #5	
12166	DTC	
1215ø	1	
1216ø 1217ø	.checkptr LDA ptrlo	
12180	CMP #data MOD25	6
1219ø 122øø	BNE skip2Ø	
12210	BNE skip2Ø LDA ptrhi CMP #data DIV25	6
	DIL SKIPED	
1223ø 1224ø	LDX #67 JSR errors	
1225ø	EQUS "No window	oper
	BRK .skip2Ø	
1228ø	RTS	
12290	\	
123ØØ 1231Ø	.ptrtoaddr LDA ptrlo	
1232ø	LDA ptrlo STA addr	
12330	LDA ptrhi STA addr+1	
1235ø	RTS	
1236ø	1	
1237ø 1238ø	.activetoaddr LDA activelo	
12390	STA addr	
	LDA activehi	
1241ø 1242ø	RTS	
12430	1	
12440	.setptractive LDA ptrlo	
12460	STA (addr),Y	
1247ø 1248ø	LDA ptrhi	
12490	STA (addr),Y	
12500	LDA #&2E	
1251ø 1252ø	JSR incaddr JSR setactive	
12530	JMP setptr	
12540	\ .checkactive	
1256ø	LDA ptrhi	
1257ø	CMP activehi	
1258ø 1259ø	BCC change	
12600	.nochange	
1261ø 1262ø		
1263ø	LDA ptrlo	
12640	CMP activelo	
1265ø 1266ø	BCS nochange .change	
1267ø	JMP setactive	
1268ø 1269ø	.pointblock	
12700	LDA addr	
1271ø	SEC	
1272ø 1273ø		
12740	LDA addr+1	
1275ø 1276ø	SBC #Ø STA addr+1	
1277ø	RTS	
1278ø	1	
12890	.setactive LDA addr	
1281ø	STA activelo	
1282ø 1283ø	LDA addr+1 STA activehi	
1284ø	RTS	
1285ø	1	
1286¢ 1287¢	.setptr LDA addr	
1288Ø	STA ptrlo	
1289ø 129øø	LDA addr+1 STA ptrhi	
12910	RTS	
1292ø 1293ø	1	
	.moveback LDY #&2C	
12950	LDA (addr),Y	
1296¢		
1298¢	LDA (addr),Y	
12990	STA addr+1	
13010	STA addr	
13020	RTS	
13ø3ø 13ø4ø		
13050	LDA #163	
13Ø6Ø 13Ø7Ø	STA topleft LDA #165	
13080	STA topright	
13090	LDA #17Ø STA bottomleft	
13100	JIN DOLLOMIETT	100
		Co

10970 \ 10980 .multwrch 10990 LDA mult

WINDOWS

⋖ Continued

1311Ø LDA	#172
1312Ø STA	
1313Ø RTS	
13140 \	
1315Ø .ro	ound
1316Ø LDA	
1317Ø STA	
1318Ø LDA	
1319Ø STA	topright
13200 LDA	
1321Ø STA	bottomleft
1322Ø LDA	#179
1323Ø STA	bottomright
1324Ø RTS	The second secon
13250 \	
1326Ø .pt	
1327Ø LDY	
1328Ø . Lo	юр16
1329Ø LDA	(oswordptr),Y
133ØØ CMP	
1331Ø BCC	
1332Ø JSR	
1333Ø INY	
1334Ø INX	
1335Ø CPX	right
1336Ø BCC	Loop16
1337Ø .sk	
1338Ø RTS	
13390 \	V-S
134ØØ .do	line

```
13410 JSR oswrch
13420 INX
13430 CPX right
13440 BCC doline
13450 RTS
13440 BCC doline
13450 RTS
13460 \\
13470 .checkmode
13490 CMP #7
13500 BCC modeok
13510 LDX #68
13520 JSR errors
13530 ECUS "Not suitable for teletext"
13540 BRK
13550 modeok
13550 RTS
13570 \\
13550 modeok
13560 RTS
13570 \\
13580 .chkedge
13590 LDA right
13600 CMP left
13610 BCC chkerr
13620 LDY mode
13630 CMP colstable,Y
13640 BCS chkerr
13650 LDA bottom
13660 CMP top
13660 CMP top
13670 BCC chkerr
13670 BCC chkerr
13670 BCS chkerr
```

13	710 .chkerr
137	72Ø LDX #69
137	73Ø JSR errors
137	74Ø EQUS "Parameters"
137	75Ø BRK
137	760 \
137	77Ø .colstable
137	78Ø EQUB 8Ø
131	79Ø EQUB 4Ø
138	BØØ EQUB 2Ø
138	31Ø EQUB 8Ø
138	32Ø EQUB 4Ø
138	33Ø EQUB 2Ø
138	34Ø EQUB 4Ø
138	35Ø EQUB 4Ø
	360 \
138	37Ø .rowstable
	38Ø EQUB 32
	39Ø EQUB 32
	900 EQUB 32
	91Ø EQUB 25
	92Ø EQUB 32
	93Ø EQUB 32
139	94Ø EQUB 25
	95Ø EQUB 25
	960 \
139	970 \Variables held in swr
139	98Ø .ptrlo EQUB data MOD256
139	990 .ptrhi EQUB data DIV256
149	000 .activelo EQUB data MOD25

14Ø1Ø	.activehi EQUB data DIV256
14020	.coords
14030	.left EQUB Ø
14040	.bottom EQUB Ø
14050	.right EQUB Ø
14060	.top EQUB Ø
14070	.topleft EQUB Ø
14080	.topright EQUB Ø
14090	.bottomleft EQUB Ø
14100	.bottomright EQUB Ø
14110]
	data=P%+&2E
14130	
14140	
	DEF PROCchecksum(start\$,end\$)
	start%=EVAL(start\$)-(P%-0%)
	end%=EVAL(end\$)-1-(P%-0%)
	sum%=Ø
	FOR Loop%=start% TO end%
	sum%=sum%+?loop%
14210	
	READ check%
14230	IF check%⇔sum% PRINT '"Checksum e
rror b	petween .";start\$;" and .";end\$:END PRINT ". ";
ELSE	PRINT ". ";
	ENDPROC
14250	
	DATA 36132,37738,48883,53676,49200
,61738	3,42687

```
Listing 2
                          10 REM Windows Demonstration
20 REM By Alan Blundell
30 REM For Master Series with WindRAM
40 REM (C) BAU July 1990
            ## NEW CF BAG SUTY 1999

50 : 60 MODE 1

70 PROCINIT

80 PROCCURSON(0)

90 FOR LOODX=100 TO 1 STEP -1

100 GCCL 0, LOODXMOD4

110 MOVE 0, LOODX=100

120 MOVE LOODX=128, 0

130 PLOT 85, 1280, 1024

140 NEXT

150 REPEAT

160 PROCCITITE("BAU Windows")

170 PROCCOLOURS(0,3,0,1,2,0)

180 PROCCITITE("BAU Windows")

170 PROCCITITE("BAU Windows")

170 PROCCOLOURS(0,3,0,1,2,0)

180 PROCCITITE("BAU Windows")

170 PROCCITITE("BAU WINDOWS")
)
210 PROCcolours(2,0,1,0,3,0)
220 PROCwindow(6,8,27,37,10)
230 PRINT
240 PROCprint("- works in any MODE")
250 PROCprint("- windows for text + graphics")
260 PRINT "- switch between multiple"
270 PROCprint(" active windows")
280 PROCprint("- works with scrolled screens")
                   290 PROCprint("- works with shadow scr
eens")
300 PROCprint("- compresses stored dat
310 PROCprint("- accessible by OSWORD call")
            all")
320 PRINT "- takes up no user RAH";
330 PROCpause(5)
340 *WBACK
350 PROCprint("Simple to use . .")
360 PROCcolours(3,0,0,2,0,3)
370 PROCwindow(5,0,29,39,18)
380 PROCprint("SHELP WINDOWS")
390 *HELP WINDOWS")
400 PROCpause(8)
410 PROCclours(0,3,2,0,1,0)
            410 PROCcloseal(4,2,9,1,0)
430 PROCulours(0,3,2,0,1,0)
430 PROCulours(0,41,3,29,1)
440 PRINT "7 styles available:";
450 PROCwindow(6,11,3,29,1)
460 PRINT"Style 3"
470 PRINT ""(this window has"
480 PRINT ""been opened"
490 PRINT ""been opened"
490 PRINT ""but has not"
590 PRINT ""but has not"
590 PRINT ""but has not"
590 PRINT "been cleared)"
510 PROCpause(3)
520 FOR style=4 TO 9
530 L=(style=3)*3
540 ReL+9+RND(8)
550 T=(style=2)-1-((style=7)*(style>7)
                 560 B=T+10

570 PROCWINDOW(Style,L,B,R,T)

580 PROCprint("Style "+STR$style)

590 NEXT
```

```
62Ø PROCWindow(6,1,3,28,1)
63Ø PRINT '"Switch between windows
              649 PROCtitle("Two active windows!")
659 PROCcolours(0,2,3,0,1,0)
669 PROCwindow(7,1,30,18,10)
679 PROCcolours(3,0,0,3,0,2)
680 PROCwindow(9,20,26,38,6)
680 PROCLINGOUS,20,26,38,6)
690 step=0
700 PROCLINIC(4,250,350)
710 FOR loop=0 TO 10*PI STEP PI/50
720 xcoord=250*((110*step)*COS(loop+4')
)*SIN(loop*3)
730 ycoord=350*((80*step)*SIN(loop+34')
751N(loop*4)
740 PROCLINIC(5,xcoord,ycoord)
750 step=step+0.4
760 NEXT
770 PROCPAUSe(5)
780 PROCLOURS(0,3,0,0,0,0)
800 PROCLINIC(*Room for plenty of winous)
810 PROCPINIC(*Room for plenty of winous)
   OWS")
820 PRINT ">*WFREE"
830 *WFREE
                 84Ø PRINT
                 850 PROCpause(3)
860 PROCprint(">PROCwindow(4,5,20,39)
       860 FROCDITION (2,0,0,0,0,0)

870 PROColours(2,0,0,0,0,0)

880 PROCUINDOW(4,5,20,39,9)

890 PROCDAUSE(1)

900 PRINT ">*WFREE"

910 *WFREE

910 *WFREE

920 PROCDAUSE(2)

930 PROCCOLOURS(0,1,0,0,0,0)

940 PROCWINDOW(4,10,23,39,13)

950 PROCDAUSE(2)

960 PROCDITION("Of course, windows can overlap")

10-lours(1,0,0,0,0,0)
950 PROCpause(2)
960 PROCprint("Of course, windo
Overlap")
970 PROCcolours(1,0,0,0,0,0)
980 PROCwindow(4,20,22,36,15)
990 PROCprint(">*WFREE")
1000 *WFREE
1010 PROCpause(2)
1020 PROCcolours(3,0,0,2,0,2)
1030 PROCwindow(8,4,29,21,27)
1050 PROCcursor(1)
1050 PROCcursor(1)
1050 PRINT ("Press a key .";
1070 IF INKEY(500)>0 PROCfinish
1080 PROCcursor(0)
1090 PROCcursor(0)
1100 UNTIL 0
1110 :
1120 DEF PROCfinish
1130 PROCcursor(0)
1140 PRINT ("End of demo."
1150 PROCcursor(0)
1140 PROCcursor(1)
1180 PROCCURSOR(1)
           1200 DEF PROCinit
1210 REM Set block% to 12+(max length o
```

f title\$) 1220 DIM block% 32

	123ø A%=32
	124Ø X%=block%
	125Ø Y%=block%DIV256
	1260 block%?11=&00
	127Ø osword=8FFF1 128Ø *WCLEAR
	129Ø ENDPROC
	1300 :
	1310 DEF PROCtitle(title\$)
	1320 \$(block%+11)=title\$ 1330 ENDPROC
41	1340 :
	1350 DEF PROCcolours(fore%,back%,barcol
4)	%,barback%,edgecol%,edgeback%)
	136Ø block%?5=fore% 137Ø block%?6=back%
	138Ø block%?7=barcol%
	1390 block%?8=barback%
	1400 block%?9=edgecol%
	1410 block%?10=edgeback% 1420 ENDPROC
	1430 :
nd	1440 DEF PROCwindow(action%, left%, botto
	m%, right%, top%)
	1450 block%?0=action% 1460 block%?1=left%
	1400 block%?1=left% 1470 block%?2=bottom%
	148Ø block%?3=right%
,9	1490 block%?4=top%
	1500 CALL osword 1510 ENDPROC
	151Ø ENDPROC
	1520 : 1530 DEF PROColoseall
	154Ø block%?Ø=Ø
	1550 CALL osword
	156Ø ENDPROC
	1570 : 1580 DEF PROCCLOSE
	1590 block%?Ø=1
n	1600 CALL osword
	161Ø ENDPROC
	1620 : 1630 DEF PROCrelease
	1640 block*20=2
	1640 block%?Ø=2 1650 CALL osword
	166Ø ENDPROC
	1670 :
	168Ø DEF PROCpause(seconds%) 169Ø IF INKEY(seconds%*100)
	1700 ENDPROC
	1710 :
	1720 DEF PROCprint(text\$)
	1730 PRINT texts' 1740 PROCpause(2)
	175Ø ENDPROC
	1760 :
	1770 DEF PROCcursor(on%)
	178Ø VDU 23,1,on%;Ø;Ø;
	1790 ENDPROC 1800 :
	181Ø DEF PROCtwin(a%,x%,y%)
	182Ø VDU25,a%,x%;y%;
	183Ø *WBACK
	1840 VDU25,a%,x%;y%; 1850 *WFORE
Tonas .	1944 ENDERGE

Listing 3
10 REM Windows - Listing 3 20 REM BASIC PROCedures
30 REM by Alan Blundell
40 REM for Master Series only
50 REM (C) BAU July 1990
60 : 70 DEF PROCINIT
80 REM Set block% to 12+(max length o
f title\$)
9Ø DIM block% 32
100 A%=32
11Ø X%=block% 12Ø Y%=block%DIV256
13Ø block%?11=8ØD
140 osword=&FFF1 150 *WCLEAR
16Ø ENDPROC
170 :
17Ø : 18Ø DEF PROCtitle(title\$)
19Ø \$(block%+11)=title\$
200 ENDPROC 210 :
220 DEF PROCcolours(fore%,back%,barcol
%,barback%,edgecol%,edgeback%)
23Ø block%?5=fore%
24Ø block%?6=back% 25Ø block%?7=barcol%
26Ø block%?8=barback%
27Ø block%?9=edgecol%
28ø block%?1ø=edgeback%
290 ENDPROC 300 :
310 DEF PROCwindow(action%, left%, botto
m%, right%, top%)
320 block%?0=action%
33Ø block%?1=left% 34Ø block%?2=bottom%
350 block%?3=right%
36Ø block%?4=top%
36Ø block%?4=top% 37Ø CALL osword
38Ø ENDPROC
390 : 400 DEF PROCCIoseall
41Ø block%?Ø=Ø
420 CALL osword
43Ø ENDPROC
440 : 450 DEF PROCCLOSE
46Ø block%?Ø=1
47Ø CALL osword
48Ø ENDPROC
490 : 500 DEF PROCrelease
51Ø block%?Ø=2
52Ø CALL osword
53Ø ENDPROC

600 PROCpause(3) 610 PROCcloseall

CHARACTER UTILITY

Listing 1

```
10 REM Crazy Characters!
20 REM by Tim Campen
30 REM for B/B+/M/C (with SWR)
40 REM (c) BAU July 1990
50 :
        50:

60 MODE 7

70 LOMEM=86600

80 osnewl=8FFF7

90 osbyte=8FFF4

100 oswrch=8FFEE
100 oswrch=8ffEE
110 osword=8ffE1
120 osasci=8ffE3
130 oscli=8ffE3
130 oscli=8ffE7
140 patch=8000
150 diffX=82500
160 comline=8f2
170 INPUT'"Is this to run on a BBC Mas
ter (Y/N) ";A$
180 IF A$="\" OR A$="\" THEN fxcode=0
ELSE fxcode=6
190 FOR pass=0 TO 2 STEP2
200 PX=85800
       210 [
220 OPT pass
230 EQUBØ
       240 EQUB75
250 EQUB66
260 JMP serve+diff%
270 EQUB&82
      270 EQUB882
280 EQUB copyright MOD256
290 EQUB1
300 .title
310 EQUS"Crazy Characters!"
320 EQUB0
       33Ø .copyright
34Ø EQUBØ
     340 EQUBØ
350 EQUS"(C) BAU Tim Campen"
360 EQUBØ
370 .serve
380 PHA
390 STA temp+diffX
400 TXA
     410 PHA
420 TYA
430 PHA
440 LDX#255
450 .inloop
460 INX
     460 INX
470 LDAR70,X
480 STA zero+diff%,X
490 CPX#10
500 BCS nobuf
510 LDA patch,X
520 STA buffer+diff%,X
530 nobuf
      530 .nobuf
540 CPX#31
550 BNE inloop
560 LDA temp+diff%
570 CMP#9
       58Ø BEQ help
59Ø CMP#4
    590 CHPH4
600 BEQ unrec
610 .splat
620 JSR locate+diff%
630 PLA
640 TAX
650 PLA
660 TAX
670 PLA
680 RTS
690 .help
700 JSR osnewl
710 LDXHEFF
720 .helpoon
    718 LDXW&FF
720 .helploop
730 INX
748 LDA title2+diffX,X
759 JSR osasci
760 BNE helploop
770 JSR osnevl
780 LDXHØ
790 .hstart
800 LDA (comline),Y
810 CHPH91
820 BCS adjust
     820 BCS adjust
    83Ø CMP#13
84Ø BNE miss
85Ø CPX#4
86Ø BCC bye
87Ø .miss
                    .miss
CMP Htext+diff%,X
     800 BEQ SU
900 LDA (comline),Y
910 CMP#13
920 INY
930 BNE hstart
940 CPX#5
950 BCS explain
     960 .bye
970 JMP splat+diff%
980 .explain
990 LDA#helpcode MOD256
                    STAR70
  1010 LDA#helpcode DIV256
1020 STA871
1030 DEC870
1040 .disp
                                                                                                                                                                      2080 BEQ norm
2090 JMPfile+diff%
2100 .seeya
```

```
1050 INC&70
1060 LDA (&70),Y
1070 JSR osasci
1080 LDA&70
     1090 CMP#255
1100 BEQ next
1110 LDA (&70),Y
1120 BNE disp
     1130 .outhelp
1140 JMP out+diff%
1140 JMP out+diff%
1150 adjust
1160 SEC
1170 SEC#32
1180 STA (comline),Y
1190 JMP hstart+diff%
1200 .next
1210 LDA#255
1220 STA&70
1230 INC&71
1240 JMP disp+diff%
1250 JMP disp+diff%
  1249 JNP disprdiff 1259 su 1260 INX 1270 JNP hstart+diff 1280 .unrec 1290 LDA#0 1300 STA&80 1310 STA&72 1370 LDA#1
1320 LDX#1
1330 LDX#1
1330 LOOP
1340 LDAB72
1350 CMP#3
1360 BEG char
1370 .nochar
1390 LDAB72
1390 CMP#5
1400 BEG large
1410 .blarge
1420 LDA table+diff%,X
1430 .backhigh
1440 CMP (comline),Y
1450 BEG part
     132Ø LDX#1
  1440 CMP (comline),Y
1450 BEQ part
1460 LDA (comline),Y
1470 CMP#91
1480 BCS high
1490 CMP#32
1809 CHP#32
1500 BEQ spacebar
1510 .not
1520 INX
1530 LDAR80
1540 CHP#1
1550 BHE noback
1560 DEY
1570 .noback
1580 LDA#0
1600 STAR72
1610 CPX#100
1620 BNE Loop
1630 JNP splat+diff%
1640 SEC
1650 SEC
16
  1660 SBC#32
1670 STA (comline),Y
1680 JMP backhigh+diff%
1690 .spacebar
1700 INY
1710 JMP nochar+diff%
        1720 .part
1730 LDA&80
  1730 LDA880
1740 BNE clear
1750 DEX
1760 LDA table+diff%,X
1770 CHP#13
1780 BNE fake
1790 LDA#1
1800 STA880
        1810 INY
     1870 INX
1820 .clear
1830 LDA table+diff%,X
1840 CMP#/3
1850 BEQ find
1860 INX
1870 INY
     1870 INT
1880 INC&72
1890 JMP Loop+diff%
1900 .fake
1910 INX
1920 LDA#0
1930 STA&80
1930 STARSØ
1940 JMP not+diff%
1950 .char
1960 LDA (comline),Y
1970 CMP#ASC"R"
1980 BEQ char22
1990 EQ char22
2010 CMP#ASC"P"
2000 BEQ char22
2010 CMP#ASC"P"
     2020 BEQ flip
2030 CMP#ASC"p"
     2040 BEQ flip
2050 CMP#ASC"H"
2060 BEQ norm
2070 CMP#ASC"m"
```

2120 STA&72 2130 JMP nochar+diff% 2140 .large 2150 JMPlarge2+diff% 2150 JMPtargez+diff% 2160 .norm 2170 INY 2180 LDA (comline),Y 2190 CMP#33 2190 CMP#33 2200 BCS seeya 2210 CMP#32:BEQ norm 2220 LDA#20 2230 LDX#fxcode 2240 LDY#0 2250 LDX//COUG 2250 JSR osbyte 2250 JBP out+diff% 2270 .char22 2280 LNY 2290 LDA (comline),Y 2390 STA charX 2310 INY 2320 LDA (comline),Y 2330 STA charY 2340 JMP out+diff% 2350 .ftip 2350 IAV 2360 INY 2370 LDA (comline),Y 2370 LDA (comLi 2380 CMP#ASC"X" 2390 BEQ flipX 2400 CMP#ASC"X" 2410 BEQ flipX 2420 CMP#ASC"Y" 2420 CHPHASC'Y"
2440 CHPHASC'Y"
2440 CHPHASC'Y"
2450 BEQ flipY
2460 JMP splat+diff%
2470 .flipX
2480 JSR flipXX+diff%
2490 JMP out+diff% 2490 JMP out+diff% 2500 .flipY 2510 JSR flipYY+diff% 2520 JMP out+diff% 2530 .find 2540 STX&70 2540 SIX&/0 2550 CPX#7 2560 BEQ fat1 2570 CPX#12 2580 BEQ thin1 2590 CPX#17 2600 BEQ antil 2600 BEQ antil 2610 CFX#24 2620 BEQ clock1 2630 CFX#32 2640 BEQ inverse1 2650 .out 2660 JSR locate+diff% 267Ø PLA 268Ø TAY 2680 TAY 2690 PLA 2700 TAX 2710 PLA 2720 LDA#0 2730 RTS 2740 .fat1 275Ø 1 DA#1 2750 JSR font2+diff% 2770 JMP out+diff% 2780 .thin1 2790 LDA#0 2790 LDA#0 2800 JSR font2+diff% 2810 JMP out+diff% 2820 .anti1 2830 LDA#0 2840 STA874 2850 JMP go+diff% 2860 .clock1 2870 LDA#1 2880 LDA#1 288Ø STA&74 2890 .go 2900 JSR rotation+diff% 2910 JMP out+diff% 2920 .inverse1 2920 .inverse1 2930 JSR inv+diff% 2940 JHP out+diff% 2950 .flipXX 2960 LDA charX 2970 STA&70 2980 .loopX 2990 LDA&70 3000 STA perch 2990 STA patch 3090 STA patch 3090 STA patch2 3020 JSR definition+diffX 3030 LDX#9 3040 LDY#9 3050 LOOpXX 3060 INX 3000 INX 3070 DEY 3080 LDA patch,X 3090 STA patch2,Y 3100 LDA patch,Y 3110 STA patch2,X 3120 CPX#4 3130 BNE LoopXX 3140 JSR end+diff% 3150 LDA&70 3160 CMP charY

3170 BEQ finX
3180 INC870
3190 JMP LoopX+diffX
3200 finX
3210 RTS
3220 flipYY
3230 LDA charX
3240 STA872
3250 DECR72
3250 DECR72
3260 flump
3276 INC872
3280 LDA872
3290 STA patch
3300 STA patch
3310 JSR definition+diffX
3320 LDY#0 317Ø BEQ finX 3320 LDY#0 3320 LDY#0 3330 .LoopY 3340 LDA#128 3350 STA&73 3360 INY 3370 LDA#0 3380 STA&71 3390 LDA patch,Y 3400 STA space+diff% 3410 LDX#255 3420 LDA#1 3430 STA&80 344Ø .loopYY 345Ø INX 3450 INX 3460 LDA&80 3470 BIT space+diff% 3480 BNE add 3490 .outy 3500 CLC 3510 LSR&73 3510 LSR&73 3520 ASL&80 3530 LDA&80 3540 BNE LOOPYY 3550 LDA&71 3560 STA patch2,Y 3570 CPY#8 3570 CPY#8
3580 BNE LoopY
3590 JSR end+diff%
3600 LDA&72
3610 CMP chary
3620 BNE flump
3630 RTS
3640 .add
3650 CLC
3660 LDA&71
3670 ADC&73
3680 STA&71
3690 JMP outy+diff%
3700 1table 3700 .table 3710 EQUBO 3710 EQUB0 3720 EQUB0 3730 EQUB0 3740 EQUB13 3750 EQUS"FAT" 3760 EQUS"THIN" 3770 EQUS"THIN" 3780 EQUB13 3790 EQUS"ANTI" 3800 EQUB13 3810 EQUS"CLOCKW" 3820 EQUB13 3830 EQUS"INVERSE" 384¢ EQUB13 385¢ EQUS"NORM 386Ø EQUB13 387Ø EQUS"CHAR" 388Ø EQUB13 3890 EQUS"FLIP" 3990 EQUB13 3910 EQUS"CPUT" 3920 EQUB13 3930 EQUS"CGET" 394Ø EQUB13 3950 EQUS"LARGE" 3950 EQUS"LARGE" 3960 EQUB13 3970 EQUS"DEFIN" 3980 EQUB13 3990 .Htext 4000 EQUS"CRAZY" 3999 Htext
4009 EQUS"CRAY"
4000 .coded
4020 EQUS" ANTI Rotate selected chars 90 degrees anticlockwise"
4050 EQUS" CGET Sp> Loads Cra
2y Characters! file"
4050 EQUS" CGET Sp> Loads Cra
2y Characters! file"
4050 EQUS" CHAR<XY> Informs charact ers from X to Y to be acted apon"
4070 EQUST CLOCKW Rotate selected chars 90 degrees clockwise"
4090 EQUS" CLOCKW Rotate selected chars PUT Sp EQUST Sp CPUT Sp Saves selected chars"
4100 EQUS" DEFIN
4100 EQUS" DEFIN
4100 EQUS" DEFIN
4100 EQUS" FAT Selected chars fattened!"
4150 EQUST FAT Selected chars fattened!" 415Ø EQUB13

YELLOW PAGES

CHARACTER UTILITY

⋖ Continued

416Ø EQUS" FLIPX hars across x-plane" 417Ø EQUB13 418Ø EQUS" FLIPY hars across y-plane" 419Ø EQUB13 Flip selected c Flip selected c 4190 EQUB13

4290 EQUS" INVERSE Inverses select ed chars"

4210 EQUB13

4229 EQUS" LARGE-CO-CY2 Message Y print ed X characters high"

4230 EQUB13

4240 EQUS" NORM Restores all characters to original states at 250 EQUB13

4260 EQUS" THIN Selected chars thinned!" thinned!" 427Ø EQUB13 428Ø EQUBØ .title2 4290 title2 4390 EQUE"/Crazy Characters! 1.2 (" 4310 version 4320 EQUE")" 4330 EQUE")" 4340 EQUE") 4350 EQUS"by Tim Campen" 4360 EQUS"BY 4360 EQUB13 4370 EQUS" 4380 EQUB0 4390 .temp 4400 EQUB0 4410 .rotati CRAZY" 4400 EQUSØ 4410 .rotation 4420 LDA charX 4430 STAB72 4440 DECE72 4450 .startA 4460 INCE72 4470 LDAB72 44480 STA patch 4490 STA patch2 4500 JSR definition+diff% 4510 LDA#1 4520 STA&B0 4530 LDX#0 454Ø LDA#9 455Ø STA&76 456Ø .loopA 457Ø LDA&74 458Ø BEQ an1 459Ø LDA#1 4598 LDA#1
4698 STAE73
4618 JHP nan1+diffX
4620 .an1
4638 LDA#128
4648 STAE73
4659 inx1
4650 BEXT
4650 BEXT
4650 BEXT
4750 BEXT
4750 LDA#0
4750 LDA#0
4750 LDA#0
4750 LDA#0
4750 LDA patch, Y
4750 LDA patch, Y
4750 LDA patch, Y
4750 LDA SECHOLIST
4750 LDA SECHOL 476Ø BIT space+diff% 477Ø BNE addy 4776 BNE addY
4780 .outf
4779 LDA&T4
4860 BEG en2
4816 ASL&T3
4820 JHP nan2+diffX
4830 .en2
4840 LSR&T3
4850 .nen2
4860 CPY#8
4876 BNE LoopAA
4880 LDA&T4
4890 CHP#1
4890 BEG cwave 4890 CMP#1 4900 BEQ cwsave 4910 LDA&71 4920 STA patch2,X 4930 .backcw 4940 ASL&80 4940 ASLESD 4950 LDA&80 4960 BNE LoopA 4970 JSR end+diff% 4980 LDA&72 4990 CMP chary 5000 BNE startA 5010 RTS 5000 BRS STARTA 5010 RTS 5020 .addy 5030 CLC 5040 LDA&73 5050 ADC&71 5060 STA&71 5070 JMP Outf+diff% 5080 .usaye 5080 .cwsave 5090 LDA&76 511Ø LDA&71 5120 STA patch2,X 5130 JMP backcw+diff% 5140 .definition 5150 LDX#patch MOD256

516Ø LDY#patch DIV256 5170 LDA#&A 5180 JSR osword 519Ø RTS .end LDX#Ø LDA#23 JSR oswrch LDA patch2 JSR oswrch .loop2 LDA patch2+1,X JSR oswrch INX CPX#8 5300 CPX/8 5310 BNE Loop2 5320 RTS 5330 .inv 5340 LDA charx 5350 STA 873 5360 LDA chary 5370 STA874 5380 LDAR73 5390 STA874 5400 DECR72 5400 DECR72 5410 .inv_Loop 5420 LDAR72 5430 LDAR72 5430 LDAR72 5440 STA patch STA patch STA patch2 JSR definition+diff% LDX#255 .pop 5490 INX 5590 LDA patch+1,X 5510 EOR#EFF 5520 STA patch2+1,X 5530 CPX#8 5540 BNE pop 5550 JSR end+diffX 5560 LDAR72 5570 CMPE74 5580 BNE inv_Loop 5590 RTS 5600 font2 .font2 5000 .Tont2 5610 BNE fat 5620 LDA#61 5630 STA convert+diff% 5640 JNP thin+diff% 5650 .fat 5660 LDA#21D 5659 .fat
5669 LDAMRID
5679 STA convert+diff%
5689 .thin
5690 LDA charX
5700 STA&ZZ
57710 DECRZZ
57710 DECRZZ
5720 .font Loop
5739 INC&ZZ
5739 INC&ZZ
5730 STA patch
5770 STA patch
5770 STA patch
5770 JSR definition+diff%
5780 LDX#255
5790 .pop2
5800 INX
5820 LSR A
5830 .convert
5840 AND patch+1,X
5820 LSR A
5830 .convert
5840 AND patch+1,X 5830 .convert 5840 AND patch+1,X 5850 STA patch2+1,X 5860 CPX#8 5860 CPX#8 5870 BNE pop2 5880 JSR end+diff% 5890 LDA&72 5900 CHP charY 5910 BNE font_loop 5920 RTS 5920 RTS
5930 locate
5940 LDX#255
5950 outloop
5960 INX
5970 LDA zero+diff%,X
5980 STA &70,X
5990 CPX#10 3798 STA & F/S, 2 57996 CPX/10, 6 6000 BCS nobuf2 6010 LDA buffer+diffX, X 6020 STA patch, X 6030 anobuf2 6040 CPX/31 6050 BNE outloop 6060 RTS 6070 file 6080 DEY 6090 LDA(comline), Y 6100 BEQ save 6120 CPP/ASC"u" 6130 BEQ save 6140 CPP/ASC"u" 6150 BEQ save 6140 CPP/ASC"u" 6150 BEQ save 6150 BEQ load 6140 CHPMASC"E" 6150 BEQ Load 6160 CHPMASC"e" 6170 BEQ Load 6180 INY 6190 JHPnochar+diff%

6200 .load 6210 JMP load2+diff%

622Ø .save 623Ø LDX#Ø 624Ø .resetl 625Ø LDA#32 6250 STAfilename+diff%,X 6270 INX 6280 CPX#20 6290 BNE resett 6390 JSR findname+diff% 6310 LDA charX 6310 LDA charx 6320 STA&80 6330 LDA charY 6340 STA&81 6350 INC&81 6360 LDA#0 6370 STA&82 03/0 51ABGG
0380 LDA#827
0390 STA883
0410 AND#15
0420 STAareas+1
0430 LDA&83
0440 JSR Israc+diffX
0450 STAareas+3
0450 LDA&83
0440 JSR Israc+diffX
0450 STAareas+3
0450 LDA&82
0470 AND#15
0470 STAareas+3
0470 LDA&82
0570 JSR sendl+diffX
0510 STAareas+2
0520 JSR swapup+diffX
0540 STAareas+2
0550 AND#15
0550 AND#15
0550 AND#15
0550 AND#15
0550 STAareas+6
0570 LDA&83
0580 JSR Israc+diffX
0570 LDA&83
0580 JSR Israc+diffX
0570 LDA&83
0680 STAareas+5
0600 LDA&82
0610 AND#15
0600 STAareas+7
0600 LDA&82
0610 AND#15
0600 STAareas+8
0630 STAareas+8
0630 STAareas+7
0600 LDA&82
0610 AND#15
0670 AND#16
0670 AND#1 6910 INX
6920 CPX#4
6930 BNEsaveLo
6940 JSR filingup+diffX
6950 LDX#820
6960 LDX#826
6960 JSR filingdown+diffX
6960 JSR filingdown+diffX
7000 JSR swapdown+diffX
7010 .swaping
7020 JSR64finition+diffX
7030 LDX#255
7040 .lswap
7050 INY
7060 LDApatch, Y
7070 STA(882), Y
7080 CPY#8
7090 BNE Iswap
7190 JHP bswaping+diffX
7110 .hex
7120 CLC
7130 ADC#7 7120 CLC 7130 ADC#7 7140 JHPbhex+diff% 7150 .hex2 7160 CLC 7170 ADC#7 7180 JHPbhex2+diff% 7180 JHPbhex2+diff% 7190 sendi 7200 LDA&80 7210 STApatch 7220 JHP swaping+diff% 7230 .bswaping 7240 CLC 7250 LDA&82 7260 ADC#9 7270 RCS set20

727Ø BCS set8Ø 728Ø .bset8Ø

729Ø STA&82 73ØØ INC&8Ø 731Ø LDA&8Ø CMP&81 7330 BNE se 7340 LDX#0 7350 LDY#0 7359 LVY#9
7369 .trans
7370 LDAheader+diffX,X
7380 STA(882),Y
7399 INX
7490 INY
7490 ENE trans
7430 CLC
7440 LDA882
7450 ADC#8
7460 BCS sethead
7470 .bsethead
7480 STA882
7490 RTS 7490 RTS 7500 .set80 7510 INC&83 7510 INC&35 7520 JNPbset80+diff% 7530 .sethead 7540 INC&35 7550 JNPbsethead+diff% 7550 .remember 7570 LDY#0 7570 LDY#0 7580 .ramlcop1 7590 LDA(&72),Y 7600 STA(&70),Y 7610 INC&70 7620 INC&72 7630 LDA&70 7640 BEQ next1 7650 .bnext1 7660 LDA&72 7670 BEQ next2 7680 .bnext2 7690 LDA&72 7700 .Azero 7710 CMP#0 7710 CHP#0
7720 BEQ endram
7730 JHP ramloop1+diff%
7740 , next1
7750 INC871
7760 JHP bnext1+diff%
7770 , next2
7780 INC873
7790 JHP bnext2+diff%
7880 .endram
7810 RTS
7820 .endram
7830 LDA&73
7840 B.Bero 7840 .Bzero 7850 CMP#&67 786Ø BEQ endram2 787Ø JMP ramloop1+diff% 788Ø .load2 789Ø LDX#Ø 7890 LDXH0
7980 .copyl
7990 .copyl
7910 LDACopyl+diffX,X
7920 STAscode2,X
7930 INX
7940 CPXH21
7950 BNE copyl
7960 JSR findname+diffX
7970 JSR swapup+diffX
7990 LDXH8E0
8000 LDYH826
8010 JSR oscti
8020 JSR filingdown+diffX
8030 LDXH8 8939 LDA#9
8949 STA&79
8959 LDA#827
8969 STA&71
8979 LDY#9
8989 .defhead
8999 LDA(&79),Y
8199 CMPheadert*
8119 BEQ headK
8129 .bheadK
8139 LDX#9
8149 .LOxpload 8140 . LoopLoad 8150 LDA(&70), 149 - LOSPLOAD

8159 LDA(879), Y

8169 STAPATCH2, X

8170 INX

8189 INY

8199 CPX#9

8290 BNE Loopload

8210 JSR end+diffX

8220 LDY#0

8235 CLC

8240 LDAR70

8250 ADC#9

8260 BCS pageb

8270 LDAR70

8260 BCS pageb

8270 LDAR70

8280 STAR70

8290 JMP defhead+diffX

8390 .pageb

8310 INCE71 8300 .pageb 8310 INC&71 832Ø JMP bpageb+diff% 833Ø .headK 834Ø INX

CHARACTER UTILITY

⋖ Continued

835Ø INY 836Ø LDA(&7Ø),Y 8369 LDA(870),7
8370 CHPheader+diffX,X
8380 BNE notnowK
8390 JHP headK+diffX
8400 .notnowK
8410 CPXH9
8420 BEQ enddefK
8431 LDXM0
8440 LOYH0
8440 JPH bheadK+diffX
8460 .enddefK
8470 JSR swapdown+diffX
8460 JPH out+diffX
8490 JPH out+diffX
8490 JPH out+diffX
8490 LDAHZ40
8590 LDAHZ40
8510 STAPATCH 8500 LDA#240 8510 STApatch 8520 TYA 8520 TYA 8530 PHA 8540 JSR definition+diff% 8550 LDX#1 8560 PLA 8570 TAY 8580 .retain 8590 LDApatch,X 8600 STAStoring,X 8610 INX 8620 CPX#9 8630 BNE retain 8640 INY 8650 STY&78 8650 STYR78 8660 .gilbert 8670 LDVR78 8680 LDA(comline),Y 8690 CHP#13 8700 BEO NoLarge 8710 STApatch 8720 LDA#0 8730 STAR70 8740 LDA#255 8750 STA871 8760 STA874 8770 STA872 8780 JSR definition+diff% 879Ø .repeatloopK 88ØØ INC&71 8866 INCEZT
8816 INCEZT
8826 LDART4
8836 CHP/8
8836 SEC resetK
8856 JBP maths+diffX
8876 basths
8876 CPX/F
8836 BNE repeatloopK
8966 JMP defineK+diffX
8978 JMP defineK-diffX 8910 .bdefineK 8920 LDA&70 893¢ CMP&73 894¢ BNE repeatloopK 895¢ INC&78 896Ø LDX#Ø 897Ø LDA#11 8976 LDA#11
8986 .upl
8996 JSR oswrch
9666 INX
9616 CPX&73
9626 BNE upl
9636 LDA#9
9656 NOLarge
9676 LDX#6
9686 LDA#16
9696 doloop 9090 .doloop 9100 JSR oswrch 9100 JSR osurch 9110 INX 9120 CPX873 9130 BNE doloop 9140 LDA#13 9150 JSR osurch 9160 PLA 9170 TAY 9180 LDX#1 9190 LDA#240 9200 STApatch2 9210 Juli 9200 STApatch2
9210 pull
9220 LDAstoring,X
9230 STApatch2,X
9240 INX
9250 CPX#9
9260 BNE pull
9270 JSR end+diffX
9280 JMP out+diffX
9280 JMP out+diffX
9300 LDA#0
9310 STA&74
9320 JMP presetK+di 9320 JMP bresetK+diff% 9330 .maths 9340 LDA#0 9350 STA&77 936¢ LDX#¢ 937¢ .looplsr 938¢ CLC 939¢ LDA&77

9420 CMP&71 9430 BCS overK 9440 INX 9450 JMP LoopLsr+diff% 9460 .overK 9470 STX&77 9480 CLC 949Ø LDApatch+1,X 9490 LDAPatch+1,X 9500 LDX874 9510 STA patch2,X 9520 JMP bmaths+diffX 9530 .defineK 9540 INC870 9550 LDAM23 9560 JSR oswrch 9570 LDAM246 9580 JSR oswrch 9570 LDXW640 9580 JSR oswrch 9590 LDXW0 9500 JDXW0 9596 LDX#9
9609 .dloop
9610 LDApatch2,X
9620 JSR oswrch
9630 INX
9640 CPX#8
9650 BNE dloop
9660 LDA#20
9670 JSR oswrch
9680 LDA#20
9690 JSR oswrch
9690 JSR oswrch
9700 LDA#8 971Ø JSR oswrch 972Ø JMP bdefineK+diff% 9720 JMP Edetinek+di 9730 .large2 9740 TYA 9750 PHA 9760 LDY#5 9770 LDA(comline),Y 9780 CMP#ASC"E" 9790 BEQ foundlar 9800 CMP#ASC"e" 9810 BEQ foundlar 9820 CMP#ASC"N" 983Ø BEQ foundef 984Ø CMP#ASC"n" 9849 CHPHASC""
9859 BEQ foundef
9868 PLA
9878 TAY
9889 JHP blarge+diff%
9899 .foundlar
9999 INY
9918 LDA(comline),Y 9920 CHP#65 9930 BCS hexN 9940 SEC 9950 SBC#48 996Ø STA&73 9960 STAR73
9970 JMP enlarge+diffX
9980 .hexN
9990 SEC
10000 SEC#55
10010 STAR73
10020 JMP enlarge+diffX
10030 .foundef
10040 IMY
10050 LDA(comline),Y
10060 STApatch
10070 JSRdefinition+diffX
10080 LDX#1 10080 LDX#1 10080 LDX#1 10090 .defkloop 10100 LDA#38 10110 JSR oswrch 10120 LDApatch,X 10130 PHA 10140 AND#8FØ 10140 AND#WF0 10150 JSR Lsrac+diff% 10160 CLC 10170 ADC#48 10190 BCS Hset 10200 .bHset 10210 JSR oswrch 10210 JSR oswrch 10220 PLA 10220 PLA 10230 AND/8F 10240 CLC 10250 ADC/48 10260 CHP/58 10270 BCS Hset2 10280 JSR OSWrch 10300 CPX/8 18308 CPX/8 18318 BEQ endinfo 18328 LDA/ASC"," 18339 JSR oswrch 18349 LDX 18359 JHPdefKloop+diffX 18359 JHPdefKloop+diffX 18358 TAY 18380 TAY 18390 LDA/13 18409 JSR ossaci 18418 JHP out+diffX 18426 Llset 18430 CLC 18448 ADCR7

10470 CLC 10480 ADC#7 10490 JMP bHset2+diff% 10500 .swapup 10510 LDA#storing MOD256 10520 STA&70 10520 STAK/0
10536 LDA#storing DIV256
10540 STAR71
10550 LDA#0
10550 STAR72
10570 LDA#827
10570 LDA#827
10590 LDA#0
10600 STA Azero+1+diffX
10610 LDA#827
10620 STA Bzero+1+diffX
10630 STA remember+diffX
10640 RTS
10650 LDA#0
10650 LDA#0
10650 LDA#0
10650 LDA#0
10670 TILOOP1
10660 LDA#0
10670 STA Filepatch+diffX,X
10700 LDAscode2,X
10770 STAR26E0,X
10770 STAR26E0,X
10770 STAR26E0,X 10530 LDA#storing DIV256 18728 INX
18738 CPX#26
18738 CPX#26
18748 BNE filoop1
18758 RTS
18768 .filingdown
18778 LDX#8
18788 .filoop2
18798 LDA filepatch+diffX,X
18808 STA&265E9,X
18818 INX
18828 CPX#26
18838 BNE filoop2
18848 RTS
18858 .swapdown 10720 INX 10850 .swapdown 10860 LDA#storing MOD256 10870 STA&72 10880 LDA#storing DIV256 19839 LDA#storing DIV256
18939 STA873
18990 LDA#8
18918 STA878
18918 STA878
18928 LDA#827
18938 STA871
18938 STA871
18938 STA871
18938 LDA#storplus HOD256
18959 STA Azero+1+diff%
18938 JSR remember+diff%
18998 RTS
11809 LTS
11809 LTS
11809 LTS
11809 LNY
11804 LDA#255
11838 .nospa
11848 LNX
11858 LNY
11868 LDA(comline), Y
11868 LDA(comline), Y
11898 CHP#13
11898 BEQ cr13
11898 BEQ cr13
11898 BEQ spaces 10890 STAR73 11909 CNP#52 11100 BEQ spaces 11110 STA filename+diff%,X 11120 JMP nospa+diff% 11130 .spaces 11140 DEX 11150 JMPnospa+diff% 1115Ø JMPnosj 1116Ø .cr13 1117Ø RTS 1118Ø .lsrac 1119Ø LSRA 112ØØ LSRA 1121Ø LSRA 1122Ø LSRA 1123Ø RTS 11259 RIS 11240 .sacode 11259 EQUS"*SA." 11260 .copyi 11270 EQUS"*LO." 11280 EQUD&20202020 11296 EQUB226262929
11309 EQUB226262629
11319 EQUS22626929
11319 EQUS226929
11326 EQUB13
11336 EQUB13
11346 EQUB6
11356 EQUB6
11356 EQUB6
11356 EQUB6
11356 EQUB6
11356 EQUB6
11456 EQUB6
11456 EQUB6
11456 EQUB6
11456 EQUB6 1129Ø FQUD&2Ø2Ø2Ø2Ø 11430 EQUDO 11440 EQUDO 11450 EQUDO 11450 EQUDO 11470 EQUDO 11480 EQUDO 11490 .patch2 11500 EQUDO 11510 EQUDO 11510 EQUDO 11520 EQUDO

11530 . charX 11540 BRK 11550 .charY 11560 BRK 1157Ø .space 1158Ø BRK 11599 BKK 11599 .scode2 11699 EQUB229292929 11619 EQUB32 11629 .filename 11639 EQUB229292929 11649 EQUB229292929 11659 EQUB22029 1166Ø EQUB32 11669 EQUB32 11679 .reas 11689 EQUB220202020 11679 EQUB220202020 11709 EQUB2202020 11719 EQUB13 11720 .filepatch 11730 EQUD0 11740 EQUD0 11750 EQUD0 11760 EQUD0 11760 EQUD0 1177Ø EQUDØ 11786 EGUDØ
11796 EGUDØ
11796 EGUDØ
11806 .storing
11816]
1826 helpcode=coded+diff%
11826 scode2=scode2+diff%
11826 areas=areas+diff%
11856 storing=storing+diff%
11856 storing=storing+diff%
11856 storplus=storing+diff%
11856 storplus=storing+diff%
11856 patch2=patch2+diff%
11856 charY=charY+diff%
11856 charY=charY+diff%
11956 If Fxcode=Ø THEN ?version=ASC"H" E
LSE ?version=ASC"B"
11926 PROCcheck 1178Ø EQUDØ 11920 PROCcheck 11930 IF ?version=ASC"H" AND CX \$48187 PROCERTOR
11940 IF ?version=ASC"B" AND C%
48182 PROCERTOR
11950 PRINT"Press <SPACE BAR> to save 'C 11950 PRINI"PRESS CSPACE BARD to Save TO 11960 REPEAT: UNTIL GET=32 11970 * SAVE"CRAZYC" 5800 65E2 8000 8000 11980 END 11990 : 12000 DEF PROCCHECK 12090 PER PROCENECK 12010 PRINT'Checking..." 12020 CX=0 12030 FOR N=85800 TO &65E0 12040 CX=CX+?N 12050 NEXT 12060 ENDPROC 12070 120/0 : 12080 DEF PROCerror 12090 PRINT"Checksum error...please chec 12100 END

Listing 2

10 REM Crazy Characters! DEMO 20 REM by Tim Campen 30 REM for B/B+/M/C 40 REM (c) BAU July 1990 60 REM If running on a Model B 70 REM Make sure PAGE=PAGE+8600 80 REM before loading & running 90 :
100 MODE 1
110 AS="LIKE THIS !"
120 VDU23,1,0;0;0;0;
130 VDU19,0,4;0;
140 *NORM
150 COLOUR2
160 PRINTTABL10,1);
170 *LARGE5 CRAZY CHARACTERS!
180 *NORM
190 COLOUR2
200 *CHAR(2
210 *ANTI
220 *FAT
230 *CLOCKU
240 *NORM
250 COLOUR3 250 COLOUR3
260 PRINT''' The simple sideways Ram p athway to..."'
270 PRINT"Rotate text anti-clockwise 280 *ANTI 290 PRINTA\$ 300 *NORM 310 PRINT"Rotate text clockwise 320 *CLOCKW 33Ø PRINTA\$ 34Ø *NORM 35Ø PRINT'"Flip text across the x-plan

9400 ADC&73

10440 ADC#7

10450 JMP bHset+diff% 10460 .Hset2

YELLOW PAGES

CHARACTER UTILITY

⋖ Continued

```
360 *FLIPX
370 PRINTAS
380 *NORM
390 PRINT"Flip text across the y-plane
400 *FLIP
410 PRINTAS
420 *NORM
430 *FAT
440 PRINT'SPC(9)"FATTEN, ";
```

```
450 *NORM
460 *THIN
470 PRINT "THIN, ";
480 *NORM
490 *INVERSE
500 PRINT"INVERSE
510 *NORM
520 PRINT" Find a definition:"
530 COLOUR 2
            PRINTSPC(3)"A=";
```

56Ø COLOUR3:PRINT'' 57Ø *LARGE4 AND (58Ø PRINTTAB(6,23)"Save characters, eg 580 PRINTTAB(6,23)"Save characters, eg *CPUT FRED"; 590 *LARGE4} 600 PRINTTAB(6,24)"Load characters, eg *CGET JOHN" 610 PRINTTAB(6,25)"PLUS"; 620 *LARGE2 HULTI-HEIGHT 630 PRINTTAB(24,25)"*LARGE3 KATE" 640 COLOUR1

650 *THIN 660 PRINTTAB(4,30)"All just a few * co ood PRINIABI4,307 ALT)
mmands away"
670 IF GET
680 *KXY5,1
690 REPEAT UNTIL GET
700 *KEY0 *HELP CRAZY|M
710 *KXJ3,0,128
720 END

CLASSIC EIGHT BITS

```
10 REM Hints & Tips
20 REM Disc Sector Editor
30 REM by Martin Phillips
40 REM BBC B/B+/B+128/Master 128
50 REM (c) Acorn User
60 :
    Listing 1
              70 IF PAGE◇&1900 PRINT"Reload at &19
       36¢ PROCMC
37¢ ENDPROC
38¢ :
          39Ø DEF PROCrun
           400 PROCscreen
         400 PROCscreen
410 PROCtkno
420 PROCrdsec
430 PROCdisplay
440 xX=0:yX=0:HX=0
450 PROCrev
460 REPEAT
         47Ø PROCinput
48Ø UNTIL GX>14Ø
49Ø IF GX<147 THEN GOTO 42Ø
5ØØ ENDPROC
          520 DEF PROCecreen
         530 VDU 24,0;908;1279;1023;18,0,129,16
         .6.
54¢ VDU 24,6;6;1279;128;18,¢,129,16,26
55¢ COLOUR 6:COLOUR 129
56¢ PRINTTAB(4,29)"f¢"TAB(8)"f1"TAB(16
560 PRINTTAB(4,29)"f0"TAB(8)"f1"TAB(16)
)"12";
570 PRINTTAB(25)"f3"TAB(34)"f4"TAB(43)
"f5"TAB(52)"f6"TAB(67)"f9"
580 PRINTTAB(25)"Sector";
590 PRINTTAB(25)"Sector";
590 PRINTTAB(34)"Track"TAB(44)"Scan"TA
B(52)"Ws'tte";TAB(68)"End"
690 PROCdouble(85,29,1)
610 COLOUR 1:COLOUR 128
620 MOVE 24,264:DRAW 24,872
630 DRAW 1248,872:DRAW 1248,264
640 DRAW 24,264
650 MOVE 24,824:DRAW 1248,824
660 MOVE 88,264:DRAW 1248,824
660 MOVE 88,264:DRAW 928,872
670 MOVE 928,264:DRAW 928,872
680 FOR X=0 TO 15
690 PRINTTAB(60+XX,5);-XX
700 PRINTTAB(60+XX,5);-XX:NEXT
710 FOR Y=0 TO 15
720 PRINTTAB(37,74X);-YX:NEXT
730 ENDPROC
           73Ø ENDPROC
          750 DEF PROCdisplay
760 FOR y%=0 TO 15
770 FOR x%=0 TO 15
780 PROCtype(2)
```

```
810 :

820 DEF PROCrev

830 PROCtype(2):coLour 129:coLour Ø

840 PROCtype(MX):coLour 128:coLour 1

850 ENDPROC

860 :
                860 :
870 DEF PROCtype(box)
880 CX=?(data+xX+yX*16)
890 IF box=1 THEN GOTO 920
900 PRINTTABC$*x*48,7+yX)-CX;
910 IF box=0 THEN ENDPROC
920 PRINTTABC$*x*48,7+yX)-TX;
930 IF CX*23 THEN VDU 128:ENDPROC
940 IF CX>127 THEN VDU 129:ENDPROC
940 IF CX>127 THEN VDU 129:ENDPROC
                    95Ø VDU C%
96Ø ENDPROC
   950 VOU CX
960 ENDPROC
970:
970:
970:
980 DEF PROCIPPUT
990 GX=GET
1000 PROCTYPE(MX)
1010 IF XX>0 AND GX=136 THEN XX=XX-1
1020 IF XX>0 AND GX=137 THEN XX=XX-1
1030 IF XX>15 AND GX=137 THEN XY=XX-1
1040 IF XX>15 AND GX=138 THEN YX=YX-1
1050 IF GX=140 THEN MX=(MX+1) MOD 2:COL
OUR 0:COLOUR 129:PRINTTAB(2,30)cS(MX):CO
LOUR 1:COLOUR 128:GOTO 1160
1060 IF GX=141 THEN PROCD:ENDPROC
1070 IF GX=143 THEN PROCS:ENDPROC
1070 IF GX=144 THEN PROCS:ENDPROC
1100 IF GX=145 THEN PROCS:ENDPROC
1100 IF GX=145 THEN PROCS:ENDPROC
1110 IF GX=145 THEN PROCS:ENDPROC
1110 IF GX=145 THEN GTO 1160
1130 IX X=1NSTR(HS, CHRS(GX))
            1120 IF GX>126 THEN GOTO 1160
1130 IX=INSTR(HS, CHRS(GX))
1140 IF HX=0 AND IX=0 THEN GOTO 1160
1150 PROCupdate
1160 PROCrey
1170 ENDPROC
              1180
            1190 DEF PROCupdate
1200 IF MX=1 THEN CX=GX:GOTO1270
1210 CX=(CX AND 15)+(IX-1)*16
1220 ?(data+xX+yX*16)=CX
              123Ø PROCrev
124Ø REPEAT: I%=INSTR(H$, CHR$(GET))
      1240 REPEAT: IX=INSTR(HS, CHR$(GET))
1250 UNTIL IX>0
1250 UNTIL IX>0
1260 CX=(CX AND 240)+IX-1
1270 ?(data+xX+yX*16)=CX
1280 PROCtype(2)
1290 IF xX<15 THEN xX=xX+1 ELSE xX=0;yX
=(yX+1)M0015
1300 ENDPROC
1310 :
            1300 ENDPROC
1310 :
1320 DEF'PROCPRINT
1330 PROCSHOW("Printing sector")
1340 #FX 3,10
1350 VDU 1,14
1350 VDU 1/14
1360 PRINTSPC(10)BS''STRINGS(76,"-")
1370 PRINT" | ";
1380 FOR X%=0 TO 15:PRINT" "-x%;:NEXT
1390 PRINT" | ";
1400 FOR X%=0 TO 15:PRINT;-x%;:NEXT
1410 PRINT" | ";
1420 PRINTSTRINGS(76,"-")
1430 FOR X%=0 TO 15
1440 PRINT" | ";-y%;" | ";
1450 FOR X%=0 TO 15
1460 CX=1(date+X*+y**16)
1470 PRINT" "-CX;:NEXT:PRINT" | ";
1480 FOR X%=0 TO 15
1470 PRINT" "-CX;:NEXT:PRINT" | ";
1480 FOR X%=0 TO 15
1470 PRINT" "-CX;:NEXT:PRINT" | ";
1480 FOR X%=0 TO 15
1490 CX=2(date+X*+y**16)
1500 IF CX<32 OR CX>126 THEN CX=46
1510 PRINTCHRS(CX)::NEXT:PRINT" | "
1520 NEXT y%
1530 PRINTSTRINGS(76,"-")
1540 PRINTTAB(10)"Drive:="DX SPC(10)"Se
ctori-"SX SPC(10)"Track:-"TX
1550 VDU 12
1560 *FX 3
1570 PRINTTAB(20,26)SPC(30)
1580 ENDPROC
1590 IF PROCCOUDLE(A$,x,y)
1610 XX=0 YY=BA:X=10:do=BA00:d=8900
              1360 PRINTSPC(10)BS' STRINGS(76, "-")
           1590 :

1600 DEF PROCdouble(A$,x,y)

1610 XX=0:YX=&A:AX=10:do=&A00:d=&900

1620 C$=CHR$240+CHR$241+CHR$8+CHR$8

1630 C$=C$+CHR$10+CHR$242+CHR$243
```

```
1640 FOR NX=1 TO LEN(A$)
1650 ?do=ASC(MID$(A$,NX,1))
1660 CALL &FFF1:CALL wide
1670 VDU 23,240,d?1,d?1,d?3,d?3,d?5,d?5,d?7,d?7
1680 VDU 23,241,d?2,d?2,d?4,d?4,d?6,d?6
    1680 VDU 23,241,d?2,d?2,d?4,d?4,d?6,d?6,d?8,d?8,d?8
1690 VDU 23,242,d?9,d?9,d?11,d?11,d?13,d?13,d?15,d?15
1700 VDU 23,243,d?10,d?10,d?12,d?12,d?14,d?14,d?16,d?16
1710 PRINTTAB(x+NX*2,y)C$
1720 NEXT NX
1730 ENDPROC
1740
                               1740 :
1750 DEF PROCMC
                      1750 DEF PROCmc
1750 St=8900: chrdef=8A00
1770 st=870:bct=871:tbct=872
1780 FOR passX=0 TO 2 STEP2
1790 PX=wide
1860 LOPT passX
1810 LDX #1
1820 LDY #1
1830 .loclp
1840 LDA #0
1850 STA tbct
1860 LDA chrdef,Y
1870 STA tst
1880 .loopa
                      1876 STA tst
1886 1.Copa
1890 INC tbct
1990 LO H90
1910 STA bct
1920 LO H90
1914 STA bct
1920 LO Atst
1930 LOA tst
1950 LOA STA
1956 IDA STA
1976 STA STA
1980 LOA STA
1976 STA STA
1980 LOA STA
1980 STA STA
1980 STA
1
                               2060 CMP #4
                      2000 CMP #4
2070 BNE loopb
2080 INX
2090 LDA tbct
2100 CMP #2
2110 BNE loopa
                      2110 BNE LOOPB
2120 INY
2130 CPY #9
2140 BNE Locip
2150 RTS
2160 JNEXT Pass%
                               218Ø REM Checksum
                  2180 REM Checksum
2190 totalX=0
2200 FOR byteX=wide TO PX-1
2210 totalX=totalX+2byteX
2220 NEXT byteX
2230 NEXT byteX
2230 IF totalX=6933 ENDPROC
2240 PRINT"Checksum error - please checksum error - please - please checksum error - please - please - please - please - ple
2230 IF total%=6933 ENDPROC
2240 PRINT"Checksum error - please k
k listing"
2250 END
2260:
2270 DEF PROCrdsec
2280 p?@=D%:p!l=data:p?5=3
2290 p?6=567:p??=TX:p?8=5%:p?9=821
2300 PRINTTAB(12, 24) "Drive:="D%
2310 PRINTTAB(32, 24) "Sector:="S%
2320 PRINTTAB(32, 24) "Frack:="TX
2330 PROCOSWORD
2340 del%=res% AND 30
2350 PROCSWORD
2370 PROCSHOW("Disc read error")
2380 Key=GET:PRINTTAB(20, 26) SPC(30)
2390 ENDPROC
2400 :
                  2400 is 2400 EF PROCOSWORD 2410 DEF PROCOSWORD 2420 AX=87F:XX=p HOD 256 2430 YX=p DIV 256 2440 CALL &FFF1:resX=p?10:ENDPROC
```

```
2460 DEF PROCdr

2470 PROCshow("Which drive (0-3)?")

2480 REPEAT k=GET-48

2490 UNTIL k>-1 AND k<4

2500 DZ=: PRINTTAB(20,26)SPC(30)

2510 PROCKHO: ENDPROC
   252Ø :
253Ø DEF PROCsec
 2530 DEF PROCSec
2540 PROCSHOW("Which sector (0-9)?")
2550 REPEAT k=GET-48
2560 UNTIL k>-1 AND k<10
2570 SX=k;PRINTTAB(20,26)SPC(30)
2580 ENDPROC
  2600 DEF PROCtk
2610 PROCshow("Which track (0-"+STR$t%+
  2620 INPUT""k
2630 TX=k:IF TX>tX THEN TX=0
2640 IF TX<0 THEN TX=0
2650 PRINTTAB(20,26)SPC(30):ENDPROC
   2660
  2660 :

2670 DEF PROCTKNO

2680 AX=87E:XX=870:YX=0

2690 CALL &FFF1

2700 TX=(7871+2872*256)DIV 10)-1

2710 ENDPROC
   2730 DEF PROCECAN
   2740 PROCshow("Press space bar to stop
scan")
275Ø REPEAT
 2776 SX=SX+1

2776 IF SX=10 THEN SX=0:TX=TX+1

2780 IF TX>tX THEN TX=0

2790 PROCFIGEC

2800 PROCGISPLAY

2810 K=INKEY(200)
   282Ø UNTIL k>Ø
283Ø PRINTTAB(2Ø,26)SPC(35)
   284Ø ENDPROC
 284ø ENDPROC
285ø :
286ø DEF PROCUrsec
287ø p7ø=DX:p!1=data
288ø IF delX<0> p76=84F ELSE p76=84B
289ø p?7=TX:p?8=SX:p?9=821
296ø PROCOSWORD
291ø resX=resX AND&1E
292ø IF resX=Ø THEN ENDPROC
293ø PROCSHOW("Disc Write error")
294ø key=GET:PRINTTAB(2ø,26)SPC(3ø)
295ø ENDPROC
296ø :
 2950 ENDPROC
2950 :
2970 DEF PROCSHOW(AS)
2990 COLOUR 0:COLOUR 129
2990 PRINTTAB(20,26)" "AS" ";
3000 COLOUR 1:COLOUR 128
3010 ENDPROC
```

```
Listing 2
      10 REM Hints & Tips
20 REM Polar graphics
30 REM by Martin Phillips
40 REM for BBC B/B+/M/E
50 REM (c) Acorn User
   OP:
70 MODE Ø
80 VDU 19,0,4,0,0,0
90 REPEAT
100 PROCinput
110 PROCinitialise
120 PROCPLOT
130 PRINT"Press a key ";
140 atsefress a key ";
    14Ø A$=GET$
15Ø UNTIL A$="E"
    160 END
 160 END
170 :
180 DEF PROCinitialise
190 step=0.002
200 IF a>15 OR b>15 THEN step=0.002
210 m=0.1E-30
220 FOR a>0 TO 2*PI STEP 0.1
230 r=ABS(FNequation)
240 IF m<r THEN m=r+step
```

790 NEXT:NEXT 800 ENDPROC

CLASSIC EIGHT BITS

250	NEXT z
260	ENDPROC
27ø	
28ø	DEF PROCinput
290	CLS
300	PRINTTAB(20,5)"1R=1"
	PRINTTAB(20)"2R=SIN(Z)"
320	PRINTTAB(20)"3R=SIN(5*Z)"
	PRINTTAB(20)"4R=1+2*COS(Z)"
340	PRINTTAB(20)"5R=1+COS(Z)"
350	PRINTTAB(2Ø)"6 R=1+SIN(2*Z)"
360	PRINTTAB(2Ø)"7R=1+2*COS(2*Z)"
370	INPUT''"Enter a number (1-7)"n
38ø	IF n<1 or n>7 THEN GOTO 370
	INPUT"A = "a
	INPUT"B = "b
	ENDPROC
420	
430	DEF PROCplot
440	CLS
450	FOR z=Ø TO 2*PI+step STEP step
	r=FNequation
470	X%=64Ø+512*COS(a*z)*r/m
	Y%=512+512*SIN(b*z)*r/m
	IF z=Ø THEN MOVE XX,YX
	DRAW XX,YX
510	NEXT z
	ENDPROC
530	
	DEF FNequation
	IF n=1 THEN =1
560	IF n=2 THEN =SIN(z) IF n=3 THEN =SIN(5*z)
570	IF n=3 THEN =SIN(5*z)
58ø	IF n=4 THEN =2*COS(z)
	IF n=5 THEN =1+COS(z)
	IF n=6 THEN =1+SIN(2*z)
610	=1+2*cos(2*z)

Listing 3

```
10 REM Hints & Tips
20 REM Polar graphics demo
30 REM by Martin Phillips
40 REM for BBC B/F/M/E
50 REM (c) Acorn User
60:
70 MODE 0
80 VDU 19,0,4,0,0
90 VDU 23,8202;0;0;0;
100 REPEAT
116 FOR R=1 TO 10
120 FOR B=1 TO 10
135 FOR n=1 TO 10
140 PROCinitialise
150 PROCplot
160 I=INKY(100)
170 NEXT N,B,A
180 UNTIL 0
190 END
200 Step=0.02
210 DEF PROCinitialise
220 Step=0.02
230 IF A-15 OR BD-15 THEN step=0.002
240 M=0.1E-30
250 FOR Z=0 TO 2*PI STEP 0.1
260 REASS/ENequation)
270 IF MCR THEN M=R+step
280 NEXT Z
290 ENDPROC
300 :
310 DEF PROCplot
320 CLS
335 FOR Z=0 TO 2*PI+step STEP step
340 REFNequation
350 XX=640+512*COS(A*Z)*R/M
370 IF Z=0 THEN MOVE XX, YX
390 NEXT Z
400 ENDPROC
410 :
420 DEF FNequation
421 F n=2 THEN =SIN(2)
442 IF n=3 THEN =SIN(5*Z)
443 IF n=1 THEN =1
444 IF n=2 THEN =SIN(5*Z)
445 IF n=3 THEN =SIN(5*Z)
445 IF n=3 THEN =SIN(5*Z)
446 IF n=4 THEN =SIN(5*Z)
446 IF n=6 THEN =1+SIN(2*Z)
449 =1+2*COS(2*Z)
```

Listing 4

```
10 REM Hints & Tips
20 REM Vertical print
30 REM by J A Law
40 REM BBC B/B+/M/E
50 REM (c) Acorn User
60:
70 PROCassemble
80 PROCchecksum
90 HODE 4
```

100 PROCTEST 110 END 120: 130 DEF PROCTEST 140 PRINTTAB(10,20); 150 *LINE Demo 160 PRINT" of vertic 160 PRINT" of vertical printing." 180 : 190 DEF PROCassemble 200 wrch=&FFEE:osword=&FFF1 210 userv=&200 22Ø FOR opt%=Ø TO 2 STEP 2 23Ø P%=89ØØ 240 COPT opt% 250 .sideways 260 CMP #1:BEQ code 270 BRK 28Ø] 29Ø ?P%=255:P%=P%+1 300 \$P%="Bad command" 310 P%=P%+LEN\$P% 320 COPT opt% 330 BRK 350 BK 350 Code 350 STX 870:STY 871 360 LDA #0:TAY:TAX 370 STA 872 380 .clear 390 STA 888,X 400 INX:CPX #8 410 BNE clear 410 BNE clear
420 .getchar
430 LDY 872
440 LDA (870),Y
450 CNP 732:BEQ space
460 CMP #13:BEQ end
470 STA 87F
480 LDA #80A
490 LDX #87F:LDY #0
500 JSR osword
510 LDX #0:LDY #0
520 .loop1 510 LOX #0:LDY #0 520 . Loop1 530 CLC 540 LDA &80,Y:ROL A 550 STA &80,Y 560 LDA &88,X:ROL A 570 STA &88,X 58Ø INX: CPX #8 590 INX:CPX #8 590 BNE Loop1 600 LDX #0 610 INY:CPY #8 620 BNE Loop1 630 LDX #0 64Ø .loop2 65Ø LDA &88,X 66Ø PHA 67Ø INX: CPX #8 68Ø BNE Loop2 69Ø LDX #Ø 700 .loop3 710 LDA #23:JSR wrch 720 LDA #224:JSR wrch 730 .loop4 720 LDA #224:JSR wrch 730 .loop4 740 PLA:JSR wrch 750 INX:CPX #8 760 BNE loop4 770 LDA #224:JSR wrch 778 cursor 780 cursor 790 LDA #8:JSR wrch 800 LDA #11:JSR wrch 810 INC 872 820 JMP getchar 83Ø .space 84Ø LDA #32:JSR wrch 850 JMP cursor 860 .end 870 RTS 880 JNEXT opt%

Listing 5

10 REM Hints & Tips
20 REM By Martin Phillips
30 REM For BBC B/B+/M/C
40 REM (c) Acorn User
50:
60 MODE 7
70 PROCinit
80 PROCload
90 PROCUM

900 ?userv=sideways MOD 256 910 ?(userv+1)=sideways DIV 256 920 ENDPROC

990 IF tX⇔19468 THEN PRINT"Checksum e rror; check typing":END 1000 ENDPROC

910 ?(userv+1)=sideways DIV 920 ENDPROC 930 : 940 DEF PROCchecksum 950 t%=0 960 FOR byte%=&900 TO PX-1

970 t%=t%+?byte%

100 PROCSAVE 110 END 120: 130 DEF PROCINIT 140 SX=83000:EX=SX+4:aX=40 150 bX=44:cX=48:osX=8.00 19b bx=44;cX=48;cosX=8A90
169 \$EX="Has it four legs"
170 EX!aX=EX+cX:EX!bX=EX+2*cX:EX=EX+cX
180 \$EX="A dog"
190 EX!aX=0:EX!bX=0:EX=EX+cX
200 \$EX="A sparrow"
210 EX!aX=0:EX!bX=0:EX=EX+cX 220 ENDPROC 230 240 DEF PROCrun 250 PX=SX+4 260 VDU 26,12 270 PRINT CHR\$141; SPC(12); "The Tree Game" 280 PRINT CHR\$141; SPC(12); "The Tree 290 VDU 28,0,24,39,4 300 PRINT "Are you thinking of an anim al? ";
310 PROCINDUT
320 IF A\$="N" THEN ENDPROC
330 IF PX!aX=0 THEN PRINT "Is it ";
340 PRINT \$PX; " ";
350 PROCINDUT
360 IF A\$="Y" AND PX!aX=0 PRINT "I win
!":!=!MKEY(500):GOTO 250
370 IF A\$="N" AND PX!bX=0 PROCGETQUEST
instance 250 ion:GOTO 250
380 IF AS="Y" AND PX!aX>Ø PX=PX!aX:GOT
0 330
0 330 IF AS="N" AND PX!bX>Ø PX=PX!bX:GOT 0 330 400 ENDPROC 400 ENDPROC
410:
420 DEF PROCINDUT
430 REPEAT
440 AS=GETS
450 UNTIL AS="Y" OR AS="N"
460 IF AS="Y" THEN PRINT "Yes" ELSE P
RINT "No"
470 ENDPROC
480:
490 DEF PROCGETQUESTION
500 PRINT "What were you thinking of?"
510 IMPUT objects
520 IF LEN(objects)-39 THEN PRINT "Tex
too long":VDU 7:GOTO 500
530 PRINT "Tell me a question that wil
distinguishbetween "\$PX" and "objects
540 IMPUT question\$
550 IF LEN(question\$)-39 THEN PRINT "T
ext too long":VDU 7:GOTO 530
560 PRINT "What would the answer be fo
r":SPX
570 PROCINDUT
580 SEX=SPX:SPX=SPX=duestion\$
590 EX!ax=0:EX!bX=0:EX=EX+cX
600 SEX=objects:EX!aX=0
610 SEX=Objects:EX=EX+0
610 SEX=Objects:EX=EX+0
610 SEX=Objects:EX=EX+0
610 SEX=Objects:EX=EX+0
610 SEX=Objects:EX=EX+0
610 SEX=Objects:EX=EX+0
610 410 599 EX:8A=0:Ex:10x=0:Ex=Ex+Cx
609 SEX=0bjects:EX:18x=0
610 EX:bX=0:EX=EX+CX
620 IF A\$="\" PX!aX=EX-2*cX:PX!bX=EX-C
X:ENDPROC
630 PX!aX=EX-CX:PX!bX=EX-2*cX
640 ENDPROC
650 6:50 EX:50 EX:5 650 660 DEF PROCLOR 660 DEF PROCLOSIG 670 CLS 680 PRINT!"Have you a tree to load? "; 690 PROCIPPUT 790 IF AS="N" THEN ENDPROC 710 *LOAD TREE 710 % LOAD TREE
720 EX=15X
730 ENDPROC
740:
750 DEF PROCSAVE
760 !SX=EX
770 PROCOSCLI("SAVE TREE "+STR\$-SX+" "
STRS-EX) +STR\$~E%) 78Ø ENDPROC 79Ø : 8ØØ DEF PRO 790 : 800 DEF PROCoscli(\$0s%) 810 XX=0s% MOD 256:YX=0s% DIV 256 820 CALL &FFF7

Listing 6

10 REM Hints & Tips
20 REM By Martin Phillips
30 REM For BBC B/B+/M/C
40 REM (c) Acorn User
50:
60 MODE 7
70 osX=8A00
80 PROCCtoad
90 PROCCdit
100 END
120:
130 DEF PROCCdit

140 VDU 26,12
150 PRINT CHR\$141; SPC(10); "The Tree Game Editor"
160 PRINT CHR\$141; SPC(10); "The Tree Game Editor"
170 PRINT CHR\$141; SPC(10); "The Tree Game Editor"
170 PRINT'"Enter new text or press RET URN"
180 VDU 28,0,24,39,5
190 SX=83000
200 FOR NX=SX+4 TO EX-1 STEP 48
210 PRINT '" "SNX
220 IMPUT temp\$
230 IF LEN(temp\$)>39 PRINT"Text too lo ng":VDU7:GOT0 210
240 IF temp\$>" \$NX=temp\$
250 NEXT NX
260 ENDPROC
270:
280 DEF PROCLOAd
290 %LOAD TREE
300 EX=1SX
310 ENDPROC
320:
330 DEF PROCSSCI("SAVE TREE "+STR\$-SX+" "+STR\$-EX)
360 ENDPROC
370:
380 DEF PROCOSCI("SAVE TREE "+STR\$-SX+" "+STR\$-EX)
360 ENDPROC
370:
380 DEF PROCOSCI("SAVE TREE "+STR\$-SX+" "+STR\$-EX)
360 ENDPROC
370:
380 DEF PROCOSCI(SOX)
370 XX=OSX HOD256:YX=OSX DIV256
400 CALL &FFF7

Listing 7

```
10 REM Hints and Tips
20 REM Modes 1,2,4 & 5 MC screen dump
30 REM by Martin Phillips
40 REM For BBB G/BH/H/C/E
50 REM (c) Acorn User
                    60 :
70 PROCassemble: MODE 1
          60 : 70 PROCassemble:HODE 1
80 PROCoircles
90 CALL 8900
100 END
110 : 120 DEPROCoircles
130 VDU19,0,4,0,0,0
140 VDU23,2822;0;0;0;5
150 VDU29,640;512;
160 FOR IX=100 TO 500 STEP 80
170 FOR IX=1 TO 1 STEP 2
180 MOVE -NX,0
190 FOR XX=IX TO NX STEP 8
200 DRAW XX,TX*(SQR(NX*NX-XX*XX))
210 NEXT XX,TX,NX
220 VDU29,0;0;
230 ENDPROC
240 : 250 DEFPROCassemble
260 XLon&70:xhi=871;yLo=872;yhi=873
270 pixel=874:byte=875:bitcount=876
280 oswrch=8FFE:osword=8FFE1
290 REM Change to 0 TO 2 STEP 2 once d
bugged
300 FOR Dass=0 TO 3 STEP 3
      2°9 REM Change to 0 TO 2 STEP 2 once debugged
300 FOR pass=0 TO 3 STEP 3
310 PX=8,900
320 COPT pass
330 LDA #2:JSR oswrch
340 LDA #255:STA ylo:LDA #3:STA yhi
350 LDA #27:JSR printer:LDA #65:JSR printer
   inter
360 LDA #B:JSR printer
370 .newline:LDA #0:STA xlo:STA xhi
380 LDA #27:JSR printer:LDA #75:JSR pr
               390 LDA #64:JSR printer:LDA #1:JSR pri
   nter
400 .newcolumn:LDA #8:STA bitcount
410 .readpixel:LDX #xlo:LDY #0:LDA #9:
410 .readpixel:LDX #xlo:LDY #0:LDA #9:
JSR osword
420 CLC:LDA pixel:BEQ setbyte:SEC
430 .setbyte:ROL byte
440 LDA ylo:SEC:SBC #4:STA ylo
450 BCS columend:DEC ybi
460 .columend:DEC bitcount:LDA bitcou
nt:BHE readpixel
470 LDA byte:JSR printer
480 CLC:LDA #4:ADC xlo:STA xlo:BCC lin
end:INC xhi
490 .lineend:LDA xhi:CMP #5:BEQendline,
500 LDA #32:CLC:ADC ylo:STA ylo:BCCnew
column:INC yhi:BCSnewcolumn
510 .endline:LDA #10:JSR printer
520 .checkend:LDA yhi:BMI end:JMP newl
ine
  ine
530 .end:LDA #27:JSR printer:LDA #64:J
SR printer
540 LDA #3:JSR oswrch:RTS
550 .printer:PHA:LDA #1:JSR oswrch:PLA
:JSR oswrch:RTS
540 LDA
             560 J
570 NEXT pass
580 ENDPROC
```

CLASSIC EIGHT BITS

Lieting C
Listing 8
10 REM Hints and Tips
20 REM Mode 0 screen dump 30 REM by Martin Phillips
40 REM For BBC B/B+/M/C/E
50 REM (c) Acorn User
60:
7Ø PROCassemble: MODE Ø
8Ø PROCcircles
90 CALL 8900
100 END 110 :
120 DEFPROCCIPCLES
130 VDU19,0,4,0,0,0
14d VDII23-82d2-d-d-d-
150 VDU29,640;512; 160 FOR N%=100 TO 500 STEP 80
160 FOR N%=100 TO 500 STEP 80
17Ø FOR T%=-1 TO 1 STEP 2
18Ø MOVE -N%,Ø
190 FOR X%=-N% TO N% STEP 8
200 DRAW XX, TX*(SQR(NX*NX-XX*XX))
21Ø NEXT X%, T%, N%
22Ø VDU29,Ø;Ø;
23Ø ENDPROC
240 :
25Ø DEFPROCassemble
26Ø xlo=&7Ø:xhi=&71:ylo=&72:yhi=&73
270 pixel=&74:byte=&75:bitcount=&76
28Ø oswrch=&FFEE:osword=&FFF1
29Ø REM Change to Ø TO 2 STEP 2 once d
ebugged 300 FOR pass=0 TO 3 STEP 3
310 PX=8900
320 EOPT pass
330 LDA #2:JSR oswrch
340 LDA #255:STA ylo:LDA #3:STA yhi
350 LDA #27:JSR printer:LDA #65:JSR pr
inter
360 LDA #8:JSR printer
370 .newline:LDA #0:STA xlo:STA xhi
38Ø LDA #27:JSR printer:LDA #76:JSR pr
inter
390 LDA #128:JSR printer:LDA #2:JSR pr
inter
400 .newcolumn:LDA #8:STA bitcount
410 .readpixel:LDX #xlo:LDY #0:LDA #9:
JSR osword
42Ø CLC:LDA pixel:BEQ setbyte:SEC
430 .setbyte:ROL byte
440 LDA ylo:SEC:SBC #4:STA ylo 450 BCS columnend:DEC yhi
460 .columnend:DEC bitcount:LDA bitcou
nt:BNE readpixel
470 LDA byte:JSR printer
TIP LUA DI CE. VOA PI IIILEI

470 LDA byte:JSR printer
480 CLC:LDA #2:ADC xlo:STA xlo:BCC lin
eend:INC xhi

eend:INC xhi
490 .lineend:LDA xhi:CMP #5:BEQendline
500 LDA #32:CLC:ADC ylo:STA ylo:BCCnew
column:INC yhi:BESnewcolumn
510 .endline:LDA #10:JSR printer
520 .checkend:LDA yhi:BMI end:JMP newl ine 530 .end:LDA #27:JSR printer:LDA #64:J

SR printer 540 LDA #3:JSR oswrch:RTS JSR oswrch:RTS 560]

570 NEXT pass 580 ENDPROC

Listing 9

```
10 REM Hints and Tips
20 REM Mode 0-6 screen dump
30 REM by Martin Phillips
40 REM For BBC B/B+/M/C/E
50 REM (c) Acorn User
       60 :
70 PROCassemble: MODE Ø
    8Ø PROCcircles
9Ø CALL &9ØØ
1ØØ END
11Ø :
  249 :

250 DEFPROCassemble

260 xlo=870:xhi=871:ylo=872:ýhi=873

270 pixel=874:byte=875:bitcount=876

280 osvrch=8FFEE:osword=8FFE1

290 REM Change to Ø TO 2 STEP 2 once d
ebugged
300 FOR pass=0 TO 3 STEP 3
310 PX=8900
```

320 COPT pass
330 LDA #2:JSR oswrch
340 LDA #0:STA xlo:STA xhi
35Ø LDA #27:JSR printer:LDA #65:JSR pr
inter
36Ø LDA #8:JSR printer
37Ø .newline:LDA #Ø:STA ylo:STA yhi
38Ø LDA #27:JSR printer:LDA #42:JSR pr
inter
39Ø LDA #5:JSR printer:LDA #Ø:JSR prin
ter:LDA #2:JSR printer
400 .newcolumn:LDA #8:STA bitcount
410 .readpixel:LDX #xlo:LDY #0:LDA #9:
JSR osword
420 CLC:LDA pixel:BEQ setbyte:SEC
43Ø .setbyte:ROL byte
44Ø LDA xlo:CLC:ADC #2:STA xlo
45Ø BCC columnend: INC xhi
46Ø .columnend:DEC bitcount:LDA bitcou
nt:BNE readpixel
47Ø LDA byte: JSR printer
48Ø CLC:LDA #2:ADC ylo:STA ylo:BCC lin
eend: INC yhi
490 .lineend:LDA yhi:CMP #4:BEQendline
500 LDA xlo:SEC:SBC #16:STA xlo:BCSnew
column:DEC xhi:BCCnewcolumn
51Ø .endline:LDA #1Ø:JSR printer
520 .checkend:LDA xhi:CMP #5:BEQ end:J
MP newline
530 .end:LDA #27:JSR printer:LDA #64:J
SR printer
540 LDA #3:JSR oswrch:RTS
550 .printer:PHA:LDA #1:JSR oswrch:PLA
:JSR oswrch:RTS
560]
57Ø NEXT pass
58Ø ENDPROC

10 REM Hints & Tips 20 REM by Martin Phillips 30 REM for BBC B/B+/M/C/E (with plus

Listing 10

```
40 REM (c) Acorn User
50:
60 MODE 1
70 xmin=400:ymin=200
80 xmax=720:ymax=900
90 PROCassemble
            100 PROCcheck
            110 PROCENECK
120 PROCETUN
130 END
         139 END
149:
150 DEF PROCFUM
160 MOVE xmin,ymin
170 DRAN xmax-4,ymin
180 DRAN xmax-4,ymax-4
190 DRAN xmin,ymax-2
200 DRAN xmin,ymin
210 !880=xmin:!882=ymin
220 !884=xmax:!886=ymax
230 CALL 8900
240 ENDPROC
      230 CALL 8900
240 ENDPROC
250 :
260 DEF PROCTriangles
270 CLS
280 VDU 19,0,7,0,0,0
290 VDU 19,3,0,0,0
300 GCOL 4,3
310 FOR NX=1 TO 10
320 MOVE RND(1500), RND(1500)
330 MOVE RND(1500), RND(1500)
340 PLOT 85, RND(1500), RND(1500)
350 NEXT NX
360 GCOL 0,1
370 ENDPROC
380 :
390 DEF PROCCheck
400 totalX=0:targetX=26767
410 FOR byteX=8900 TO 89E7
420 totalX=totalX-120 SPE7
420 totalX=totalX-120 SPE7
440 If totalX-0-targetX THEN PRINT"Chec
sum error - please check listing":END
          240 ENDPROC
ksum error - please check listing": END 450 ENDPROC
          460
         460 to DEF PROCassemble
480 xLo=870:xhi=871
490 ylo=872:yhi=873
500 pixel=874:byte=875
510 bitcount=876
520 osword=8FFE
530 osword=8FFF1
         530 osvord=&FFF1
540 FOR pass=0 TO 2 STEP 2
550 PX=&900
550 EOPT pass
570 :
580 .start
590 LSR &82
600 ASL &82
610 LSR &83
610 LSR &83
630 SEC
```

```
590 STA &89
700 LSR &88
710 CLC
720 LSR &89
730 BCC setx
740 LDA &88
750 ADC #127
    750 ADC #127
760 STA &88
770 .setx
780 LDA &80
790 STA xlo
800 LDA &81
810 STA xhi
820 :
830 .setprinter
840 LDA #2
850 JSR oswrch
860 LDA #10
870 JSR printer
      87Ø JSR printer
88Ø LDA #27
      880 LDA #27
890 JSR printer
900 LDA #65
910 JSR printer
920 LDA #8
930 JSR printer
         94ø
95ø
 940 :

950 newline

960 LDA 882

970 STA ylo

980 LDA 883

990 STA yhi

1000 LDA H27

1010 JSR printer

1020 LDA #42
   1020 LDA #42
1030 JSR printer
1040 LDA #5
1050 JSR printer
1060 LDA &88
1070 JSR printer
1080 LDA &89
      1090 JSR printer
 1090 JSR printer
1100:
1110 .newcolumn
1120 LDA #8
1130 STA bitcount
1140:
 1140 :
1150 .readpixel
1160 LDX #xlo
1170 LDY #0
1180 LDA #9
1190 JSR osword
1200 CLC
 1200 CLC
1210 LDA pixel
1220 BEQ setbyte
1230 SEC
1240 :
1250 .setbyte
1260 ROL byte
1270 LDA xlo
 1270 LDA xto
1280 CLC
1290 ADC #2
1300 STA xto
1310 BCC columnend
1320 INC xhi
   1330 :
   1330 :
1340 .columnend
1350 DEC bitcount
1360 LDA bitcount
1370 BNE readpixel
1380 LDA byte
 1380 LDA byte
1390 JSR printer
1400 CLC
1410 LDA #2
1420 ADC ylo
1430 STA ylo
1440 BCC Lineend
1450 INC yhi
1460:
1449 BCC Lineend
1459 INC yhi
1460 :
1470 Lineend
1480 LDA 886
1490 CHP ylo
1590 BNE Line
1510 LDA 887
1520 CHP yhi
1530 BEQ endline
1540 :
1550 Line
1550 Line
1550 Line
1550 SEC #16
1550 SEC #16
1550 BCS newcolumn
1630 BCS newcolumn
1630 :
1640 DEC xhi
1620 BCC newcolumn
1630 :
1640 LDA #10
1650 LDA #10
   1670 :
1680 .checkend
1690 LDA &85
1700 CMP xhi
```

1710	BNE	new
1720	CLC	
173Ø	LDA	884
1740	SBC	xlo
1750	BCC	end
1760	:	
1770	.ne	
178ø	JMP	newline
1790	:	
1800	.end	
1810		#10
182Ø	JSR	printer
183ø	LDA	#27
1840	JSR	printer
185Ø	LDA	
186ø	JSR	printer
187Ø	LDA	#3
188ø	JSR	oswrch
1890	RTS	
1900	:	
1910	.pr	inter
1920	PHA	
1930	LDA	#1
1940	JSR	oswrch
195Ø	PLA	
1960	JSR	oswrch
197Ø	RTS	
198ø	1	
1990	NEX.	pass
2000		PROC

```
Listing 11
            10 REM Side Print
20 REM By Kieran Connell
30 REM For BBC B/B+/M/C/E/A
40 REM (c) Acorn User
        50:
60 MODEØ
70 PROCSetup
80 PROCdemo
90 RUN
100:
110 DEF PROCSetup
        119 DEF PROCESTUP
120 DIM BLK(7)
130 VDU 23;8202;0;0;0;
140 FOR 1X=0 TO 7
150 BLK(1X)=2^(7-1X)
160 NEXT
170 ENDPROC
         180 :
190 DEF PROCdemo
        200 PRINTTAB(35,1);"Side Print"
210 PRINTTAB(35,2);"------"
220 PRINTTAB(31,4);"By Kieran Connell"
230 INPUT TAB(5,7);"Enter your text >>
         24Ø IF t$="" THEN t$=">>>DEMO...DEMO..
 . DFMO<<<
   .DEMO<<<"
250 PRINTTAB(5,9); "How big do you want
your text ?"
260 x=FNget
270 PRINTTAB(38,9);x;" by ";
280 y=FNget
290 PRINTTAB(38,79);y
360 PRINTTAB(38,72); "HARNING: Make sur
e your Printer is connected!"
310 PRINTTAB(32,14); "Then press SPACE"
320 REPEAT UNTIL GET=32
330 CLS
340 PROCesideprt(t$.x.v)
        340 PROCsideprt(t$,x,y)
350 ENDPROC
        350 :

370 DEF PROCsideprt(text$,xmag,ymag)

380 VDU 2

390 b$=STRING$(ymag,"#")
390 b$=STRING$(ymag,"#")
400 s$=STRING$(ymag,"")
410 FOR IX=1 TO LEN(t$)
420 AX=10
430 XX=270
440 YX=0
450 *2870=ASC(HID$(t$,IX,1))
460 CALL &FFF1
470 FOR KX=0 TO (7*xmag)+xmag-1
480 PRINT'STRING$(40-(ymag*8)/2,"");
490 FOR JX=8 TO 1 STEP -1
500 IF ?(870-JX) AND blk(KX DIV xmag)
THEN PRINT b5; ELSE PRINT s$;
510 NEXT
520 NEXT
520 NEXT
530 PRINT
540 NEXT
550 YOU3
       540 NEXT
550 VDU3
560 ENDPROC
570 :
580 DEF FNget
590 REPEAT
600 no=GET
        62Ø UNTIL no>Ø AND no<1Ø
63Ø =no
```

CLASSIC EIGHT BITS

Listing 12

10 REM Text Formatter
20 REM by Rob Anderson
30 REM for any BBC BASIC machine
40 REM (c) Acorn User
50:
60 AS="Hello, this is a text formatti
ng package which enables neat presentati
on of strings. This has applications for
any programs which require a lot of text
toutput, and enables left, right, centre
e and justify formatting."
70 BS="Hanging indents are supported,
along with normal indents. By defining
text windows, text may also be given any
required left margin, and the line leng
th can also be specified, starting from
1 if required!"
80 CS="The functions provided work with
normal BASIC string variables which a
re passed into the routine as a paramete
r. These routines could be used as part
of an elementary word processor which yo
u may require for a special task."
90:
100 MODE 129 10 REM Text Formatter 99: 100 HODE 129 110 PROCformat(0,39,"TEXT FORMATTING R OUTINE DEMONSTRATION","CENTRE") 120 PROCformat(0,39,STRINGS(37,"="),"C ENTRE")
130 VDU28,0,24,39,4;14
140 PROCformat(0,39,"< press SHIFT to scroll >","CENTRE")
150 PRINT
160 COLOUR2
170 PROCformat(5,39,A\$,"RIGHT") 180 PRINT 190 COLOUR 3 200 PROCFORMAT(-10,30,B\$,"JUSTIFY") 210 PRINT 22Ø COLOUR2 23Ø PROCformat(Ø,39,C\$,"CENTRE") 239 PROCEDIMACTORY, STATE CONTROL OF THE CONTROL OF T LOX, MS, BS
280 width%=LL%
290 IF ABS(ind%) >=LL% OR LL%<1 OR A\$=
"" PRINT "Parameter Range Error.":VDU7:E

48Ø UNTIL tc%=LEN AS

Listing 13

490 PROCprintline(format\$) 500 ENDPROC 510: 520 DEFFROCprintbigword

10%)
580 NEXT
590 lc%=LEN W\$ MOD ll%
600 IF lc%=0 lc%=ll%
610 ENDPROC
620:
630 DEFFROCOPINTLINE(format\$)

710 DEFPROCALignright 720 REPEAT

77Ø DEFPROCeentre

%)

88Ø ENDPROC

1160 UNTIL C%=0

510:
520 DEFPROCPRINTBIGMORD
530 LOCAL AX
540 LineS=LineS+HIDS(US,Ø,LLX)
550 FORAX=LLX+1 TO LEN US STEP LLX
550 PROCPRINTLINE(formats)
570 LineS=STRINGS(indX," ")+HIDS(US,AX
LLX)
580 NEVT

639 DEFPROCOPINITINE(FORMATS)
649 IF LENLINES/WIGHTM LINES-LINES+STR
INGS(WIGHTM-LENLINES," ")
659 IF formatS="RIGHT" PROCALIGNRING
659 IF formatS="GENTRE" PROCJUSTIFY
670 IF formatS="JUSTIFY" PROCJUSTIFY
689 PRINT LINES
679 ENDPROC
700:

73Ø IF RIGHTS(Line\$,1)=" " Line\$=" "+L
EFT\$(Line\$,LENLine\$-1)
74Ø UNTIL RIGHT\$(Line\$,1)\O " "
75Ø ENDPROC

83Ø CX=CX+1
84Ø UNTIL MIDS(line\$,pointer%,1)◇" "
OR CX=llX
85Ø spacesX=CX DIV 2
86Ø line\$=STRING\$(spacesX," ")+line\$
87Ø line\$=LEFT\$(line\$,LEN line\$-spaces

B80 EMPIRED
990:
990 DEFPROCJUSTIFY
910 LOCAL pointerX_CX,spacesX,pointX
920 pointerX=widthX+1
930 CX=-1

940 REPEAT
950 pointer%=pointer%-1
960 C%=C%+1
970 UNTIL MID\$(line\$,pointer%,1) \rightarrow "
980 IF C%=0 ENDPROC
990 pointer%=-1
10000 REPEAT

990 pointerX=-1
1000 REPEAT
1010 pointerX=pointerX+1
1020 UNTIL HIDS(Line\$,pointerX,1)◇" "
1030 pointxP=pointerX
1040 spacesX=cX
1050 IF INSTR(HIDS(Line\$,pointX,(widthX
-cX)-pointX)," ",0)=FALSE ENDPROC
1060 REPEAT
1070 REPEAT
1080 pointerX=pointerX+1
1090 UNTIL HIDS(Line\$,pointerX,1)=" "
1100 UNTIL HIDS(Line\$,pointerX)+HIDS(Line\$,pointerX)+HIDS(Line\$,pointerX)+HIDS(Line\$,pointerX)+HIDS(Line\$,pointerX)+HIDS(Line\$,pointerX)+HIDS(Line\$,pointerX)+HIDS(Line\$,pointerX)+HIDS(Line\$,pointerX)+HIDS(Line\$,pointerX)+HIDS(Line\$,pointerX,0)\" "
1130 PointerX=pointerX+1
1140 UNTIL HIDS(Line\$,pointerX,1)◇" "
1150 CX=cX-1
1160 UNTIL CX=0

780 LOCAL pointer%,C%,spaces% 790 pointer%=width%+1 800 C%=-1 810 REPEAT

820 pointer%=pointer%-1 830 C%=C%+1

```
10 REM VIEW Splice
20 REM by Andrew Pillidge
30 REM for B/B+/E/M/C + VIEW
40 REM (c) Acorn User
                                                                                                                                                                                                                                                                                                           78Ø LDA z+12
79Ø STA z+4
8ØØ LDA z+13
81Ø STA z+5
82Ø LDY #Ø
>0:
60 MDDE 6
70 elk=1
80 IF INKEY-256=elk THEN mkr1=&0054 E
LSE mkr1=&0053
                                                                                                                                                                                                                                                                                                            83Ø :
                                                                                                                                                                                                                                                                                                       840 .text1
850 LDA (z+4),Y
860 STA (z),Y
870 CMP #13
880 BEQ text2
890 JSR inctext
900 JSR incptr
910 JMP text1
920 -
           SE mkr1=80053
90 mkr2=mkr1+2
100 cpr=80008
110 z=800
120 FOR pass=0 TO 3 STEP 3
130 PX=8900
140 COPT pass
150 LDY M0
160 LDA mkr1
170 STA z
180 STA z+8
190 LDA mkr1+1
200 STA z+1
210 STA z+1
210 STA z+2
220 CMP M0
                                                                                                                                                                                                                                                                                                       920 :
930 .text2
940 LDA #9
950 STA (z),Y
960 JSR inctext
970 JSR incptr
                                                                                                                                                                                                                                                                                                         98Ø :
99Ø .loopt2
                                                                                                                                                                                                                                                                                               990 .loopt2
1000 LDA (z+2),Y
1010 STA (z),Y
1020 STA z+6
1030 JSR inctext
1040 CLC
1050 LDA z+2
1060 ADC #1
1070 STA z+2
1080 LDA z+3
1090 ADC #0
1100 STA z+3
1090 ADC #0
1110 CMP #13
1130 BNE loopt2
1140 :
                23Ø BNE mark2
             230 BNE mark2
240 RTS
250 :
260 .mark2
270 LDA mkr2
280 STA z+2
             280 STA z+2
290 STA z+10
300 LDA mkr2+1
310 STA z+3
320 STA z+11
330 CMP #0
340 BNE toploop
350 RTS
360 :
                                                                                                                                                                                                                                                                                               1130 BNE Loopt:
1140:
1150 LDA z+2
1160 CMP z
1170 BNE text1
1180 LDA z+3
1190 CMP z+1
           360 :

370 .toploop

380 LDA (z),Y

390 BEQ top

400 JSR inctext

410 JMP toploop
                                                                                                                                                                                                                                                                                           1996 BNE text1
1206 BNE text1
1210 :
1220 LDA mkr1
1230 STA cpr
1246 LDA mkr1+1
1250 STA cpr+1
1260 LDA Mg
1270 STA mkr1+1
1260 STA mkr1
1260 STA mkr2
1360 STA mkr2+2
1310 .end
1320 STA mkr2+1
1340 ADC M1
1360 LDA z
1370 ADC M1
1360 LDA z+1
1460 ADC M6
1410 STA z+1
1460 LDA z+4
1470 ADC M1
          420 :

430 .top

440 JSR inctext

450 LDA z

460 STA z+4

470 STA z+12

480 LDA z+1

490 STA z+5

500 STA z+13

510 :

520 LDA z+8
          510 :
520 LDA z+8
530 STA z
540 LDA z+9
550 STA z+1
560 :
           57Ø .loop
58Ø LDA (z),Y
59Ø STA (z+4),Y
6ØØ CMP #128
        600 CMP #128
610 BPL end-
620 CMP #11
630 BEQ end-
640 JSR inctext
650 JSR inctext
650 LDA z
670 CMP z+2
680 BRE Loop
690 LDA z+1
700 CMP z+3
710 BNE Loop
720 :
          710 BNE LOOP
720 :
730 .splice
740 LDA z+8
750 STA z
760 LDA z+9
770 STA z+1
                                                                                                                                                                                                                                                                                               1500 ADC #0
                                                                                                                                                                                                                                                                                               1510 STA z+5
1520 RTS
1530 J
                                                                                                                                                                                                                                                                                             1540 NEXT pass
1550 *SAVE SPLICE 0900+E6
```

NOTES

51/4" BENCHMARK DISKS AND BOX OFFERS

25 5 1/4" DS/DD + 100 cap box	£13.62
50 5 1/4" DS/DD + 100 cap box	
75 5 1/4" DS/DD + 100 cap box	
100 5 1/4" DS/DD + 100 cap box	£31.50
All disk 100% certified & guaranteed	i
All boxes inc. locks & dividers	

51/4" BENCHMARK DISKS DS/DD 48/96

25	£10.64
	£17.25
100	£29.90
200	£54.00
400	£124.00

31/2" BENCHMARK DISKS AND BOX OFFERS

20 3 1/2" DS/DD + 100 cap box	£19.95
40 3 1/2" DS/DD + 100 cap box	
50 3 1/2" DS/DD + 100 cap box	£34.95
70 3 1/2" DS/DD + 100 cap box	
100 3 1/2" DS/DD + 100 cap box	£55.95
All disk 100% certified & guaranteed	
All boxes inc. locks & dividers	

DISK BOX SPECIAL

inc. locks and dividers

3 1/2" 50 capacity	£5.25
3 1/2" 100 capacity	£6.50
5 1/4" 50 capacity	£4.95
5 1/4" 100 capacity	£6.50

31/2" BENCHMARK DS/DD 135 TPI

25	£15.95
	£27.95
100	£49.95
200	£92.95
400	£117.95

31/2"	BENCHMARK DISKS DS/HD HIGH DENSITY
25	£32.00
50	£58.00
100	£106.00
200	£199.00
400	£370.00

UNBRANDED DISKS 100% CERTIFIED & GUARANTEED

	5 1/4" DS/DD	5	1/4"DS/HD		3 1/2" DS/DD		3 1/2" DS/HD
100	£27.00	100	£50.00	100	£47.00	100	295.00
	£49.00	200	£94.00	200	£94.00	200	£180.00
	£93.00			400	£173.00	400	£357.00
	£139.00		£260.00	600	£249.00	600	£518.00
	£178.00		£330.00	800	£320.00	800	£670.00
	£215.00				£387.00	1000	£812.00
ALL OUR DISKS HAVE A LIFETIME WARRANTY. DISKS ARE SUPPLIED WITH USER LABELS.							

DATA SWITCHES

For use with all computers

2 way 36 pin	£14.50
2 way 25 pin D-type	£12.50
X-over 36 pin Cent	£19.22
X-over 25 pin D-type	£18.22

All metal case with rotary switch

ALL PRICES INCLUDE VAT & P&P UK ORDERS ONLY

M C S Cheques & Postal Orders to:

24 Hours Orderline: 0597 87 784

Manor Court Supplies Ltd
Telephone: 0597 87 792
Office MON-FRI 9am-5.30pm
Fax No: 0597 87 416
DEPT AU7, GLEN CELYN HOUSE, PENYBONT, LLANDRINDOD WELLS, POWYS, LD1 5SY

EDUCATION AND GOVERNMENT ORDERS WELCOME

ACORN APPROVED

LONDON DEALER

Wide range of software and hardware stocked

Good prices

Easy to get to
Train: WOOD ST Station
(British Rail)
Road: Bottom of M11,
just off North Circular
Tel No: 081-521 1784
Open late till 8pm Thursday



AUTOMATIC SERVICES 217 WOOD STREET WALTHAMSTOW LONDON E17 3NT

FAIRHURST INSTRUMENTS LTD Archimedes, BBC Master 128 A3000, RISC-OS

Acorn Qualified Dealer

Complete range of Printers, Software, Discs, Ribbons etc., IBM, Tandon, Amstrad and Apple

Dean Court, Woodford Road, Wilmslow, Cheshire SK9 2LT.

Tel: 0625-525694

AJIL ELECTRONICS

BBC/MASTER/ARCHIMEDES SPECIALIST

We carry in stock ACORN computers, software, books, peripherals etc.

New product coming soon: MICROVITEC/ARCHIMEDES CONVERSION

Price match with any other reputable + fully approved Acorn dealership on réquest.

FREE holiday accommodation on all purchases over £250 on receipt of this advertisement

Phone for second hand and display prices e.g. BBC B from £175 IEEE 488 2nd processor – £179.95 (1 only) ARM 4Mb 2nd processors £299 (2 only) Z80 from £50.00

Fast repair service on Acorn equipment



Telephone: (0452) 311031 Telex: 94082034 (AJEL) G Fax: (0452) 309125 24 HR. ANSWER SERVICE



49 CALTON ROAD, GLOUCESTER GL 1 5DZ

Specialists also in high performance satellite Television systems Member of The Confederation of Aerial Industries

AGGRAUSER SER OFFERS

OF THE MONTH

THE FANFARE FIVE-LANGUAGE POCKET TRANSLATOR

The essential travelling companion.

Superbly styled and easy-to-use, the Translator contains over 7,000 words across five languages.

Just type in the word you need and the Translator gives you an immediate translation at the touch of a button. In fact it's so versatile it will even translate from any of its built-in languages to any other.

Wherever you are in England, France, Germany, Italy or Spain, the Translator is instantly at your call helping you to ask for directions, read road maps, the daily paper or restaurant menus, find out what shows or other events are on (and when and where) and, of course, whether for leisure or business it will help you build up your own European language vocabulary.

Measuring just 5 x 2.5 x 6.5 inches the Translator slips neatly into any pocket and comes with it's own weather-resistant plastic cover.

If you're holidaying on the continent this summer, or ever go there for business trips, for just £29.95 (saving £5 off the RRP) you'll find the Translator an invaluable aid. But please hurry, as with many of our best offers we unfortunately must set a time limit, and can only guarantee availability until Tuesday July 31st 1990.

The Translator uses four AAA size batteries (not included).





RRP £34.95
BAU Discount £5.00
Offer Price £29.95



PLAY IT AGAIN SAM

BUY TWO GET ONE FREE!

That's right, with every two Play It Again Sam tapes or discs you buy, we'll send you another of your choice — ABSOLUTELY FREE!

Buy four and we'll give you another two, or buy seven and we'll send you the lot. That's all 11 Sams for the price of only seven!

Remember, The more you buy, the more you save. So what are you waiting for? Order your compilations today!

THE CAST

Sam1 – Citadel, Thrust, Stryker's Run, Ravenskull

Sam2 — Repton 3, Crazee Rider, Galaforce, Codename Droid

Sam3 – Commando, Place of Magic, Killer Gorilla, Killer Gorilla 2

Sam4 – Frak, Spellbinder, Cosmic Camouflage, Grand Prix Construction Set (BBC), Guardian (Electron)

Sam5 — Imogen, Elixir, Bug Blaster, Fortress (BBC), Moonraider (Electron)

Sam6 — Galaforce 2, Hunchback, Hopper, The Sentinel (BBC), Video's Revenge (Electron)

Sam7 - Firetrack, Bonecruncher, Snapper, Ghouls


Sam8 – Winter Olympiad 88, Quest, Around The World In 40 Screens, Mr. Wiz

Sam9 – Camelot, Steve Davies Snooker, Spycat, The Life Of Repton

Sam10 – Repton Thru Time, 3D Dotty, Zalaga, Qwak

Sam11 - Barbarian, Pipeline, Baron, Mon-

Cassette £9.95, 5.25in Disc £11.95, 3.5in Disc £14.95



CAN YOU BEAT THE SPORTS PROFESSIONALS AT THEIR OWN GAME?

QUESTION OF SPORT

Play TV's most popular sports quiz, for less than half price!

With David Coleman asking the questions and Ian Botham and Bill Beaumont heading up the teams, you can pit your wits against your family and friends, or even challenge your BBC micro.


There are six exciting and fastmoving rounds, including Pictureboard, Mystery Personality and a Quickfire round.

If you've always fancied yourself as a bit of a sports fanatic, this is the program that will thoroughly test your knowledge.

Order your copy today and see if you can beat the professionals at their own game.

Tape 5.25in 3.5in RRP £12.95 £14.95 £19.95 BAU Discount £6.50 £7.50 £10

Offer Price £6.45 £7.45 £9.95



ALL THREE TRIVIALPURSUIT AT A TRIVIAL PRICE!

The computer version of *Trivial Pursuit* is faithful to the original board game. The object being to travel around the board answering questions and trying to collect a wedge for each of the six subjects.


The questions are asked by a cute character called TP, while the screen layout shows the board along with the progress of each player.

Don't worry about running out of questions. There are enough in this set to keep you wracking your brains through many sessions.

And for as little as £14.95 we'll send you the complete set of Trivial Pursuit games, including Genus, Baby Boomer and Young Players.

Cassette 5.25in Disc RRP £44.85 £59.85 BAU Discount £29.90 £39.90 Offer Price £14.95 £19.95





AROHIMIADES

ZARCH

David Braben, author of Zarch, is also the co-author of the unanimously acclaimed game Elite - probably the world's highest selling computer game.

After months of program development work, David finally harnessed the speed and performance of the Archimedes computer to create another programming masterpiece.

Zarch is unlike any game you have ever seen before. Even the demonstration program, Lander, supplied on the Archimedes Welcome disc, can only give the most basic idea of the features and fascina-

tion that Zarch has in store. The three-dimensional landscape is realistically portrayed by skilful use of 256 colours, area shading and accurate perspective design. The multi-directional smooth-scrolling movement is also enhanced by the use of twin screens: one is viewed while the other is updated.

RRP £19.95 BAU Discount £5.00 Offer Price £14.95

REPTON 3

The Repton series of games is the most successful software ever published for the BBC micro and Electron computers and has been described as 'The thinking man's arcade game'

Now, a massive enhanced version is available for the Archimedes, comprising four complete games:

* REPTON 3 * THE LIFE OF REPTON * AROUND THE WORLD IN 40 SCREENS * REP-TON THRU TIME

Enhanced features include a choice of four tunes and a position save/recall facility. In addition the software includes a sophisticated Screen Editor and Character Editor with a choice of 16 colours from a total of 4,096 hues. Plus you can design new screens and immediately test them by entering the game

RRP £19.95 BAU Discount £5.00 Offer Price £14.95



section.

Ricochet has an amazing 330 different action-packed screens arranged over five levels. You get five games in one, since each level has its own distinctive theme, with superb graphics and unusual puzzles to solve.

You control SPRAT, the Small Partially Robot Alien Time-traveller, in his quest to collect the five hourglasses from the five worlds of

Ricochet.

SPRAT can roll left and right and up and down ladders and ropes, but his unique ability is that he can jump to different heights and in different directions. You have to control the fastmoving alien as he ricochets through the levels.



Cassette 5.25 in disc ADFS disc RRP £9.95 £11.95 £14.95 BAU Discount £2.00 £2.50 £3.00 Offer Price £7.95 £9.45 £11.95

LASTNI

Born in a time of peace, lived in a time of war, the shadow warrior returns. Leaping the abyss of time he comes to fulfil his destiny!

If you enjoyed The Last Ninja you'll go crazy over Last Ninja 2. There are lots more fiendish adversaries, more colourful screens with superb graphics, a score line, a timer and lots more exciting Nin-

ja action. Are you ready for the thrills and skills of the Ninja in crime-filled Manhattan? Can you survive the six action-packed levels?



		Cassette	5.25 in disc	ADFS disc
RRP		£9.95	£11.95	£14.95
BAUD	iscount	£2.00	£2.50	£3.00
Offer P	rice	£7.95	£9.45	£11.95

UTILLITIES

For just £24.95 you can have eight of the most popular BBC Acorn User compilation discs, worth a total of £76.60*. That's a massive saving of £51.65!



* Please note: This offer is only available on 5.25in format

	Usual Pric
Graphics Utilities	€8.95
Educational programs	€8.95
1987 Compilation	€7.95
1988 Compilation	€7.95
Games compilation	€9.95
Sideways Ram utilities	£10.95
Calligraphy	£10.95
Portfolio	£10.95
TOTAL	£76.60

BAU Discount £51.65

OFFER PRICE £24.95

NOW YOUR BBC MICRO CAN TALK BACK FOR AS LITTLE AS £4.95!

Speech! is an incredible piece of coding, needing no extra hardware and taking up just a few K of memory, it converts your BBC's sound chip into a full-blown speech synthesiser!

Once installed you can call it from your own programs with simple-to-use commands. Plus you can fully configure it to speak in any accent or pitch.

And you can teach it how to pronounce unusual words and phrases — adding them to the built-in dictionary — customising *Speech!* to your own requirements.

Due to a bulk purchase we can offer this unique program to you for less than half price. But place your order soon as they're sure to be in high demand.

	Tape	5.25in	3.5in
RRP	£9.95	£11.95	£14.95
BAU Discount	€5	63	£7.50
Offer Price	£4.95	£5.95	£7.45

Please note: Speech! is not compatible with the Electron

The program is not supplied in its original packaging but is complete and fully working.

THE TOTAL DTP SOLUTION

For a limited period we are offering *The Publisher PLUS* four extra discs giving a total of 86 different fonts for only £49.95!

The Publisher is a remarkably easy to use and powerful desktop publishing package, featuring its own page description language, allowing you to operate it from within Wordwise, Wordwise Plus, View, Interword or Wordpower, and giving you total control over the layout of your documents.

It features a unique preview mode so that what you see is exactly what you get, including different sizes of font, reversed text, grey backgrounds, centering, left and right justification, 8 box styles for highlighting text and creating borders, and much, much more.

Combined with the 86 fonts, *The Publisher* offers you everything you need to produce professional-looking results — all in one package, and for less than £50!

But remember, this is a limited offer, so to be sure of your *Publisher* kit order your copy soon.

RRP	£105.80
BAU Discount	£55.85
Offer price	£49.95

HARDWARE

We have secured exclusive rights to offer the last few remaining Tandy FP215 Flatbed Plotters at an incredible saving of £400!

We can do this because, although they are superb pieces of equipment, there are only 80 of them left. This offer is therefore on a strictly first come, first served basis.

If you wish to order yours over the phone, or reserve one prior to ordering by post, please call our mail order hotline on: 0672 40825.

Save over 20% on the unique folding Microdiary

Specially designed so that it fits easily in your pocket or wallet, but opens out to give two manageable sets of keys and a two-line display, the 20k Microdiary is the ideal way to keep your important information instantly to hand.

Forget about paper personal organisers, the Microdiary has no trouble holding even the busiest person's contact list, as well as appointments, reminders, memos and much, much more — and you don't need a pen, or have to buy refill packs of paper each year!

And the best news of all is that for a limited period we have reduced the price of this unique device by £10. For just £39.95 you'll have one of the easiest, cheapest and most secure means of managing your personal data.



If you can't make up a bridge foursome, try the Dual Screen Bridge Computer

Only slightly larger than a paperback book, yet featuring 28 keys and two displays, the Dual Screen Bridge Computer is the ideal way for you to practice bridge.

Targeted at beginners to intermediate players it will help you improve your skills of bidding, playing and recall. While, if you are an advanced bridge player, the Bridge Computer will help you to keep your hand in. And for just £49.95, saving £10 off the recommended price, you're sure to find it helps your bridge playing to improve — as well as being a fun pastime you can play anywhere.

- * 4 levels of play
- * Plays 3 hands
- * Random cards generated for each hand
- * You bid against the computer
- * You can be dummy, declarer or defender
- * Checks for and disallows illegal play
- * Displays your cards, the dummy's hand, bidding, playing and vulnerability, and the results of contracts and tricks RRP £59.95 BAU Discount £10.00

Offer Price £49.95



Specifications

- ★ Built-in parallel and serial interfaces
- ★ Easy connection to most computers
- * Comprehensive instruction set
- ★ Simply controlled from Basic
- ★ Full A4 size plotting area
- ★ High quality hard copy for reports
- ★ Will produce transparencies
- ★ Internally processes down to 0.05mm
- ★ Vertical or horizontal printing/plotting
- ★ The ideal companion for CAD programs

RRP £699 BAU Discount £400



Offer Price £299



* Daily, weekly, monthly and yearly reminder

- * 21 definable function keys for quick access
- * Security code to prevent unwanted access
- * Paperless "printer" for reviewing entries
- * Address and telephone number storage
 - * Accurate clock * Alarm function * 10 digit display calculator
 - * 24 World time zones
 - * Memo function
 - * 20k memory

RRP £49.95 BAU Discount £10.00

Offer price £39.95

The go-anywhere Pocket Chess Plus Computer

This is a truly pocket sized chess computer featuring a touch sensitive board so you can forget about entering fiddly coordinates because the Pocket Plus knows where you move each piece.


It comes with a comprehensive coaching facility which teaches tactical manoeuvres, warns you if a piece is in danger and even shows you its thinking.

Programmed with several difficulty levels, whether you are a beginner or a master, the Pocket Plus will give you a challenging game — every time. And it even remembers the state of play when you switch it off.

Normally the Pocket Plus sells for £34.95, but if you buy it from us we'll knock £5 off the recommended price. For just £29.95 you're guaranteed hours of enjoyment — where ever you are.

RRP £34.95 BAU Discount £5.00

Offer Price £29.95



Save £15 on the Saitek Sensory Backgammon Computer

This is a superbly presented portable or table-top backgammon computer which, like the chess computer, has a touch sensitive board so that it knows where you move the pieces.

It features 9 levels of play with a quick response program and a fully automatic random dice display. And if you don't want to play the computer you can use the board to play a friend too.

Recommended at £69.95, we have slashed £15 off the price of this superb product. Order yours today for only £54.95.

RRP £69.95 BAU Discount £15.00

Offer Price £54.95

MASTER COMPACT

Brian Clough's Football Fortunes

Brian Clough's Football Fortunes is a football management game with a big difference. In an exciting departure from earlier simulation games it combines an excellent range of computer based features with a fascinating board game. Can you compete with human and computer managers to successfully steer your team through the season, using your skill to make it stronger as you proceed?

With the program you get a large playing board, over 100 player cards, stacks of money, some counters and a comprehensive instruction manual. And for only £7.99 you're guaranteed hours of inexpensive yet intense, actionpacked excitement!

RRP £9.99 BAU Discount £2.00 Offer Price £7.99



Colossus 4 Bridge

Colossus Bridge allows one player to play a complete game of bridge with the computer controlling the other three hands. Each hand is bid according to the Acol system, while other standard conventions are also available.

If you're a beginner at bridge you can make use of the inbuilt tutor which has 10 specially chosen hands to illustrate

the principles of the game. In fact, for just £10.99, whether you're a beginner or a more advanced player, you'll find Colossus Bridge is the ideal partner, either for practise or when you can't get another three people together for a game.

BAU Discount £4.00 Offer Price £10.99

Tank Attack

Tank Attack is a computerised board game for two, three or four players, where each player takes the role of a General commanding a country's Tank Corps of one or more armoured divisions.

*Your objective is to capture the enemy headquarters, which will require the planned strategic deployment of your forces and regular fire duels between your own and enemy units. Weather, morale, skill, judgement, planning, foresight, careful management of rebuild and repair facilities and luck all play a part in deciding the result of each game.

RRP £14.99 BAU Discount £4.00 Offer Price £10.99



Birdie Barrage Golf

An excellent golf simulation offering you the chance to play at the famous Turnberry Ailsa, Belfry Brabazon, Carnoustie Championship and Acorn Park golf courses All the features you'd expect form a good golf game are here, including woods, water and bunkers. And for just £7.99 this must be a game that should be in everyone's collection.

BAU Discount £2.00 Offer Price £7.99

Colossus 4 Chess

Probably the most complete chess program available for any home computer and written using the very latest techniques, by a computer chess programmer with over eight years

Colossus perfectly understands the rules of chess and can handle all standard mates, while offering you the choice between a two- dimensional flat board or a stunning 3D

It comes with a comprehensive instruction manual and must be the best chess program for casual and serious players alike

BAU Discount £4.00 Offer Price £10.99



Steve Davis Snooker

This has to be the best snooker simulation you can buy, which is surely proven by the fact that Steve Davis has

It includes a computer play option, infinitely variable speed, spin, friction factor, break score and a foul shot facility, as well as superb graphics.

If you fancy yourself as a good snooker player, for only £9.99 why not see just how good you are at the computer version.

BAU Discount £3.00 Offer Price £9.99



Sporting Triangles

No matter what your sporting preferences may be, Sporting Triangles is bound to intrigue, puzzle and frustrate you. It includes over 2,500 questions to choose from, across 12 action-packed sports.

All the features of the top rating TV quiz show are combined in this superbly presented and equally compelling game.

RRP £14.99 BAU Discount £4.00 Offer Price £10.99



Football Director

Billed as the ultimate football challenge, Football Director features four leagues with 20 teams each, a 38 game season, home and away matches, FA and League Cups, replays and much, much more.

In fact it's so packed with features it really is almost like the real thing, including player's morale, substitutions, injuries, transfers, promotion and relegation, tax, interest, wages and many more than there are room to print here. At the virtually give-away price of just £9.99 Football Director will give you hours, if not days or weeks, of action-packed excitement.

BAU Discount £3.00 Offer Price £9.99



Blue Ribbon Disc 1

Five superb games on one disc:

- Ravage
- Nightmare Maze
- Darts
- Diamond Mine Screwball

RRP £9.99 BAU Discount £2.00 Offer Price £7.99



Blue Ribbon Disc 2

Another excellent compilation of five action-packed games:

- Astro Plumber
- Diamond Mine II
- Castle Assault
- Bar Billiards

RRP £9.99 BAU Discount £2.00 Offer Price £7.99



HAVE A FREE GAME ON US WORTH UP TO £19.95 WHEN YOU SUBSCRIBE



At BBC Acorn User we value our subscribers, because of their support and commitment. On our part we ensure that subscribers get value for money by offering a free gift to every new (or renewing) subscriber and sending them the latest issues before they reach the shops.

But, more than that, we regularly ask our subscribers for their views on the magazine, have subscriber-only competitions and are planning some subscriberonly extra-special offers in the near future.

And we're putting our money where our mouth is. If you take out a subscription (or renewal) before Tuesday July 31st 1990 we will give you one of the following games (worth up to £19.95) absolutely free!

So why not subscribe today? For only £22.95, you'll get a lot more than the next 12 issues of BAU.





ARCHIMEDES

Zarch 3.5in Disc RRP £19.95

Repton 3 3.5in Disc RRP £19.95

BBC MICRO / MASTER / ELECTRON

Ricochet Cassette RRP £9.95

£11.95

5.25in Disc 3.5in ADFS Disc £14.95

RRP £9.95

£11.95

Last Ninja 2 Cassette 5.25in Disc 3.5in ADFS Disc £14.95

The Small Print

Please note: Due to the popularity of our subscription offers we have had to adopt the following rules:

1. No more than one free gift will be allowed per subscriber per year (unless you renew your subscription early. In which case your free gift will be supplied within 28 days). This means that we will no longer allow people to cancel their subscriptions and then resubscribe to get another free gift.

2. This offer replaces all previous subscription offers as stocks of free gifts from previous offers are no longer available.

3. Please remember that your free gift will be despatched separately from the first issue of the magazine to which you subscribed or renewed.

ONLY £22.95





PLEASE SEE THIS MONTH'S YELLOW PAGES FOR FULL DETAILS

Why not buy the BBC Acorn User monthly disc?

You know that BBC Acorn User's yellow pages consistently bring you the best in new software for your BBC or Archimedes each month.

But why not save the wear and tear on your fingers, and get programs that work the first time by ordering this month's disc.

As usual it's packed with plenty of software for everyone.

5.25in disc £6.95 3.5in disc £7.95

What do you think of it so far?

The new BAU special offers have been running for over six months now. We know from your response that you appreciate the offers we bring you and the extra savings you can make. But we are always pleased to hear your comments and would be grateful if you could take the time to tell us what offers you would like to see, or changes you think we should make.

Don't forget, it's in your interest to tell us your opinions so that we can bring you the offers you want. Plus, the senders of the first 100 replies we receive will be sent a voucher worth 10 per cent off their next purchase from BAU Reader Offers (excluding subscriptions).

So fill in this coupon and send it to: Offers Survey, BAU, 20-26 Brunswick Place, London, N1 6DJ.

	990 BAU READER OFFERS SURVEY
My suggestions are:	
20,010	
Name	Address

Acces	5

OFFER OF THE MONTH

Language Translator ☐ (19046-027) £29.95

SUBSCRIPTIONS

with FREE game (UK only) £22.95

 \square (1000-027) New \square (1001-027) Renewal New subscriptions start with the next available issue

Tape BBC 5.25in disc BBC 3.5in disc Archimedes
Ricochet □ □ □ □ □ −

Last Ninja 2 □ □ □ □ −

Zarch − − □

Repton 3 − □

Please tick the game you require

OVERSEAS

 Europe
 □ (10049-027)
 £35.00

 Middle East
 □ (10057-027)
 £40.00

 Rest of the World
 □ (10065-027)
 £45.00

MASTER COMPACT

Colossus 4 Chess		(15504-027) £10.99
Colossus 4 Bridge		(15512-027) £10.99
Sporting Triangles		(15520-027) £10.99
Tank Attack		(15539-027) £10.99
Football Director		(15547-027) £9.99
Steve Davis Snooker		(15555-027) £9.99
Birdie Barage Golf		(15563-027) £7.99
Sporting Triangles		(15520-027) £10.99
Brian Clough's Football		
Fortunes		(15571-027) £7.99
Blue Ribbond Disc 1	// D >1	(15520-027) £7.99
Blue Ribbon Disc 2		(15598-027) £7.99

MONTHLY DISCS

	5.25in dis	c	3.5in disc	
Jan 19 <mark>8</mark> 9	(13005-027)	£6.95	☐ (1351X-027)	£7.95
Feb 1989	☐ (13013-027)	£6.95	(13528-027)	£7.95
Mar 1989	☐ (13021-027)	£6.95	☐ (13536-027)	£7.95
Apr 1989	☐ (1303X-027)	£6.95	(13544-027)	£7.95
May 1 <mark>989</mark>	(13048-027)	£6.95	(13552-027)	£7.95
Jun 19 <mark>8</mark> 9	(13056-027)	£6.95	☐ (13560-027)	£7.95
Jul 1989	□ (13064-027)	£6.95	☐ (13579-027)	£7.95
Aug 1 <mark>9</mark> 89	☐ (13072-027)	£6.95	(13587-027)	£7.95
Sep 1989	☐ (13080-027)	£6.95	(13595-027)	£7.95
Oct 1989	(13099-027)	£6.95	☐ (13609-027)	£7.95
Nov 1989	(13102-027)	£6.95	☐ (13617-027)	£7.95
Dec 1989	☐ (13110-027)	£6.95	☐ (13625-027)	£7.95
Jan 19 <mark>9</mark> 0	☐ (13129-027)	£6.95	(13633-027)	£7.95
Feb 1990	☐ (13137-027)	£6.95	(13641-027)	£7.95
Mar 1990	(13145-027)	£6.95	☐ (1365X-027)	£7.95
April 1990	☐ (13153-027)	£6.95	(13668-027)	£7.95
May 1990	(13161-027)	£6.95	(13676-027)	£7.95
Jun 1990	☐ (13178-027)	£6.95	☐ (13684-027)	£7.95
July 1990	☐ (13188-027)	£6.95	(13692-027)	£7.95

HARDWARE

Microdiary	(19003-027) £39.95
Pocket Chess Plus	(19011-027) £29.95
Dual Screen Bridge	(1902X-027) £49.95
Sensory Backgammon	(19038-027) £54.95
Tandy Flatbed Platter	(11215-027) £299.00

To order products, please complete the coupon overleaf

	٨	A	ÆΊ		C
G	Н	IV	4 U	C	2

GAMES	SET OF 8 5.25in DISCS
Buy two Sams and tick any ONE FREE! Buy seven Sams and tick the other FOUR FREE! Electron tape BBC tape BBC 5.25in disc BBC 3.5in disc Sam 1	□ (11002-027) £24.95
Sam 4	UTILITIES Cassette 5.25in disc 3.5in disc Speech! □ (17000-027) £4.95 □ (17017-027) £5.95 □ (17027-027) £7.45 The Publisher □ (17116-027) £49.95 □ (17124-027) £49.95
Tape BBC 5.25in disc BBC 3.5in disc Archimedes Ricochet □ (16705-027) £7.95 □ (16713-027) £9.45 □ (16721-027) £11.95 □ LastNinja □ (1673x-027) £7.95 □ (16748-027) £9.45 □ (16756-027) £11.95 □ Zarch □ □ □ (16764-027) £14.95 Repton 3 □ □ □ (16772-027) £14.95	ELECTRON NTQ two-rom pack □ (15008-027) £19.95
Unless otherwise stated, please add £1 to each excluding subscriptions. (All overseas order Please allow up to 28 days for delivery.	
you have your card read Please tick ALL the relevant boxes and return this entire form, alo	notline to order – 24 hours a day. Make sure dy and call: (0672) 40825
Total order value £ I enclose a Cheque/Eurocheque/PO made out in pounds sterling, payable to Redwood	Signature Date NameAddress

Address_

Post Code_

Publishing Ltd.

Expiry date \(\square\)

(Barclaycard)

Card No.

I wish to pay by Access (Mastercard)/Visa

Tel

BAU Mail Order, Dept BAU 7, Marlborough Road, Aldbourne, Wilts SN8 2HP

GET LOST.

ACORN APPROVED DEALER

PHONE 081-760 0274 081-667 0851



... IN THE WORLD OF CREATIVE COMPUTING AT SABRE TECHNOLOGIES

a dedicated ARCHIMEDES centre

WE CAN SUPPLY A LARGE RANGE OF ARCHIMEDES SOFTWARE AND A COMPREHENSIVE RANGE OF ARCHIMEDES HARDWARE!

A3000 SPECIAL DEALS

PACK SABRE MEGA PACK

INCLUDES A3000, COLOUR MONITOR, MOUSE MANUALS, RISC-OS, APPLICATIONS DISKS. ALSO INCLUDES THE GAMES HOLED OUT, E-TYPE, JET FIGHTER AND INTERDICTOR, ART PACKAGE ARTISAN, WORDPROCESSOR WORDWISE +, AT THE AMAZING PRICE OF

£975.00 (inc VAT and postage within UK mainland).

PACK 2 SMALL BUSINESS PACK

INCLUDES A3000, COLOUR MONITOR, MOUSE MANUALS, RISC-OS, APPLICATIONS DISKS. PIPEDREAM (LATEST VERSION OF THIS INTERGRATED BUSINESS PACKAGE) PC EMULATOR AND STAR LC10 COLOUR PRINTER £1299.00 inc VAT.

PACK 3 STANDARD PACK

INCLUDES A3000, COLOUR MONITOR, MOUSE MANUALS, RISC-OS, APPLICATIONS DISKS. £859.00 inc VAT.

PACK 4 BUDGET PACK

INCLUDES A3000, MOUSE MANUALS RISC-OS APPLICATIONS DISKS. ${f \pounds 639.00}$ inc VAT.

PACK 5 LEARNING CURVE PACK

NOW AVAILABLE, PHONE FOR BEST DETAILS.

WE ARE OPEN MONDAY-SATURDAY 09.00-5.30

Archimedes 400/1 Series

PHONE FOR BEST PRICES

SOFTWARE SPECIAL OFFERS:-

BUSINESS/ART/UTILITIES		GAMES	
ALPS		COPS	24.99
RISC BASIC	84.95	PLAGUE PLANET	11.50
PRO ARTISAN	84.95	STAR TRADER	15.95
ARTISAN 2	49.95	TRIVIAL PURSUIT	24.99
PRESENTER II	39.99	UIM	24.99
ARMADEUS	69.95	ALL IN BOXING	11.95
FILM MAKER	58.50	WORLD CLASS L'DRBOARD	24.50
KNOWLEDGE ORGANISER	49.95	CAVERN	14.95
VIEW	49.95	ARCADE SOCCER	16.50
GRAPHBOX	58.50	FUGITIVES QUEST	24.50
EUCLID	58.50	JET FIGHTER	12.95
SYSTEM DELTA PLUS (V20)	68.50	HOLED OUT	16.95
		INTERDICTER	29.95

WE RETAIL, REPAIR AND SERVICE ALL POPULAR BRANDS OF QUALITY USED COMPUTERS AND HARDWARE. ACORN, COMMODORE, ATARI, PC's etc. SPECIALIST RETAILERS OF USED COMPUTERS AND HARDWARE

CHEQUES & POSTAL ORDERS MADE PAYABLE TO SABRE TECHNOLOGIES

UNIT 64/75, INSHOPS, 68-74 CHURCH ST, CROYDON, SURREY CR0 1RB



Archimedes Public Domain Software:

Sandie the Walrus Public Domain (STWPD) are the leading (well, we think so anyway) Archimedes PD library with a huge collection – 30 megabytes plus – of disks and software. Everything from:

- * great games
- ★ amazing applications
- * stunning sprites
- * useful utilities
- * much, much more

Order within 1 week of cover date and claim one extra item totally free.

For a catalogue, all you have to do is to write and ask. As we do not make a profit on our PD software, we can afford to keep our prices low – and believe me, we do.

Then there's a free technical help service and laser printing/ imagesetting & DTP from as little as 20p per page. The walrus picture was scanned with a 400 DPI scanner and the entire advert was typeset and laser printed ourselves.

If you send a disc and return postage, we'll copy some free software onto it. Why not write now? What have you to loose?

• STWPD, 12 Mornington Road, Radlett, Herts WD7 7BL, UK •

ARCHIMEDES EXPANSION BOX

Fit more expansion cards to your system

- ♦ For the ACORN A300, A400 and A3000 series
- ♦ Increase to 6 slots for A300/A400 and 4 slots for A3000
- ♦ 3 external single and full width expansion cards can be fitted
- Plugs to A series backplanes or A3000 expansion connector
- ♦ 40 watt Power Supply included; +12 & -5 volts
- Fit Hard disc & floppy drives

Contact SGB Computer Services for prices and delivery

SGB COMPUTER SERVICES

140 Disraeli Road, London SW15 2DX TEL: (081) 874 5675



CCS





Pre-formatted Archimedes Disks 10 x 3.5" 3M DSDD 135tpi £14 plus VAT + £1.50 per order. Available in L, D or E formats.

Phone (0604) 760991 for all your

BBC, Master, Compact, BBC A300 & Archimedes requirements

6 Months interest free credit on our special learning Curve System. Phone or write for full written details. Instant credit available on all orders over £250. Written details on request.

Craddock Computer Systems 20 Osyth Close, Brackmills Ind, Est. Northampton, NN4 ODY

OPEN

Although it may be difficult to decide exactly what type of program it is, **DAVE FUTCHER** discovers Circle Software's Premier is an impressive beast anyway

Iittle like that. Is it a wordprocessor? Is it a report generator? Is it a database? In fact *Premier 3* is really none of these things but spans them all and lots of other applications too. The difficulty in deciding exactly what *Premier 3* is occurs because it is capable of so many things it is hard to find a single category to define it under.

s it a bird? Is it a plane? Premier is a

Three things are certain. First, *Premier* is a dynamic, open ended package and intended for user adaptation. It is also capable of a wide variety of text manipulation activities but calling it a text processor hardly seems to do it justice. Third, it is a fully multi-tasking Risc OS application, it uses the full Wimp window system and is capable of displaying any number of documents or files in separate windows.

A wordprocessor?


At the core of *Premier* is a wordprocessor with built-in functions for inputting, editing, formatting, printing, saving and loading text.

When earlier versions of *Premier* (prior to version 2.5) were released the wordprocessor was particularly limited as it did not even have word wrap but it has now grown into quite a powerful wordprocessor in its own right.

But don't confuse *Premier* with DTP type packages like Computer Concepts' *Impression*. It does not use 'fancy fonts' but sticks with the Acorn system fonts. Neither does it have any facilities to include graphics like *First Word Plus* or *Pipedream 3*.

However, *Premier* is ideal for situations where plain text documents are required with text styles like bold, italic, sub- or super-script and underline – probably the majority of applications anyway.

If you wish to use your Archimedes or A3000 with a daisywheel printer *Premier* is ideal, which is more than can be said for all those new packages that rely on graphical output methods. This is because it does not have to use the normal Acorn printer drivers. So if you are using a dot-matrix



printer *Premier* will provide a very fast, good quality output.

Premier is loaded in the now traditional Risc OS manner – you click the !Premier icon (a scroll and quill) from the desktop after cataloguing the disc, causing the icon to appear on the icon bar after loading.

An existing file is loaded by dragging its icon from a directory viewer onto the !Premier icon on the Icon Bar.

A new document can be started by clicking the menu button over the !Premier icon and selecting the Create option. This produces a sub-menu with a range of file types and Text is selected to create a standard text file.

You are then offered the standard *Premier* command entry window containing the text claret and you are asked to enter a document name. When this is done a new window with the given name is placed on the screen ready for text input.

Saving files could not be easier. The menu button is clicked anywhere in the text window and the Save option is selected. This causes the Filer window to be displayed and from here the file icon can be dragged to a suitable directory or the filename edited to provide a suitable directory path. All very Risc OS.

Documents are created with a default page size that corresponds to A4 with 72 lines and 80 columns. The page margins in this area are set to give a header and footer space of three lines, a perforation skip area of six lines, while the column margins are

set at five and 75 characters, which gives a text area of 60 lines and 70 columns.

Up to 16 tab stops may be set and by default these are at eight column intervals. Documents with different formats – page size, margins and tabs stops are easy to produce and are the basis of something that *Premier* calls a format file which is resident in the Commands directory.

Paragraphs are not formally recognised within *Premier*, instead any number of blank

lines may be entered between paragraphs using RETURN. Within a *Premier* document text will automatically word wrap at the right-hand margin. When a new line has to be forced this is done by pressing RETURN and a new line character is displayed.

Strangely there is no built-in command that enables justification to be switched on and off but this can be remedied by defining the global formatting for the document so that all the text is formatted. Another possibility is to write a *Premier* macro to do the formatting dynamically.

Premier has a powerful set of Find and Replace commands that are available from a window when function key f4 is pressed. Unusually, Premier is capable of searching both forward and backwards.

All the usual cut and paste facilities are also available from the function keys or from menus. You can move an area of text that has been marked to the claret position. Similarly an area of text can be copied to another position.

Dynamic text

The unique feature of *Premier* is the concept of dynamic text. Normal text files created with *View* or *First Word Plus* contain text which is fixed at the time it is entered and cannot be changed without editing the file.

However, these edited changes themselves become permanent, unless some more editing takes place.

Dynamic text is different. You may alter text after it has been entered. The idea has its roots in spreadsheet programs where each slot on the sheet can display a variable which is usually the result of computing a formula based on the result of the contents of other slots on the same spreadsheet.

In *Premier* the idea is extended from the spreadsheet into a text document without the constraints of all the rows and columns. The spreadsheet's formula concept is expanded to contain sequences of commands as well as many separate calculations.

This essentially means that variables and system or user defined functions can be placed within the text file and interpreted at the time of printing or spooling. In reality, the text you create with *Premier* contains a mixture of fixed and dynamic text.

By using dynamic text it is possible to ensure a letter head may always contain today's date or, at a more complex level, you could set up mail merging to print personalised letters and adding names and addresses from another file. Similarly, you could print standard invoices where data is read out of a previously created datafile.

Programming language

The use of *Premier's* programming language is vital if you want to do more than just run pre-defined applications. This is

the real key to the program's power. However, this also means that if you cannot program, *Premier* is not the best choice of package for you.

This simple command language is used to control all *Premier* functions. Simple commands can be entered at the keyboard for direct execution or more complex commands can be typed into a command window either for immediate execution or for saving to disc for future use.

Any sequence of commands can be combined into groups which are then called 'macros' – rather like procedures within BBC Basic, Pascal or other structured languages. These macro commands can be assigned to any key for instant execution.

The *Premier* command language has well over a 100 commands and system variables available within it.

Single commands enable files to be loaded and saved, windows created and particular text strings can be searched for. Variables and constants of the same type (either integer or string) may be combined using mathematical or string operators.

In addition multiple commands may be

than the wordprocessor itself) so that the real power for creating applications that *Premier* has can actually be seen and emulated by users.


Conclusions

If you are looking for an open ended package for doing all manner of text processing tasks, *Premier* is certainly the answer. There is nothing else like it. The programming language and dynamic text offer tremendous possibilities for user adaptation.

Premier 3 is certainly capable of many functions traditionally requiring several software packages.

However, it is less clear how many users will be sufficiently interested in learning to program a package like *Premier* to actually achieve its potential.

We live in an age when computer software is expected to 'load and go'. How many users actually make any use of the wonderful programming language built into Wordwise Plus, beyond small utilities published in magazines? How many use the System Delta database language beyond the card index application supplied with it?



executed only when some condition is true or false. These commands can be repeated any number of times.

The language is documented thoroughly in the comprehensive 220 page User Guide and Reference Manual.

Usefully much of the manual is written as an informal tutorial but unfortunately the examples given are really just illustrations of the way the various commands may be used.

It's a great shame that Circle Software doesn't provide any worked programs (other

(For that matter, how many BBC A3000 owners do any Basic programming that is more complex than typing in the *BAU* yellow pages?)

When Circle Software or third parties produce a set of ready written applications for mail merging, label printing, invoicing and data handling, this very clever but overopen package will sell.

Premier 3 costs £138 from Circle Software, 33 Restrop View, Purton, Swindon SN5 9DG. Tel: (0793) 770021



If you take notice of our

ArchiteX and Arc-METAFONT

you will recognize how insufficient all other text formatting programmes are.

The Implementation of TEX and METAFONT for the

Archimedes

Knuth TEX 2.93 and Knuth METAFONT 1.7 fully verified.

ArchiTFX

The text formatting programme TEX written by Donald E. Knuth generates text output in book printing quality. It is especially useful for editing mathematical or other scientific papers; in this area it has developed to a de facto standard. Included in the package are: TEX 2.93, INITEX, plain format, DVI driver for the screen and all printers, fonts for the screen and one printer.

Arc-METAFONT

With METAFONT also written by Donald E. Knuth, you can design fonts or small pictures, which can be used with the text formatting programme TeX. Arc-METAFONT contains: METAFONT 1.7 (including WIMP version), INIMF, plain format, utilities GFtoDVI, GFtype, GFtoPK, GFtoPKL, PXtoPK, PKtoPK, PLtoTF, TFtoPL, PXtoCH and CHtoPK, source files for the computer modern fonts of the TeX and IATeX system.

This advertisement was typeset with ArchiTEX with fonts generated by Arc-METAFONT. The following formula is an example of the mathematical typesetting capabilities of TEX:

$$f(z) = \frac{1}{2\pi i} \oint_{C_g} \frac{f(\zeta)}{\zeta - 1} d\zeta = \frac{1}{2\pi i} \left[\oint_{K_1} \frac{f(\zeta)}{\zeta - 1} d\zeta - \oint_{K_2} \frac{f(\zeta)}{\zeta - 1} d\zeta \right]$$

$$= \frac{1}{2\pi i} \left[\sum_{v=0}^{\infty} (z - z_0)^v \cdot \oint_{K_1} \frac{f(\zeta)}{(\zeta - z_0)^{v+1}} d\zeta - \sum_{v=1}^{\infty} \frac{1}{(z - z_0)^v} \cdot \oint_{K_2} f(\zeta)(z - \zeta)^{v-1} d\zeta \right]$$

Prices (Regular & Education)

ArchiT _E X	£	99.00	£ 69.00
LATEX and BibTeX	£	39.00	£ 29.00
Arc-METAFONT	£	99.00	£ 69.00

Your hardware configuration should be:

Any Archimedes with at least 1 MB main memory. Arthur 1.2 or RISC OS for ArchiTeX.

The Arc-METAFONT WIMP version runs only under RISC OS.

Both the DVI driver and the METAFONT WIMP version multitask with RISC OS.

Printers supported: EPSON FX/MX/LQ/SQ, NEC P2/P6, HP-Laserjet+, OKI μLine.

Write or phone NOW for our free detailed information!

General correspondence should be addressed to: TooLs GmbH, Kessenicher Straße 108, D-5300 Bonn 1 FRG, Tel.: +49 228/23 00 88, FAX.: +49 228/233 699, e-mail: tex@tools.uucp

Prices exclude VAT (14%), shipping and handling. Payment by Check, Money Order, VISA or MASTER Card. Trademarks (TM): TEX is a TM of the AMS, METAFONT is a TM of Addison Wesley Pub. Comp., Archimedes is a TM of ACORN Ltd.

JACKOF ALL TRADES

With his Arc fully under control, DAVE ACTON comes up for air to examine Instigator from Dabs Press

nstigator is described by Dabs Press as 'The Archimedes System Manager' which is an appropriate title for a large and mixed bag of utilities. Instigator is supplied as a module. Dabs has provided a desktop front end, although the better features are best used outside the desktop environment. Nobody really needs a disc sector editor in a window.

The module contains a few major tools and a wide selection of minor ones – some genuinely handy to have and some are simply fillers.

The disc sector editor provides a clear display of the raw contents of a disc and allows you to alter them on a byte-by-byte basis. A separate command is provided to allow you to search a disc for a pattern of characters. If found, the editor is entered at the appropriate place.

Provision is made for the reading of nonstandard discs through the use of system variables – a thoughtful addition. It should be possible to edit the Ram disc but I had some problems. Dabs is investigating this and will provide free upgrades for customers if the bug is confirmed.

Two other important features of *Instigator* which go hand-in-hand are the memory editor and disassembler. The former is similar to the disc editor – providing a clear and speedy means of examining and editing the contents of Ram.

The disassembler uses colour to distinguish between SWI calls, branches and other instructions – nice. Switching between editor and disassembler is as simple as pressing the COPY key.

The line editor is a facility popular with those users that spend a lot of time in Basic or at the star prompt. It can be permanently enabled, allowing you much more control when it comes to entering commands.

It is effectively a one-line wordprocessor. This, like many of the features of *Instigator*, is not really designed for desktop use. I often use *!Edit* task windows for

entering star commands and the line editor (for very understandable reasons) cannot be used then.

If you prefer to live outside the desktop though, the command archiving facility makes the line editor even more usable. Essentially you can set aside some memory as a buffer for all your previously entered star commands and skip through them as you wish.

This can be a real time saver, particularly as you may specify a search string when recalling old commands.

An even more sophisticated enhancement is provided in the form of 'cut and paste'. This is a sort of 'super' COPY key whereby the mouse can be used to select a piece of text somewhere on the screen for re-entry.

Instigator has its own window system – a fairly primitive affair in these days of multi-tasking. However, I'm sure it will be of some use to people working outside the desktop and needing the ability to 'pop up' boxes on the screen and remove them neatly.

There are numerous minor star commands provided by *Instigator* – too many to list them all but here are some of the more useful or imaginative ones.

Commands are provided to load and save function key definitions, operating system variables and the CMos Ram.

There is a *TIDY which, unlike *COMPACT continues to sort out the contents of a disc until there is just one block of free space

| Columbia | Columbia

left. *BLIST takes a Basic program and lists it out as a text file (this is not something needed every day but I've personally required such a facility in the past and am very glad it's here).

Many file commands are included such as *LOCATE which will find a file for you and display its full pathname. *XINFO and *XCAT are enhanced versions of *INFO and *CAT that search a directory structure recursively and, if needed, will only present information about files of a particular type. Of course, no utility package would be complete without a screen compressor and *Instigator*'s is adequately (though not remarkably) efficient at squashing images.


The *DIMMER command is also handy – causing the screen to be switched off after a given period of keyboard/mouse inactivity.

The manual, incidentally, is excellent – a hallmark of Dabs Press. Other manufacturers please take note of what documentation should look like. A demo disc and quick reference card complete the package.

In conclusion, *Instigator* is a nice little bag of bits and pieces. I'm sure I will be using some of its facilities in the future and aside from a few minor anomalies, *Instigator* should win fans – particularly among 'nuts-and-bolts' programmers that like rummaging around.


At a fraction under £50 I feel that *Instigator* is neither cheap nor over expensive for those who go for this sort of thing.

Instigator costs £49.95 from Dabs Press, 5 Victoria Lane, Whitefield, Manchester M25 6AL. Tel: 061-766 8423.



BIRIDSEYE WAR AND TO THE REPORT OF THE PROPERTY OF THE PROPERT

ROB MILLER casts a covetous eye over the Hawk V9 – the latest colour video digitiser for the Archimedes



roducts for the Archimedes seem to come in bursts. No sooner is the first of a type of product released, than a flood of similar products appear on the market. It's already happening with DTP and now colour digitisers appear to be getting the same treatment.

Hot on the heels of the Pineapple colour digitiser (see the review in April's *BAU*) comes the Hawk V9 from Wild Vision. Looking similar to Pineapple's, the Hawk V9 comes as a full-width podule that fits into an Archimedes via the backplane. The digitiser will therefore require the space usually occupied by two podules and, of course, a backplane for 300 series users.

Manufacture of the board is to a very high standard with no sign of 'bodge' wires needed for last-minute tweaking. The backplate could have been fixed more securely to the circuit board – at present it only has a link at either end of the board making it rather flexible.

However, the problem is overcome once the board has been fitted inside the Archimedes and shouldn't cause any problems unless the podule is to be inserted/ removed a number of times.

The Fastgrab software for the digitiser is supplied on disc as a desktop application. It contains all the code required to grab from a video source, plus ChangeFSI, which is the image manipulation utility written by Acorn's Roger Wilson.

The software runs in any mode supported by the desktop although mode 15 is fastest. As it's a 256 colour picture that is grabbed, any different mode (such as mode 12) will need to convert the palette and/or aspect ratio and so slow down operation.


Running Fastgrab is just a case of double clicking on the application icon to install it on the icon bar. If a video signal is present, a small window appears on the screen with a live representation of the current picture.

Like *IDraw* on the application disc supplied with the Arc, the *Fastgrab* software uses a toolbox for the more common functions. The usual menu (selected with the menu button) can also be called up to access the commands.

All the Risc OS standards are adhered to, making it easy to operate even for people with little experience.

To obtain the best picture, you can alter the colour brightness, saturation and contrast. Unlike the Pineapple digitiser this is done via software. Small slider-bars (similar to those in the desktop palette) are used to adjust between values. The new settings can be saved to disc to make setting up simpler at a later date. A default icon returns the brightness, contrast and saturation to average levels.

The first option in the main toolbox, denoted by a camera icon, is the grab. When the desired picture is shown in the 'viewing window', clicking on this will freeze the action and display the grabbed picture in a 'display window'. Both view and display windows can be altered in size from 128x64 pixels up to 512x256 pixels.



Changing the size of the view window slows down the screen update and so it is best to use the smaller option when grabbing from fast action motion such as sports events. People with freeze frame on their videos can of course use the larger format.

Because Fastgrab is a desktop application, it is possible to run other software (as long as there is sufficient memory available) concurrently. Not surprisingly, real-time digitising takes a sizeable chunk of the processor's time and slows down other applications noticeably. Even the mouse pointer has difficulty getting around the screen occasionally.

Fortunately, it's possible to alter the proportion of the processor's time used for *Fastgrab* by means of a slider bar. However, this does not affect the time taken to grab an image so freeze frames are still possible at the lowest setting.

Like the main Fastgrab window, the display option has its own toolbox. This allows you to manipulate the frame in a number of ways, including processing with ChangeFSI, saving to disc as an 8-bit per pixel sprite or saving to disc as a 12-bit per pixel datafile. The latter uses a large amount of disc space (192K), so it's only possible to save four files of this type on one disc.

Altered images

Those who have been following Dave Knell's series on image processing in *BBC*



Acorn User will already be familiar with some of the principals involved with this seemingly complicated area of computer science. Rather than explain in detail each feature of ChangeFSI, I'll just give a brief outline of each one. A copy of the Public Domain version of ChangeFSI is also included on this month's (July 1990) 3.5in disc so readers can 'try before they buy'.

ChangeFSI is an image processing program written by Roger Wilson (the 'Father of the Arc') at Acorn. It is designed to allow pictures (including those from different computers such as the IBM PC) to be loaded on the Archimedes and processed in a number of ways.

One of the most important features is the ability to convert screens from any graphics mode to any other. If you wanted mode 12 grey-scaled sprites, you can grab in mode



15 and then get *ChangeFSI* to change them. Colour mode 12 (or any other 16 colour mode) pictures can also be produced by reducing the number of bits per pixel used, although the resulting image is not as clear as that obtained using a grey scale.

Excellent mode 0 pictures can also be produced so it would be possible to convert them for use on a standard BBC micro.

As well as converting screens between modes, *ChangeFSI* can be used to enhance images. Range expansion, equalisation and sharpening of pictures are all possible. Equalising a picture causes detail to be 'brought-out'. Sharpening can be used for edge-detection.

Horizontal and vertical flips are provided to allow images to be inverted in the x and y axes. Both colour and monochrome pictures can be reversed (like negative photographs) with the invert option.

All options within *ChangeFSI* are set via 'radio' buttons, again conforming to the Risc OS standard. Once you're happy with the parameters, clicking on an OK icon starts the conversion.

Due to the complexity of *ChangeFSI*, it can take a while to process a picture so an option has been provided to allow processing to take place in mode 1. This requires less microprocessor time and so speeds things up considerably.

When the conversion has finished, ChangeFSI reverts to mode 15 (or whatever mode you start in) when it has finished and displays the resultant sprite. This can be saved to disc or dragged to an art program such as !Paint.

The software supplied with the Hawk V9 is what makes it stand out. It complies to the Risc OS standard completely and so

it is simple to operate by anyone at all familiar with the desktop environment.

The fact that everything is controlled under software means that future upgrades will just be a case of changing discs. The manual is clearly laid out and simple to follow. The 'teccy' bits such as *SWI* call details and specifications are put at the end to avoid initial confusion, inherent in most computer documentation.

There are only two minor criticisms against the Hawk V9. First, you can only digitise square pictures so any source such as a television or video recorder is clipped. However, an adjustable pot is provided on the back of the podule to move the area to be digitised left or right by a small amount.

Secondly, the price (£339+VAT) is considerably more than the Pineapple digitiser, although the current software is better.

Let's hope that the Hawk V9 gives Wild Vision the attention it deserves for supporting the Archimedes with such excellent hardware and software.

The Hawk V9 colour digitiser costs £389.85 from Wild Vision, 6 Jesmond Road, Newcastle Upon Tyne NE2 4PQ, Tel: 091-281 8481.



WELL WORDED

TeX provides an entirely different way of presenting words on a page as DAVID LAWRENCE has discovered

he current battle between the major Archimedes software houses seems to be to produce the 'ultimate' typesetting and desktop publishing system.

All of the programs now, or shortly, available are based around a similar concept:

A blank page is displayed on the screen onto which a number of boxes or 'frames' can be dragged. Text, in a variety of fonts, can then be placed in these frames either directly from the keyboard or imported from

A Sive page of the property of the page of

a file. Line images (output from !Draw) or bit maps (output from !Paint) can also be included in these pages.

The resulting pages can then be printed out using whatever printer is currently attached by means of one of the Risc OS printer drivers.

Using this page make-up method combines quick and easy page layout with a near full Wysiwyg display. The Risc OS font manager works in such a way that its fonts are used on screen and by the printer.

However, some people consider this system to be rather limited – it is often not easy to specify precisely what output you want and, indeed, some desired results may actually be impossible for the system to

produce. Of course, there is no easy way to get round this problem completely – total flexibility and ease-of-use are difficult to combine.

TeX was developed by Donald Knuth as a typesetting system. It was created before the advent of home computers with high processing power, such as the Archimedes, and thus, in its bare form, does not really fit in with the high resolution, multi-tasking world of the machine. Nevertheless, ArchiTeX (the Archimedes version) does go a certain way to fitting in with the Risc OS environment.

The main difference between *TeX* and a desktop publishing system such as Acorn *DTP*, is that *TeX* has no graphical front end. All input – both the actual text and the layout control, is contained in a file. *TeX* then acts rather like a compiler, turning your 'script' file into a 'DVI' (DeVice Independent) file that can then either be previewed on screen, or sent to a printer.

In addition to the simple setting of text in paragraphs, *TeX* can deal with such things as footnotes, foreign characters, odd shaped paragraphs, diagrams and even complicated mathematical equations.

In fact, this represents only a small fraction of what is available. *TeX* itself is a complex programming language allowing variables, looping, conditions and macros.

Not everyone is cut out for such low level coding and so a standard set of 'useful' macros loads as a default. This has almost everything the average punter needs.

Using ArchiteX

If you buy the complete system (ArchiTeX and the font designing program, Metafont) be prepared for a bit of a shock as you'll get 16 800K floppies! Sorting through these can be a bit of chore, but both programs can be easily installed on a hard disc or Econet. Although you can run the system off flop-

pies, a large storage media (or even a big Ram disc) is a definite boon.

There are three stages to creating a finished document. First you must prepare the script file. This can be done in any text editor such as *Twin* or *!Edit*.

The special features of *TeX*, such as layout control and mathematics are accessed through a series of escape sequences, usually prefixed with a backslash. This file should then be saved.

The *TeX* processor should then be loaded. Although this is compatible with the desktop, it takes control of the whole screen and does not multi-task. Interestingly enough, TooLs has provided a multi-tasking shell program (rather like *!Edit* task windows) that allows *TeX*, and other programs – even the Basic Editor – to multi-task.

On loading, *TeX* prompts for the name of your script file and then chunters away processing it. Any errors or comments are reported on screen and written to a log file. Finally, with any luck, it will save the resulting DVI file.

To preview or print this, it must be loaded into the DVI processor. This is a true multi-

'the difference between TeX and a desktop publishing system is that TeX has no graphical front end'

tasking Risc OS application. Menu options are provided for loading DVI files, setting up the output mode and telling the application where the fonts are. All being well, after a few clicks and whirrs, your document should appear fully typeset on screen or on the printer. Easy eh?

A similar process is used by *Metafont*. Again, unlike the usual Archimedes way of defining fonts, *Metafont* uses its own language to precisely describe the way characters should be drawn.

I think the main problem with the *TeX* system is that it needs its own set of fonts – it is not possible to use any of the outline fonts supported by the Risc OS font manager. The whole program is thus rather on the large and cumbersome side and I wouldn't like to have to run it off floppies.

Saying *TeX* is a departure from the usual methods of DTP is wrong, as it has been around a lot longer than the page and frame system described above. However, this does


'if you want unlimited flexibility or to typeset highly technical documents then I cannot recommend TeX enough'

not mean that it is outdated. Many large institutions such as universities use it and it is an ideal system for a mainframe with text only terminals attached to it.

Moving from a system such as Acorn *DTP* to *TeX* is a big jump, and not one that should be taken lightly. You'll lose the ability to import *!Draw* and *!Paint* files into your finished documents for a start. However, if you really need the practically unlimited flexibility it provides or need to typeset highly technical documents, then I cannot really recommend *TeX* enough.

ArchiTeX itself seems to be a good implementation of TeX, and despite a few quirks, such as menu text you can delete, it functions as one would expect. It is also very cheap for such a powerful system. Perhaps someone will write a DVI to !Draw converter, so that TeX could be used for setting mathematical equations which could then be included in !Draw or !DTP.

One final point: Don't buy ArchiTeX assuming you'll be able to read the manual and instantly know all there is to know about TeX. The manual is provided as an installation guide and brief introduction to TeX. For any real information on the TeX language, you'll have to refer to any of the books listed below. I personally recommend



Knuth's own tome, The TeXbook.

The TeXbook by Donald E Knuth, published in 1984 by Addison-Wesley. LaTeX: A Document Preparation System by Leslie Lamport, published in 1985 by Addison-Wesley. The Joy of TeX by Michael Spivak, published in 1985 by Addison-Wesley.

ArchiTeX and Metafont cost £114 each from TooLs, Kessenicher Strasse 108, D-5300, Bonn 1, FRG.

LASER PRINTING AT AN UNBEATABLE PRICE!

Tired of slow, low resolution dot-matrix printing?

ArcLaser

Do you need real print speed and 300 dpi quality?

ArcLaser's unique method of operation in comparison to ordinary laser printers gives a substantially a better price/ performance ratio. It uses the considerable power of the Archimedes to control the printer mechanism directly via very high speed interface, using special software, thus obviating the need for the slower controller in the printer. This approach gives speed and economy.

- Scaleable fonts: ArcLaser uses RISC OS outline fonts every font scableable to any size at 300 dpi, and in portrait or landscape mode. Additional third party outline fonts available for the Archimedes, many under £10.
- Full page Graphics: full graphics pages at 300 dpi typically produced in 20 to 60 seconds. Any graphic capable of being produced on the Archimedes is printed at 300 dpi no extra printer memory to buy.
- Liquid crystal shutter mechanism: Qume printer gives rapid throughput with brilliant quality crisp outlines and really BLACK blacks. Casio engine uses liquid crystal shutter technology instead of rotating miror and laser beam, therefore optics have no moving parts and are reliable and vibrant resistant.

The Result

• Improved output quality – equals or betters normal laser printers • Extra Speed – up to 400% faster than most laser printers • Truly WYSIWYG use of all RISC OS outline fonts and graphics – no expensive fonts to buy.

£799 CalliGraph

Introductory offer

Calligraph Ltd, 53 Panton Street, Cambridge, CB2 1HL, England. Tel (0223) 461143

printer + interface + cable + software

Above details subject to change. All trademarks acknowledged.

himedes

BASIC COLOUR €847.66 A3000 1meg \$619.96 A3000 2meg £739.96 €967.66 A410/1 £1137.46 £1365.16 A420/1 £1551.46 £1779.16 A440/1 \$2172.46 \$2400.16



A3000 with Colour Monitor plus 2 meg RAM upgrade SUPER Price £925.00 OR!

A410/1 with Colour Monitor plus 20meg H/Disc & 2 meg RAM SUPER Price £1599.00



ALL our prices include V.A.T.

Master 128	£412.96
Cambridge Z88 Lap Top	£218.44
Panasonic KX P1081	£159.00
Panasonic KX P1180	£216.55
Citizen 120D	£149.00
Seikosha SL80z 24pln	£287.00
Star LC10	£178.71
Star LC10 Colour	£223.50
Philips 8833 Colour	£260.50
Philips 7522 Amber Screen	£79.95
Philips 8832 Colour	£229.63
Tandata Colour Medium Res	£195.00
Ahkter 40/80 400K Sgle no PSU	£99.37
Ahkter 40/80 800K Dual no PSU	£199.76
Ahkter 40/80 400K Sale & PSU	£131.69
Ahkter 40/80 800K Dual & PSU	£276.20

OAK COMPUTERS

20 Mb Ext HDisc (B & Master)	£595.41
SCSI 20Mb Add HDisc A3/410	£475.24
SCSI 20Mb Ext HDIsc A3000	£584.49
SCSI 45Mb Add HDisc A3/410	£606.34
SCSI 45Mb Ext HDisc A3000	£715.59
SCSI Card for A3000	£217.41
SCSI Card for A3/410	£217.41

COMPUTECKIA

Dinting Lane Industrial Estate Glossop Derbyshire SK13 9NU

Telephone 0457 865953

Telefax 0457 869917

We specialise in "Trading in" and buying Used Hardware & Software

Visa-Master-Lombard Cards \$1.00 for small, \$2.45 for medium items. Expensive products £8.50 for courier

ACORNSOFT

Desk Top Publisher (A)	£137.08
ISO Pascal ROM (BMC)	£55.20
Lisp (BMC)	£18.40
Logistix (A)	£102.46
Micros in Business (BMC)	£39.95
Twin (A)	£30.00
Vlew 3.0 (B)	£47.84
View Index (BMC)	£11.96
View Plot (BMC)	£23.95
View Professional (BMC)	€79.94
View Sheet (BMC)	€47.84

COMPUTER CONCEPTS

£55.20
\$29.44
£45.08
£45.08
£23.00
£35.88
£35.88
£87.99
£47.19
£154.22

CLARES MICRO SUPPLIES

Alpha Base (A)	£44.94
Artisan 2 (A)	£53.95
Toolkit (A)	£35.95
Interdictor (A)	£31.45
Knowledge Organiser (A)	£53.95
Fontwise package (BMC)	£26.99

IMPACT SOFTWARE

Arcade Soccer (A)	£17.95
E-Type (A)	£17.95
Holed Out (A)	£17.95
U.I.M. (A)	£26.95
White Magic (A)	£17.95
The Olympics (A)	£17.95

PRES

Adv. Control Panel (BMC)	£32.08
Adv. Disc Investigator (BMC)	£26.73
Adv. Disc Toolkit (BMC)	£32.08
Adv. File Manager (BMC)	£25.87
PRES Archi products all discou	II betni

MINERVA SYSTEMS

System Delta+Card Index (BM)	£58.45
System Delta Plus (A)	£71.95
Ateller (A)	£89.95

DABS PRESS

Master Gulde Book	£11.65
Viewstore/Sheet Book	£11.65
View Guide Book	£11.65
"C" A Dabhand Guide	£13.45
Z88 A Dabhand Guide	£13.45
Archimedes Beginers Guide	£8.95



PMS

Genie in a Box (BMC)	£71.41
Genie Junior (BMC)	£22.49
Genie Master Cartridge (M)	£71.41
Genie Utilities (BMC)	€8.94
Genie Real Time Clock (BC)	£26.08

This advert contains just a few of the items we have Please telephone or send a SAE for our FULL price lists

USED STOCK SELECTION from COMPUTECK Ltd.

Clares Clares Clares Clares

Clares Clares Comp Comp Comp

Datab

Misc

PMS Pare Pare PRES PRES PRES

Acomsol Acomsoft Acomsoft Acomsoft Acomsoft Acomsoft

Acomsof Acomsof

Acornsoft
Acornsoft
Acornsoft
Acornsoft
Acornsoft
Acornsoft
Acornsoft

Acomsoft

Acomsoft

Acornsoft
Acornsoft
BBC Pubs
Beau Jol
CDS
Domark
Domark
Domark
Fireblid
Impact
Leisure G
Melborne
Micro Pow
Micro Pow
Micro Pow

Micro Pow

Micro Pow Micro Pow Misc. Misc. Misc. Misc. Misc. Misc. Misc. Misc. Misc. Superior S

Tynesoft Tynesoft

COMPUTERS & HARDWARE

500,000	***********************	Ø
Acom	Archimedes A310 Basic RiscOS	595.00
Acom	BBC B 1770 DFS Series 4	264.50
Acom	BBC B 1770 DFS Series 7	287.50
Acom	BBC B 8271 DFS Seiles 4	264.50
Acoin	BBC B 8271 DFS Seiles 7	287.50
Acom	Master Turbo Board	80.50
Acom	Z80 Second Processor	161.00
Mkc.	Z80 Second Processor	103.50
Philips	Green Screen IP200	49.00
Acom	Single Drive 40T No PSU	46.00
Akhter	S/D 5.25 40/80 400K & PSU	69.00
Mbc.	Dual Drive 401 no PSU	96.00
Mkc.	Single Drive 801 no PSU	55.00
Acom	Data Recorder ALFO3	17.25
Acom	Master ROM Cartildge	9.20
Acom	Prestel Adaptor (BM)	46.00
Acom	Speech Upgrade BBC B	17.25
Database	Sound Master Control Device	9.95
Database	Z88 to BBC Link	16.10
MIsc.	Cheelah Mach I+ Joystick	11.50
MIsc.	Cheetah Speech System BBC B	13.80
MIsc.	Delta 3s Joystick	4.60
Misc.	IFEL 16K Sideways RAM Module	15.00
MIsc.	Magic Modern V21/V23	69.00
MIsc.	Printer Sharer & Comps to 1 Pr	184.00
Misc.	Pilsm Modern 1000 Inc Software	69.00
Misc.	Pilsm Modem 2000 in Software	69.00
MIsc.	Terrel printer Sharer Box	26.45
MIsc.	Timer Kit	9.20
MIsc.	UV Stat Epromer	19.55
MIsc.	ZIF Extension lead (B)	6.90
Morley	Care dual 2 x 16K cartridge	9.20
Morley	Teletext Adapter ATS & Support	69.00
PRES	Avanced Rom adaptor MK II	9.20
Solidisk	Teletext Adaptor	69.00
Viglen	Cartridge System for BBC B	9.50
Vine	ROM Board 3 (M)	11.50
Wallord	16K Disc RAM Board (B)	23.00
Walford	Arles B20 RAM Board (B)	34.50
Walford	Quest Mouse & Paint	40.25

BOOKS

	BOOKS	
com	Advanced User Gulde BBC	10.0
coin	Ref Manual Part 1 (M)	10.0
com	Ref Manual Part 2 (M)	10.00
cornsoft	View Ref Manual	6.0
abs Pres	Master OS Dabhand Gulde	8.0
abs Pres	View Dabhand Guide	8.0
SC.	Advnd Basic ROM UGulde/C Pharo	4.0
sc.	Advnd Disk User Guide/C Pharo	6.0
sc.	Advnd Graphics BBC/I O Angell	6.0
sc.	Assembly Lang Prog I Birnbaum	4.0
Isc.	Assembly Lang. by J Ferguson	40
Isc.	Basic Programming BBC	3.0
Isc.	BBC Advnd Ref Gulde/B Smith	à.D
bc.	BBC Ass. Lang Bruce Smith	4.0
kc.	BBC Disk Companion / T Latham	3.0
Isc.	BBC Revealed by J Rushton	2.0
sc.	BBC ROM Book by Bruce Smith	6.0
lsc.	Beyond Basic / R Freeman	4.0
Isc.	Business Programming BBC	4.00
Isc.	Companion to BBC Micro	3.0
Isc.	Creative Assembler/J Griffiths	3.0
kc.	Further Progm'g / A Thomas	2.0
Isc.	Graphic Art for BBC / B Atlan	3.0
lsc.	Graphics Book and tape (B)	5.0
lsc.	Intro Logo on the BBC/B Morrel	6.0
Isc.	Logo on the BBC / B Morrell	8.0
Isc.	MCS6500 Manual	4.0
lsc.	Utilis for BBC / J Aughton	3.0

444002222222222222222222222

A M S A M S A M S A M S A M S A M S A M S A M S A M S A M S A COIN User ACOIN User ACOIN User ACOINSOft ACOINSOft ACOINSOft ACOINSOft

Acornsoft
Acornsoft
Acornsoft
Acornsoft
Acornsoft
Acornsoft
Acornsoft

Acomsoft Acomsoft

Aconsoli Aconsoli Aconsoli Aconsoli BBC Pubs BBC Pubs

Beebug Beebug

Beebug Beebug Beebug Beebug

Beebug Beebug Beebug

Beebug

Beebug Beebug

Beebuo

SERIOUS SOFTWARE	#
	*
3D Zicon (8M) Disc	13.80
AMX Art & Paint Pot (B) ROM	25.00
AMX Super Art ROM (B)	26.75
Extral Extral (BM) Disc	18.80
Max (B) ROM	13.50
Mouse & Super Art (M)-Disc.	34.60
Stop Press (B) ROM	28.75
Stop Press Discs (M)	28.75
Utilities (BM) Disc	8.05
User Dump ROM	13.80
User Rom	3.80
View Chart (BM) Disc	6.90
BCPL ROM (B)	36.01
BCPL Stand aine Gen (BM): Disc	13.80
Business Games (8) Tape	3.45
	8.05
Dalabase (B) Disc	
Fortran 77 (A) Elsc	69.00
GXR Rom (8) ROM/Tape	19.00
HI - View (B) Disc	25.30
Linkword German (Tape)	11.50
Linkword (fallan (fape)	11.50
Logo (B) 2 x RQM	34.50
Logo (E) ROM & Tope	18.00
Ovewtriew (B) ROM	57.50
Printer Driver Gen. (\$M) Dec	6.90
View Indiax (BM) Disc	6.90
View Plot (C) Disc	17.25
View spell (BM) ROM & Disc	25.00
Workshop (B) Disc	6.90
Painting (B) Tape.	3.45
VU-Type (B) Tope	6.90
Astaad (M) Disc	6.90
Billboard (B) Disc	9.20
Design (8) Disc	11.50
Exman: II (B) ITOM	17.25
Help (ROM) (B)	11.50
Masher(lie (B) Disc ::	13.80
Paintbox (B) Disc	9.20
Printwise (BM) Dieg	17.25
Quickcalc (B) Disc	9.20
Rommit (B) ROM	23.00
Sleuth (B) ROM	20.70
Spellcheck III (BM) ROM & Disc	19.95
Spilles (B) Disc	6.90
Studio 8 (B) Disc	13.80
Teletext (B) Tape	4.03
Teletext Pack (B) Disc	8.05
Toolkit (B) ROM	13.80
Toolkit Plus (B) ROM	20.70
Vocab Tester (B) Tape	9.20
Artison (A) Disc	17.25
Alliani (A) Dac	

	Artroom (C) Disc	17.2
	Artroom (M) Disc	13.8
	Attroom Pack (C) Discs	23.0
	Artroom/Ace (M) Discs	17.2
	Beta Base (B) Disc	16.5
	Beta Base Utilis (B) Disc	6.9
	Grafdisc (B) Clisc	6.9
Con	Carelaker (8) #OM	13.8
Con	Communicator (B) ROM	34.5
Con	Disc Doctor (B) ROM	17.2
Con	Graphics (BM) RQM	17.2
Con	Gramin (ACDOM	17.2
Con	Gremlin (B) ROM Inter-Charl (BMC) ROM	20.7
Con	Inter Charles (78MC) (78M	34.5
Con	Inter-Sheet (BMC) ROM Printmaster (BMC) ROM	
	Could design the control of the cont	17.2
Con	Spell Master (BMC) ROM	34.5
ase	Arcade Game Creator (8) Usc	6.9
ase	Mini Office 8 (B) Disc 801	8.5
ive	Graphic Adv Creator (8) Tape Graphic Ava Creator (8) Disc	11.5
ive	Graphic Ava Cheorar (8) Disc	13.8
	Multic System (BM) Dacs	13.8
	Mutic System (BM) Discs Music System II (B) Tope Basic Extension (B) ROM Gorgma Pitt (A) Disc	6.9
ow	Basic: Extension (B) ROM:	17.2
0	Gorging Pipit (A) Disc	46.00
a	System: Destroy Plus (A) Disc	59.00
	ADE+ (M) DIROM	34.50
	AIQS II by Soft Smith	9.9
3	Chathbook by Micha-Ald Disc	9.50
33	Dotprint + Tecnomatic ROM	13.8
**	Family History Micro Aid (A)	17.2
200	Gemin Comba Pack (B) Disc	13.8
- 222	Graphics Pack (8) Tape Salaman	3.4
<i>*************************************</i>	Giotphilo (B) Disc:	6.9
	Graphita (B) Tape	5.7
/////	Storatto Costa (RM) Disc	6.9
S. SAME	Internit by C.E. (M) Disc Insant Recast D/base (B) lape Mega Mattis A' Level 2 x Disc	11.5
	Insahl Sectris 13/hase (B) tane	6.9
	Mean Matter A' Level 2 x Disc	17.2
480.	Multifont NLO+ fonts CJE	23.0
	Oxford Pascal (B) ROM/Disc	45.0
	Punitualit (B) Disc	9.2
	R(t Light Pen (B)	9.2
~~~		23.0
3	Eldiver + ROM (B) Stay (B) BOM	13.8
V. 5	Visitax-Viewdata (B) ROM	23.0
M.,		
****	Vu-Calc (Pslon) (B) Tape	9.2
	Vi&File (8) Tape	11.5
	ZOOM Mach. Code Monitor (B)	11.5
	Monte: Copy (M) ROM	9.2
	Gente Cartridge (M)	34.5
	Gente Utils (BM) Disc	4.6
	Micronet Terminal (B) ROM	9.2
	Adv'd Disc Inv'gator (BMC) ROM	18.9
1	Adv'd Disc Toolkit (BM) Rom	23.0
	Adv'd ROM Manager (BM) ROM	9.2
10	Speechl (BM) Disc	4.6
d	Beebmon (B) ROM	23.0
d	Colour Art (8) Disc	6.9
<b>d</b>	Quest Fonts Disc (BM) Disc	11.5

# GAMES

Achelon (B) Disc	11.50
Arcade Action (B) Tape	1.73
Carousel (B) Disc	4.60
Cube Master (B) Tape	2.30
Elle (C) Disc	8.05
Free Fall (B) Dkc	4.60
Free Fall (B) Disc Hills Vol 1 (BM) Disc	6.90
Hits Vol 1 (C) Disc	6.90
IIII VOIT (C) DEC	6.90
Hils Vol 2 (8M) Disc Me & My Micro (E) Tape 8 Games	
	1.73
Planetold (B) Dlsc	4.60
Revs (BM) Tape	4.60
Revs + 4 Tracks (BM) Disc	9.20
Revs 4 Tracks (B) Disc	4.60
Rocket Raid (B) Tape	2.30
Starship Command (B) Tape	2.30
Super Invaders (B) Tape	1.73
White Knight II (B) Tape	4.60
Hils 2 (B) Disc	6.90
Birdle Barrage (B) Tape	1.73
Trival Pursuit (B) Tape	4.60
Trivial Pusuit (B) Disc	6.90
The Sentinel (B) Disc	6.90
Holed Out (A) Discs	12.95
	3.45
Scrabble (B) Tape	
Loid of the Rings Book/tapes	8.50
Castle Quest (B) Disc	4.60
Imogen (B) Disc	4.60
Imogen (C) Disc	4.60
Magic 10 Hits (C) Disc	4.60
Magle II (C) Disc	4.60
Air Wolf (B) Disc by Elite	6.90
Breakthrough (BM) Disc ASL	4.60
Bridge-Mentor by Minic 2xTapes	4.60
Fortress (B) Disc	6.90
Omega Orb (BM) Disc ASL	4.60
Powerplay / Arcana (B) Disc	4.60
Shark (BM) Disc ASL	4.60
Sphere of Destiny (B) Disc	6.90
Sport Questions (B) Tape	2.30
Super Hangman UK (B) Tape	1.15
Thunderstruck (B) Disc	6.90
Daley Thompson (B) Disc	6.90
	4.60
Around the World (C) Disc	4.60
Around World (BM) Disc	
Collection Vol 1 (BM) Disc	6.90
Collection Vol 2 (BM) Disc	6.90
Galalorce (8M) Disc	4.60
Repton 3 (BM) Disc	3.45
Repton 3 (C) Disc	4.60
Spycal (BM) Disc	6.90
Srykers Run (C) Disc	4.60
Stykers Run (BM) Disc	4.60
Thrust (B) Disc	4.60
Goall (B) Disc	6.90
Jet Set Willey (C) Disc	4.60
Vindaloo (C) Disc	4.60
	-

(8) BBC B (M) Master 128 (C) Compact (A) Archimedes

# Mijas Software

The New Issue of 'A Book on C' by Berry And Meekings £11 inclusive.

Small C System £69 (Inclusive of VAT p&p)

Use the Mijas Small C System on the BBC B or MASTER series computers for games, educational and industrial software. Small C programs run up to 12 times faster than in BASIC. Your code is highly portable and can be recompiled to run on the ARCHIMEDES or R140 using the Acorn ANSI compiler (not supplied) and on many other machines. You can also use the power of the ARCHIMEDES for the rapid development and test of BBC B or MASTER programs. Manuals and post sales support included.

This Small C System produces stand-alone programs with up to 40K of code in ROM and/or MAIN memory. Libraries, extendable by the user, provide memory allocation, multi-mode graphics, file handling, i/o formatting, string handling, and system calls. Full assembler interface.

The system includes the V3.0 Small C compiler & Libraries*, Optimiser, Assembler, Linker, Source-Level Debug, and SHELL. SOURCE CODE is supplied for the compiler and all libraries. Using the MAKE facility and editable makefiles, C code is automatically compiled to assembler source, assembled and then linked with the minimum necessary library code.

Available for the MASTER series Computers, BBC B+ or B with sideways ram, and ARCHIMEDES. Software supplied on 80T double sided 5.25" or 3.5" ADFS or DFS disk. The ADFS disk contains the SHELL source code. The system is also available for other hardware configurations, including systems for the Mitsubishi MELPS processors, please write for details.

# Laser Typesetting Program £23 inclusive

Low cost DTP for any BBC B, MASTER or ARCHIMEDES. Requires an HP Deskjet or Laserjet printer or emulation. Use for letters, booklets, forms and manuals with rules and shading, full multi-font justification, in single or multi-column. Fast printing using the printer's internal fonts. ADFS or DFS disk with rom image, £23 inclusive of vat, p&p. Eprom (avoids the need for sideways ram on BBC B) £7 extra.

Please state your computer system when ordering from: MIJAS SOFTWARE, Winchester Rd. Micheldever, Winchester, Hants SO21 3DG. Tel 0962 89 352.
Official orders, ACCESS and VISA Welcome

*Includes original Small C code supplied at the cost of distribution.

# **Rock Bottom Prices**

A3000 £529

A410/1 - £899

A420/1 -£1275

Learning Curve - £629

Colour Monitor - £189

# **Second Hand Bargains**

BBC B or B Plus -Single 40/80 Disk Drive - £50

All Prices exclude VAT and carriage.

Part Exchange of your current equipment may be possible - please inquire.

# **Broomfield Hall Computers**

Broomfield Hall Church Green Broomfield Essex CM1 5BD 0245 442844/0860 229465 Open 9am-9pm 7 days a week by appointment

That simple statement has always been important in education. Now it is implicit in the National Curriculum. It's also been part of the philosophy of Logotron and one of the reasons for their success in educational software. With the coming together of Longman Logotron you have an innovative reputation, married to a company with a long history in educational publications. Now, BBC Enterprises

# and Longman Setting Logotron have Standards, Meeting Targets.

established a joint venture to publish educational

computer software linked to the BBC's broadcasting for schools. They will take over all existing BBC educational software titles and develop new programs.

We want to keep you informed about our educational software and services. Send the coupon for a free catalogue.



# LONGMAN LOGOTRON

Longman Logotron Limited, Dales Brewery, Gwydir Street, Cambridge CB1 1BR

Name		
Address		
School classification:	☐ Primary ☐ Secondary ☐ Further education	☐ Higher education☐ Special needs
Subject area of interes		_ openial ficeus

# ALL IN ORREST OF THE PROPERTY OF THE PROPERTY

An obscure bit of modern maths is made clear for DAVE FUTCHER by a package for Longman's Numerator

he story of chaos begins in the early 1960s with the work of the meteorologist and mathematical sophisticate Edward Lorenz who set up a simple experiment using a computer to program various changes in the rising of hot air.

In a nutshell, the Choas theory says that regardless how simple or complex a recurring phenomenon is, its occurances have no predictable order, yet there is a form of order that exists in chaos.

What Lorenz discovered was that tiny differences in the initial data could result in enormous differences in the outcomes – which could create chaotic outcomes.


Lorenz created the first picture of the

science of chaos when he graphed the results of his experiement in three dimensions. The result was a 3D spiral-like curve that never intersected or repeated itself. It became known as the Lorenz attractor.

A strange attractor is the general term for this shape occurring in the chaos theory. It can be graphed in multi-dimensional space. The strange attractor changes constantly, endlessly looping and yet never exactly repeating itself.

It was not until the 1970s that other mathematicians and scientists began to find similar results, especially when computers were used for modelling information.

The studies undertaken were from a wide spectrum of fields that seemed totally unrelated – recorded floodings of the Nile, earth-



quakes, noise disruption of electrical current on telephone lines, fluctuations in the price of cotton, changes in celestial orbit, insect infestations in Australia.

But the results were astonishingly similar – the strange attractor surfaced over and over again.

# **Understanding chaos**

The science of chaos is at a threshold. In pursuit of the chaos theory an entirely new type of scientific experimentation has evolved where mathematics is the major means of exploration in a laboratory harboured inside a computer.


In 1987 James Gleick set out to shine some light into the whole world of the growing discipline of chaos theory by writing an outstanding popular paperback, *Chaos: Making of a New Science*.

It was a book that many people said would change our attitudes to how the world works! It certainly jolted many perceptions and shook up the scientific world.

As a concession to 'innumerate' readers Gleick avoided any serious discussion of mathematics, concentrating on pictures and personalities.

Logotron has now set out to remedy this deficiency with the publication of the *Order and Chaos* pack which uses the *Numerator* software package running on an Archimedes or the BBC A3000 computer.

*Numerator* is already well respected mathematical construction kit software (the



The system above is the population growth model devised by P.F. Verhulst in 1845. Given a population, p, and a growth rate, r, then

$$p_1 = (1 + r)p_0 - rp_0^2$$

where  $\mathbf{p}_0$  is the current population and  $\mathbf{p}_1$  is the population at the next time step. This is a variation on the "Malthusian" equation,

Malthusian populaton growth

8-bit version won the *BBC Acorn User* award for Best Educational Software). It was written by Peter Hunter and first published in 1989.

It allows children and students to explore and experiment in the world of numbers, using a graphic medium which makes 'number crunching' stimulating and fun.

The flexibility and openness of *Numerator* has made it an appropriate tool for all sorts of investigations with numbers. It has been particularly successful in providing the environment in which teachers and their pupils have explored arithmetic, probability, statistics, trigonometry, iterative methods and approximations.

# The Order and Chaos pack

The Order and Chaos pack contains a copy of the James Gleick book, some investigations prepared on disc and a first-class workbook taking you through the possibilities for exploring the workspaces created.


The mathematical workspaces have already been created using the simple elements that are at the heart of *Numerator*. Number Tanks hold values, Processors hold the operators in calculations and Pipes link together the Number Tanks and Processors to create a working model.


There are three workspaces on the theme of population modelling. These are based on the population growth model devised by P F Verhulst in 1845 which is a variation on the Malthusian equation, and they illustrate the ideas of period-doubling and bifurcation diagrams.

Harmonic_1 and Harmonic_2 use damped harmonic motion as a vehicle for illustrating the idea of phase space maps. In these workspaces the behaviour of a swinging pendulum is modelled.

Michael Henon was involved in research about orbits around the Galactic centre and he computed the intersection of an orbit with a plane.

The resulting patterns depended on the





system's total energy. The Henon workspace demonstrates a particular attraction function he discovered.

The workspace F_Triangle uses a mod-

# **Conclusions**

Interest in 'chaos' has grown dramatically in the last few years. With its *Numerator* software and this *Order and Chaos* pack-

age, Logotron will open the eyes of anyone who feels they would like to begin their own exploration of unpredictable non-linear systems.

Although the author, Peter Hunter, has provided the

models and the 'recipes' for starting off the exploration, much is left for your own adventures into the dazzling world of chaotic behaviour.

This is a great marriage of James Gleick's brilliant book and a computer program. It will certainly enhance the appreciation of the subject for a wider audience and free it from the province of the specialist scientist and mathematician.

The Order and Chaos pack for Numerator-software, workbook and the book, Chaos: Making of a New Science, by James Gleick costs £15. To run the software a copy of the Archimedes version of Numerator is also necessary. This costs £69 from Longman Logotron, Dales Brewery, Gwydir Street, Cambridge CB1 2LJ. Tel: (0223) 323656.

# 'Not chaos-like, together crushed and bruised; But, as the world harmoniously confused; Where order is variety we see; And where, though all things differ, we agree.' Alexander Pope

ule Fract_Tri which generates a fractual triangle built up of randomly placed dots. The position for each dot is determined by a rule which contains a random element.

In the Mandel_Lab workspace it is possible to experiment with the non-linear equation at the heart of the Mandlebrot set. While MandelPlot will plot all or part of the Mandlebrot set.

This works rather slowly and therefore a separate application !Mandel has been provided on the disc to provide for investigation into the Mandlebrot and Julia sets outside of Numerator.

The final two workspaces, PlanetWrks and 4StarWorks allow you to explore the butterfly effect within two-dimensional, astronomical environments, bringing together chaos and cosmos.

here's good news and bad news this month. The good news is that things are looking up for the Archimedes and good sales of the BBC A3000 have encouraged software houses to take a closer look at the wonder machine.

The bad news is that the number of games for the old Beeb seems to be decreasing in direct proportion. The only companies supporting this machine are Superior and Fourth Dimension, with one or two 'one-offs'.

One game that will see the light of day on the Beeb (and perhaps the Arc) is *Klax* from Domark. Best described as a kind of 3D *Tetris*, *Klax* is being released alongside its coin-op version.

The game is something of a cross between *Breakout* and *Connect Four*. You must bounce tiles around a grid to make lines of three. The game progresses with more lines (Klax's) to make, like *Tetris*, faster and faster action. We'll have a full review soon.

The Fourth Dimension is doing its best with *Inertia* (hopefully out by now) and the eagerly awaited conversion, BBC *E-Type*.

Based loosely on the classic *Marble Madness*, *Inertia* puts you in charge of a spinning-top like craft which you must guide around a tiled landscape.

Various tiles have to be collected in order to proceed, some of which affect the way in which your ship manoeuvres. An Archimedes version, with enhanced graphics and digitised music, should be out some time in June.

Other Arc games on the horizon are *Nevryon* (see the Beeb review in last month's issue) and *Man at Arms*.

Nevryon is a 'total' shoot-em-up type of game while Man at Arms is a more thought-



provoking fantasy arcade adventure.

The main bastion of the Beeb, Superior, continues to support the machine and following the tie-in with French company Infogrames (reported last month) should have a steady flow of new releases in the coming months. *Hostages* and *Sim City* both look likely on the BBC, with Arc versions following soon afterwards.

Incidentally, rumour has it that Infogra-

# GAME



mes is, at this moment, working on Arc games. Don't say I didn't warn you.

While on the subject of rumours, how about this list to get your tongues hanging out – Starglider, Ghosts and Goblins, Elite II, Grand Prix Construction Set .... The list goes on but that's enough for this month.

Oh, I almost forgot. The number of games playable on the Archimedes could go up to several thousand overnight, in the not too distant future, and I'm not talking about Arxe System's Spectrum emulator....

To round off this month, I've got a couple of cheats to keep you going. For all those with Domark's *Empire Strikes Back* classic, the end is now in sight. Just press f6 followed by f0 on the title screen and get blasting. Thanks to Robert Davis of Surrey for that one.

Hot off the presses comes a cheat/handy hint for the spanking new *Apocalypse* from Fourth Dimension. Planet hopping can be made a lot easier with the following programette from Alan Davies of Cheshire.

*MOUNT
*DIR !Planets
X%=OPENUP "HST"
L%=EXT #X%
PTR #X%=L%-1
BPUT #X%,8
CLOSE #X%

Put a backup copy of the *Planets* disc in the Arc and type the lines, as shown, at the command line. You'll now be able to visit any of the nine planets at leisure.

Tune in next month, where Manchester United Football, Hostages (hopefully) and 'anything else we can lay our hands on' get the once over.

**Rob Miller** 

### **Battle Tank**

Minerva Software; tel: (0392) 437756
Archimedes/A3000 £14.95
For a company which claims its main priority is business software (and excellent business software it is too), Minerva has produced some high quality games, and Battle Tank is no exception.

The standard implausible background story is provided (It is the year
2037... etc) but the game consists of an
overhead view of a high-tech tank under
your control which you use to activate defences to repel the occupying enemy forces.
On the way to this ultimate objective, plenty
of fun is to be had feverishly trying to align
your gun barrel to teach the baddies a loud
and violent lesson.



# SHOW

Scrolling of the birds-eye view is smooth and flicker free and sampled tank-tracks and explosions have been implemented to good effect. There is a large playing area on each of the four levels, filled with many different, if not inspiringly innovative or original graphics.

There are some neat shading effects on some of these which add depth to the otherwise rather two-dimensional terrain.

Some constructive criticism to be levelled at the game is the poor handling of the tank itself. Although it has both forward and reverse controls for both tracks, it tends to embed itself all too readily into the surrounding shrubbery. Perhaps a simple left and right rotation coupled with an overall forward/reverse control would be better.

Another minor gripe is the fact that any tanks you hit go up in flames but fail to disappear from the screen for a long time, with their main fuselage remaining and blocking your path.

The score is nicely superimposed onto the main battle ground but the instructions are displayed in an eye-straining militarystyle font which is difficult to read at the best of times, let alone amidst explosions and other distractions.

Chris Cullen has produced a worthwhile addition to your games collection, even if it could do with a few improvements.

**Mat Tizard** 

### **Bug Hunter/Moon Dash**

Minerva Software; tel: (0392) 437756 Archimedes/A3000 £17.95

New from Minerva comes a two game compilation that seems to be slightly less than the sum of its parts. In exchange for your hard-earned cash you get the amusing *Bug Hunter* and the not so stunning *Moon Dash*. The former is a sort of arcade adventure and revolves around the efforts of the small but deadly 'Hysteron-Proteron' to rid the universe of insects.



I defy anyone to suppress a chuckle after loading it, when our hero begins to jive endearingly! He is the result of a botched genetic experiment, in which the scientists, instead of creating an eight foot killing machine, end up with a six inch bipedal invertebrate with a silly face.

This is the character you play, in his exterminatory excursions around a house, a school and a factory.

Each of the 30 locations is pleasantly illustrated in 16 colours and some nice background touches such as a poster depicting the latest Arnie Schwarzenegger film – Decorator – add to its charm. It is possible to skip levels by means of a passwordentry system.

Hysteron, or HP for short, has no weaponry of his own, and so has to rely on whatever comes to hand; milk bottles, cogs, helium balloons, and even a vase.

What he does have, though, is sucker feet, which allow him to walk up walls and under table-tops. Among his adversaries are spiders, cockroaches, bees, beetles and an unidentifiable slimy creature, all of which relentlessly follow him wherever he hides. If he does well, he gets a medal which is pinned to his snout, if not, he is dropped down a chute in a great bit of animation. The game's hi-score table is saved to disc with each new entry, and apart from the grating music, *Bug Hunter* is light-hearted and enjoyable. Nice to see a game with a sense of humour.

...Pity it's forced to share a disc with Moon Dash though. This is the black sheep in the BMX on the Moon dynasty, and consists of 16 levels of nicely drawn but poorly animated graphics in the familiar 'jump the rocks, and blast the green guys' mould.

To be fair, *Moon Dash* can become quite frantic and exciting in its later screens, and the background changes as you progress, but the dreaded system sound-effects are here again in force and that sealed the fate of the game in my opinion.

In all, I'd say £17.95 was a bit steep for a package of such patchy quality, but it's probably worth it just for the Schwarzenegger gag!

**Mat Tizard** 

# **Maddingly Hall**

Minerva Software; tel: (0392) 437756 Archimedes/A3000 £14.95

It is 1932, and Bertie Hall is a hapless gambler who has lost all his money on the GGs and refuses to work for a liv-

ing. This has lead to something of a financial crisis so he resolves to visit his rich aunt Agatha, a lady of staunch Victorian values, at Maddingly Hall to sponge off her for a weekend.

This is the intriguing background to the new Minerva graphic adventure, again from the CPU of Chris Cullen, the man responsible for *Battle Tank* amongst other things.

The plot thickens when we discover that Bertie's childhood sweetheart, Veronica is also at the Hall along with several doddering aunts and uncles as well as an eagleeyed butler who sees and knows all.

Our hero decides to try to regain favour with his aunt, who disapproves of his irresponsible lifestyle, to get her to write him back into her will and leave him the money with which to woo the lovely Veronica.



It's a convoluted background, I know, but what of the game itself? Well, not a lot actually. This is the author's first stab at an adventure, and frankly it shows. It is written in Basic which should mean a slower but more sophisticated parser. This is not the case. The speed is fine but the game is of the VERB – NOUN class of adventure and sometimes not even up to this since it has a very limited vocabulary.

Impressively, every single location is illustrated (instead of just the usual few pictures) but sadly, at the cost of using sprite-based graphics which get re-used all over the game. I think the Forsythia shrubs proliferate in almost every outdoor location!

The objects in the game are sparingly detailed and do not stand up to detailed 'examination' – just producing the standard 'you notice nothing unusual' response. There are no pronoun routines to allow use of 'it', 'them' or 'everything'.

Having said all that, it is unfair to compare this enjoyable game with more expensive, coded and converted games such as *Fish* or *Jinxter*, and *Maddingly Hall* has a quaint charm about it which will provide a

welcome diversion to the less fussy adventurers out there, who don't mind the occasional 'I don't understand...' message.

**Mat Tizard** 

# CommunITel

# PROFESSIONAL VIEWDATA SYSTEM

CommuniTel is an exciting professional viewdata system for the BBC B, Master & Compact Micros (DFS, ADFS or Network).

IT'S USES IN EDUCATION INCLUDE

Learning Information Technology Cross-Curricular Development Structuring Creative Learning Administration/Publicity

The system includes a comprehensive suite of programs which enables the creation of a database with message facilities. This can then be made available to callers using a telephone line and any viewdata terminal. The package includes comprehensive tutorial and reference manuals and a sample database.

Available in TWO LEVELS FOR USE WITH THE DTI (DaCom or Tandata) SCHOOLS MODEM

LEVEL 1+ FRAME EDITOR

SEARCH

CAROUSEL DISPLAY FRAME PRINTER

VIEWDATA + TERMINAL

LEVEL 1 £55 UPGRADE FROM LEVEL 1 + TO LEVEL 2 £45

FRAME EDITOR SEARCH CAROUSEL DISPLAY FRAME PRINTER
VIEWDATA - TERMINAL
DIAL IN HOST SYSTEM
TELESOFTWARE FORMATTER

LEVEL 2 £95

**UPGRADE FROM LEVEL 2 TO ADFS LEVEL 2 £45** 

LEVEL 2 with Auto-answer/Auto-dial MODEM from £375 (all prices exclude p&p & VAT)

The ADFS version includes response frames and gives up to 500 pages with The ADFS version includes response frames and gives up to 500 pages with a single 80 track D.S. disk or thousands of pages using a winchester disc drive

# ALSO FOR NIMBUS L1, L2 AND ARC L1

FOR A DEMONSTRATION of LEVEL 2 dial: Viewdata No 025 125 2923 or Telephone: 025 125 5137

For more information cut out the coupon and send to:

COMMUNITEL, THE MALT HOUSE, FARM OFFICE, FRENSHAM, SURREY GU10 3EH

Please send me details of CommuniTel products. I am particularly interested in (please indicate)

POSITION

ESTABLISHMENT

ADDRESS

AU7

# **DVS PUBLIC DOMAIN**

DVS does not believe in creating an endless amount of discs all full of trash software, like some other Public Domains do. Instead we concentrate on making our discs the BEST VALUE AND QUALITY. DVS pays royalties to attract the best software, despite this we take pride in our low prices. Our Flagship discs are the DVS General discs, which cost just £3 each or £25 for all ten. They all have clear menus with 14-20 programs selectable, plus reviews, software tips and newsletters. Here is a Quick short list of the Highlights:

#1. 167 World Flags/Interactive Clares Wire Frame City/Buygones/Two Render Bender Animations/Trendy Scroller

Scroller.
#2. Multi Tasking Viewdata Software/200 year calendar printout/Garfield Animation/Metric converter/4 games.
#3. CD Quality Smooth Criminal Demo/30 Art Clips/3D maze/Two screen compactors/Sprite Masker/VDU test.
#4. Rotating 3D skull/TextDumper/Breakout/
Comparier/Arcade Hangman/Revolving Graphics Editor.
#5. Buygones 2/Simple Simon/Snake Game/25 Maestro tunes/3D shape editor/Gold Blob Demo.
#6. STD search database/Micromessages (& Editor)/Fast Neonic Signwriter (& Editor)/BBC font character editor/Card Sharks/Rodent Art Mode 12.
#7. The Ultimate File Coder/Canyon Game/Quick Formatter/ Pontoon/Touchtone dialer/FK Strip Printer.
#8. Tetris/Nerd multi location adventure/Metallic Rainbows/Pie Chart/Pointer Definer/Full Colour Rainbows/Pie Chart/Pointer Definer/Full Colour

Digitization/3D O&Xs and 3 more Games. #9. 30 BBC font files/Sliding block

puzzle/Solitaire/Reaction test/Sin wave text scroller/EPSON printer status util/Play only Maestro with

lot of tunes. #10. 256 Colour Art package/Modes 18,19,20,21,22,23 on a normal Monitor/Label Printer/Line and Block Graphs/Frogger type game/Real Time screen cylinder

We also have a large Public Domain Selection of solely Sound and Graphics discs, these are generally just a handful of large files. A bargain at just £2 each the sections include:

Stracker Music, Mega Fast Stunning Demos, Render Bender demos, Digitized colour pictures, Sprite animations, Gallery master-pieces, and a Sprite Library. All discs are for a 1MB+ Archie/A3000, and are E format £5%+ full

Cheques to: DVS Public Domain 10 Ravenhurst Drive Birmingham B43 788

# FACT SYSTEMS (Barrow) Ltd 19 Focus 303 Business Centre,

South Way, Walworth Industrial Estate ANDOVER, Hants SP10 5NY Tel: (0264) 334811

A3000 LEARNING CURVE



**BBC** MASTER 128

ARCHIMEDES **400/1 SERIES FULL RANGE OF** HARDWARE, SOFTWARE HANDS ON **DEMONSTRATIONS** SERVICING ANDOVER



VISA

(0264) 334811

**OPEN HOURS MON-SAT 9AM-5.30PM** FREE CUSTOMER CAR PARK **EASY ACCESS** 



# **ACCOUNTING PROGRAMS** FROM APRICOTE STUDIOS

THE ACCOUNT BOOK

Comprehensive small business accounts to trial balance. Vat approved. Absolutely the EASIEST program to use, with neat final books AND full reports and audit trails. Unlimited entries. Automatic date order. Complete editing of all entries AT ANY TIME. Includes new Vat Return form (Jan 1990). "The Account Book gets first prize for both price and performance"— comparison of different accounts programs in Micro User July 89, "A true user-friendly program. It succeeds admirably"— Beebug October 88. "An easy to use system"— A&B Computing August 89. "I am very impressed with these programs. These are programs for any small business."— Beebug December 89. £27.95 Inc.

THE INVOICE PROGRAM

includes 700 Customer database which keeps track of up to 2500 unpaid invoices. Vat rates can be mixed (the vat section can be turned off if you're not vat registered) and there are almost no description length limits. Calculates quantities including fractions. 100 stock presets for regular items. Links directly to The Account Book's sales ledger or can be used independently. Automatically produces invoices and statements ready to be popped into window envelopes. Also prints labels for mail shots or even direct envelope addressing. Prints debtor lists including telephone numbers and instant database access to individual customers credit details. "If you buy these programs you will not be disappointed"-Beebug December 1989. Judging by the letters of thanks we have received, our customers agree. £27.95 Inc.

SPECIAL OFFER: The Account Book + Invoice Program £49.95 Inc. Requires dot-matrix printer. State 40 or 80 tracks if using a BBC B or Master.

### JUST RELEASED: PERSONAL ACCOUNTS

A brand new program to keep track of all your personal income and expenditure. 48 user-defined income and payment headings with instant access to all the heading totals. 20 standing orders or direct debits. 10 bank/building society/credit card accounts with not only the opening balances but also the current balances and balance total. The easiest to use accounting system of all with the ultimate on screen editing facilities (even the previous cursor positions are remembered when you re-load a file). Bank reconciliation with look-a-like account statements to spot errors made by your bank etc. Full report printing and searching facilities including not only your entries but income/payment headings, bank accounts, standing orders and all their totals. Load, save and create new files from existing ones including the carrying forward of balances. Absolutely everything you need if you want to keep track of your finances. Runs on all disc drive and printer configurations. As above 'you will not be disappointed', return within 10 days for a full refund if ou don't agree. Just £14.95 Inc.

All the above programs are available now by return of post for the BBC B, B+, Compact, Master, A3000 and Archimedes (inc. Risc OS). Please state computer when ordering. Thank you.



APRICOTE STUDIOS 2 Purls Bridge Farm Manea, Cambs, PE15 0ND



Tel: 035 478 432 for information, help or to order

# FREE AND EASY

GRAHAM BELL takes a further look at some software that won't break the bank

ast month, we looked at several small programs to make the most of your Archimedes. In particular, these aid data transfer and add new facilities to the Arc's desktop. This month, there's a few major applications and some more 'decorative' programs.

Perhaps the most impressive application you can bag 'for free' is QRT, Quick Ray Tracer. This is available from Norwich Shareware disc 21. It is a complete ray tracing package, with a scene-description language similar in scope but different from expensive commercial packages like Clares' Render Bender. There's a group of sample files which can be traced - including a number illustrated in BAU over the last few months. There's a 'comprehensive' manual which is little more than a description of the facilities of the scene language - not for beginners, but for an experienced programmer, or someone with an idea of the basic principles of ray tracing, it's about adequate.

Where the application falls down is the support for animation – *Render Bender* can take a sequence of separate images and compress them into a short animation, but there's no facility within *QRT* to do the same. One great benefit is that it can render a picture 'in the background'. You can have



FontEd – create your own outline fonts

QRT working away on the desktop while you wordprocess, without it making too much difference to the speed you can work at. It gradually builds up the picture in whatever screen resolution and size you specify, and automatically saves the picture when it's finished. This is a boon because it can take all day to render a full screen, high-resolution, 256-colour image!

Acorn makes some good applications available via SID, its Support Information Database. While material on SID is not public domain (it remains Acorn copyright material), the software is essentially free, and SID is a valuable source of non-commercial software.

The least known software on SID is probably *FontEd*, the editor that allows you to create your own Acorn-type outline fonts. Anyone contemplating using this tool should realise that even one new typeface is a major task requiring several weeks of full-time commitment.

The font editor allows you to set up a new typeface, or to alter details of the existing faces like Trinity or Corpus. Altering the existing faces is not particularly useful, unless you want to add a complete new character for dot-matrix or Laserjet printers – any modifications you make can't be printed out via Postscript.


A new character can be drawn in a similar way to using !Draw, by drawing lines with the mouse and dragging the control points of curves to get them exactly right. The important part of the process is inserting 'hints' to make sure that each letter in your new typeface will look readable on screen in all the different screen modes, and will maintain its shape even when printed out small.

A new face can be used immediately you install it in your !Fonts directory and reboot. And you can use it on any screen, or dot-matrix or Laserjet printer. Beware though: when you do use your font, the document can't be used by anyone else unless they have the font too.

Want to try out 'hypertext'? This year's buzzword is used to describe several Arc products, Musbury Consultants' Bookbinder, Longman Logotron's Hyperbook or even the more sophisticated Genesis from Software Solutions. These allow you to create pages of written information, illustrated with sprite pictures. Clicking on a sprite or section of text can lead you to any other page, giving more details. A hypertext document need not be read linearly - from page 11 to page 12 - but can be approached in a less structured and more flexible way. Learning is more like a process of exploration than conventional reading. But is hypertext for you? You can get a flavour of what the fuss is about for free, with the Hyper application on APDL disc A31 which lets you both read example documents and create complex hypertexts of your own.

David Pilling distributes several affordable Arc utilities, mostly derived from pub-

lic domain Unix programs. In particular there's the *Spark* archiving utility that can compress files as they are stored. This costs £5.99 on Pilling's disc 16. It's invaluable for backing up your hard disc and minimising the number of floppies you need. Acorn's SID and many other bulletin boards



use *Spark* to compress their downloadable files to reduce the transmission time and thus reduce your phone costs. So you'll often need to unpack *Spark* files. *Sparkplug* is the unpack- only version, and it's stored (uncompressed!) on SID itself. It's the first thing you'll need to get hold of. All you do to unpack telesoftware is drag the downloaded file onto the *Sparkplug* icon; it presents you with a window showing the uncompressed files and you can drag these into any normal disc directory window.

## **Tiny animals infest Arc!**

Crabs, fish, a moose, a bloke with a red pullover, a lone pair of eyes... Arcs can play host to a menagerie of sorts. While the beetle-browed 'serious hacker' might look upon these programs as frivolous, they can be used to make the micro seem cuter, less inhuman and forbidding to newcomers. The fish swim about the grey desktop background, hiding behind the windows and blowing bubbles. The eyes stare relentlessly at the mouse pointer. And the cartoon-character Bullwinkle the Moose pops up occasionally to remind you to 'get on with it'. All the public domain software libraries have versions of these available.

PD is often fun, often useful, and occasionally so completely without merit that you just want to reformat the disc. But it's free – or nearly so – and is sometimes just the job, so it's worth checking out the sources listed last month and below. Almost anything you want is there.

David Pilling, PO Box 22, Thornton, Cleveleys, Blackpool, FY5 1LR.

# HARDWARE AND SOFTWARE EXPANSION FOR THE ACORN ARCHIMEDES COMPUTER SYSTEM

## **EXPANSION CARDS**

IEEE488 INTERFACE a full implementation of the standard for automatic test and measurement systems.

16 BIT PARALLEL I/O two 16 bit input or output ports with handshake lines for digital control applications

DUAL RS423 SERIAL INTERFACE for communicating with two additional RS423 or RS232 devices eg. printers, plotters, instruments, etc.

12 BIT ADC an analogue to digital converter capable of up to 166000 samples per second.

All the above high performance expansion cards are supplied with high level software for ease of use and a comprehensive user guide.

**TERMULATOR** For Archimedes Computers VT52, VT102, VT220 and Tektronix 4010 terminal emulations.

Termulator, a trade mark of Acorn Computers Limited, is applied to this product under licence from Acorn Computers Limited.

**HARD DISC UPGRADES** For Archimedes 400 Series Computers.

COMPLETE SYSTEMS All the standard models at competitive prices plus Archimedes 410 Computer fitted with 1 Mbyte RAM upgrade and 40 Mbyte internal hard disc - £1530.

AEG OLYMPIA PRINTERS Laserstar 6 - the ideal printer for Acorn Desktop Publisher 1.5 Mbytes of memory, HP LaserJet +

compatible - £1298 optional Postscript emulation.

24 Pin Matrix Printers - IBM and Epson compatible

80 column - £411, 136 column £449.

24 Pin Colour Matrix Printer - IBM and Epson compatible

136 column - £524.

Ink Jet Printers Quietstar - HP DeskJet + compatible - £598.

Colourstar - HP PaintJet compatible - £748.

Officially appointed Acorn Scientific Dealer.



# **Intelligent Interfaces Ltd**

43b Wood Street Stratford-upon-Avon Warwickshire CV37 6JQ Tel: 0789 415875 Fax: 0789 299600





Patterns: allows the creation of complex designs using patterns produced by combining simple shapes.

Stitching: allows 2D and 3D curve stitching designs to be created and rotated to give the appearance of mobiles.

Embroider: allows "embroidered" designs to be created using patterns formed by combining stitches.

Tiling: in combination with Acorn's Paint allows small designs to be created and repeated across the screen.

ቁቁቁ For the Archimedes ቁቁቁ

### 4MATION Educational Resources

Linden Lea, Rock Park, Barnstaple, Devon. EX32 9AQ

20271 45566 TTNS 01:YNK045

# FREE



with every computer we sell...



# ...our expertise!

If you are buying a new Archimedes or Master Series computer, you don't expect to know all about it from day one. That's where we come in. We don't leave our customers high and dry with their problems — they know they can rely on us to get them out of trouble.

Whether it's hardware or software, we're the people who know.

# THE DATA STORE

6 Chatterton Road, Bromley, Kent Tel: 081-460 8991 Fax: 081-313 0400

# LEARNING CURVE NOW IN STOCK 0% FINANCE AVAILABLE

10% DISCOUNT ON ALL SOFTWARE PURCHASED OVER A TWELVE MONTH PERIOD WHEN YOU BUY HARDWARE FROM US

A3000 UPGRADES	
A3KI Monitor Plinth	£24.95
A3K2 System Housing	
A3K3 External Podule Case	£14.95
A3K6 Disc Buffer Board	£48.95
A3K8 3.5* Additional Floppy Disc	
Uprade	£75.00
A3K9 5.25" Additional Floppy Disc	
Uprade	£99.95
A3K12 65 Host DFS and DFS Filer	£19.95
A3K7 Hard Disk Upgrade (inc	
controller card)	£429.50

# ARCHIMEDES

Archimedes	Price
A3000	£649.00
410/1	£1199.00
420/1	£1699.00
440/1	£2499.00

# **DISC BOXES**

Lockable

40 Disc £7.95 100 Disc £9.95

# ARCHIMEDES TELEPAD

Digitiser with mouse, emulation and stylus pen by CTS ......£374.95

LASERS			
MAKE	MODEL	PPM	PRICE
Panasonic	KX-P4450	11	£1436.00
Canon	MK IV	4	£1080.00
Epson	GQ5000	6	£1440.00
Qume	Publisher	6	£2376.00
Qume	Publisher II	6	£1228.00
QMS	Postscript	10	£3422.00
Brother	HL8	8	£1617.00

# **NOW OPEN!**

CALDERGLEN'S NEW

6,000 sq ft Northern office with approx 2,000 sq ft fully equipped and totally dedicated to demonstration and training areas with extra facilities for education and business.

Special needs customers also fully catered for

# 7 days a week

CALDERGLEN offer a unique service — on site teacher training for RISCOS, also a complete training workshop for indepth instruction on all hardware including ECONET. Courses for familiarisation of ART + DESIGN PACKAGES, DTP, SPREADSHEETS etc. Take the uncertainty out of buying hardware and software packages—try them first at CALDERGLEN — Free of charge.

DOINTEDA

HYUNDAI				
ILQ Price				
37cps £145				
Ocps £212				
37cps £230				
Ocps £277				
LQ Price				
Ocps £141				
6cps £467				
8cps £1167				
LQ Price				
5cps £244				
Ocps £369				
Ocps £506				
4cps £482				
Ocps £667				
Ocps £1367				

HAKD DISKS N	ANAILABLE PRO	JM	£165
PAN	NASONIC 80 C	OLUMN	
Model	Draft	NLQ	Price
KXP 1081	144	28	£130
KXP 1180	192	38	£178
	136 COLUM	N	
KXP 1592	216	45	£266
KXP 1595	288	61	£368

# TEACHERS AND ACADEMICS NATIONWIDE

Have you missed out on the special Acorn teachers support facility?
If so, phone CALDERGLEN for their own specially designed package

# **MONITORS**

Make	Model	Special
Philips	8833 colour	£209
Philips	8832 colour	£189
Tandata		£165
Texan 770		£434
EIZO 8060H		£460

If you require any other mnufacturers monitors please ring for a quote

# **HEALTHCARE**

A complete care management system for residential nursing homes including drug stock control at point of administration, cardex, patients records, personel accounts with options of payroll, diary and staff duty rosta and more covering the 1984 Good Homes Act!

## AMIGA

A500 Computer, Mouse & Modulator SPECIAL PRICE £365.00 inc VAT

A500 Batman Pack + 10 games and Photon Paint valued at over £200 AMAZING PRICE ONLY £399.00 inc VAT

At CALDERGLEN we believe we offer a service second to none. Such as full familiarisation of programs, hands on evaluation of hardware, on site programmers to discuss your problems or our service engineer to discuss future upgrades to your equipement. Full training facilities are also available. Private customers and teachers across the country have found CALDERGLEN mean service.

Southern customers will soon be able to enjoy the high standard of service offered to our northern high street education and business customers. See the next edition for full details of our open days at our new southern demonstration + training offices.

# MAIL ORDER

Payment by credit card, cheque or cash.
All prices subject to VAT (unless otherwise stated).



CALDER HOUSE SPRING LANE COLNE LANCS Telephone 0282 871717 (sales) (9 lines) Fax: 0282 861726 0282 869338 (technical support)

# SOFTWARE SHOWCASE

EDUCATION

To advertise in this section phone Matthew Thistle 071-490 1444 ext 1594

# PARENTS' EVENING APPOINTMENTS PACKAGE

For the BBC B or MASTER COMPUTER Plans appointment time for up to 500 parents and 100 staff

- * Extremly versatile and easy-to-use
- * Printed individual slips and full chart
- * Batch processing
- * Saves housr of valuable teacher-time
- * Cost effective only £29.95 + VAT Send of phone for details to: GRANGE SOFTWARE 88 Grange Road, Wigston, Leicester LE8 1JJ Tel: 0533-887457

# Phases

"The Special Wordprocessor" for the Archimedes Developed by Teachers for Primary and Special Education £10.00 plus £2 p&p

Discounts for bulk orders For details of this and other educational programs for the BBC. Archimedes, Macintosh and Nimbus contact

NW SEMERC, Fitton Hill CDC, Rosary Rd, Oldham, OL8 2QE or phone Lesley on 061 627 4469 for a catalogue

# BUSINESS

## DIXON & DIXON

35 ROKEBY DRIVE KENTON NEWCASTLE UPON TYNE NE3 4JY

-ACCOUNTS / STOCK

ARC

RRC/MASTER £100

FIELDFILE	-FIELD DATABASE	F120	E 13
FARMPLANNE	R -FORWARD PLANNING	£180	€ 90
CAPCOST	-INVESTMENT	N/A	£ 50
MILKFILE	-DAIRY MANAGEMENT	N/A	£200
ROUND	-DELIVERY		
MILKMAN	- MANAGEMENT	£400	N/A
NEWSMAN	- MANAGEMENT	£400	N/A
	Systems from £1500	UK please	add 15% VA

# **CROSSWORDS**

# AKROSS

The definitive Crossword Editor For **Archimedes** & A3000 (inc. Network licence) Price range from £49.50 to £68.50 Plus Schools Discount! ALSO the widely acclaimed
Times & Sun Computer Crosswords (13 vols)

Volumes Times £19.95/£18.95 Sun £18.95/£17.95 Also on cassette price range £7.95/£9.95 For details contact..

Akom Ltd.

51 Manor Lane, London SE13 5QW Tel: 01-852 4575

(Prices inc. VAT, P&P UK, add £2 surcharge orders ex UK)

# ENVIRONMENT

### WEATHER STATION FOR THE BBC MICRO

Simply plug interface unit into analogue socket for Data logging and/or live 4 charnets of information. I.e. wind speed and direction, temperature and pressure. Complete package hardware, software and installation ideas. As acid to Schoots and Collegee. Price 2234 incl. VAT hand PBP. Pres competes with each order to assist setting up wind vane. Also available Electronic Hearthfeld Anemometer £75 and Electronic Reinfald measure £40 order direct from:

EIFFEL SYSTEMS, PO BOX 59 ASHFORD, KENT TN23 3EB. Tel 0233 637515

# VISUAL IMAGES

# **Betula Image Services** present

High quality Clip Art designed on an Archimedes for an Archimedes for D.T.P., WP, Graphics and Art.

Please send a SAE for details to... Flegg Green, Wereham, King's Lynn, PE33 9BA

# BASIC ON DISC

# BASIC LESSONS NOW ON DISK!

To newcomers and the more advanced our Elementary Course is an ideal introduction/reference source without confusing manuals. With many useful tips not found in books. For schools, colleges, home users or the disabled. FULL Back-up + Library. There are 62 programs on the 16 lesson disk.

16 lessons £20.95 (40T on 2 disks £21.95) Lessons 1—8 £10.95 or first 4 lessons £5.95 3.5" disks £1.00 extra. Please state DFS - ADFS Payment by cheque please to:

UNIVERSAL COMPUTER SUPPORT 168 Hough Road, Walsall, West Midlands WS2 9BQ. Tel: (0922) 30038



# **ADVENTURES**



# Includes free game - HEZARIN!

BBC, Compact DFS, Elk DFS, A3000 and Arc £19.95 (inc. VAT) + 50p P&P.

Previous encounters with Doom saw you too busy saving your own skin to worry about the future of the planet. In THE LAST DAYS OF DOOM you'll do just that! The final part of the Doom trilogy will keep you & your Robot Dog busy for days!

PO Box 39, Stilton, Peterborough, PE7 3RL. Tel: 0733 244682

# MUSICAL

# PANDA DISCS

Music 5000 Volumes 1-14 Music 500 Volumes 1-3 "Recommended" - Micronet "Music for Monsters delightful" – Beebug Island Logic TMS datafiles Volumes 1-3

# ALL MUSIC DISCS £6 INCLUDING P&P

XWORD Crossword Puzzle Compiler and Solver WIMP-style program with dictionary, sample files and comprehensive manual. Ideal for schools and colleges. £14.95 Discs of puzzle from September 1990.

Panda Discs (Dept. BAU7/90), Four Seasons, Tinkers Lane, BREWOOD, Stafford, ST199DE

# **IMPORTANT**

# THE SOFTWARE **SHOWCASE** IS FOR YO

the smaller software producer special benefits include

- Low rates and series discounts
- High visibility
- Free typesetting
- Your own catagoric heading

If you have some interesting software to promote and don't want it lost among the larger advertisments then call now on (01) 490 1444 (Ext 1594) for the most cost effective advertising available.

FARMCASH

# **Weserve** of Hampshire **Educational Specialist**

Star LC10 Mono £149.00 (£129.56 + VAT)

> **TAXAN KP 815** £169.00 (£146.96 + VAT) **PANASONIC KXP1081**

> £142.00 (£123.08 + VAT)

**PANASONIC KXP1124** 

£245.00 (£213.04 + VAT) **PANASONIC KXP1180** 

£152.00 (£132.17 + VAT)

PRINTERS/CABLES/Etc.

247 83

190 43

6.00

.62.61

.. 18.00

.. 4.00

285 00

219.00

6.90

72.00

59.00

20.70

Inc VAT 41.00 54.00 43.00 82.00 46.00 139.00

41.00 74.00

Star LC10 Colour Colour Dump £199.00 (£173.04 + VAT) Rom £45.60 inc. (with Cable and Paper)

H.P. Deskjet + ... Citizen Swift 24.

Juki 6300 D/W Amstrad LO3500di

2.0m (6 foot) BBC Cable

LC10/LC2410 Sheef Feeder

LX/Q Sheet Feeder

2 way Printer Switch

Printer Dust Covers

STAR LC 2410 with cable & paper	1
£225.00 (£195.65 + VAT)	
STAR XB2410	T

£455.00 (£395.65 + VAT)

CITIZEN 120D £125.00 (108.67 + VAT)

**EPSON LX400** £149.00 (£129.57 + VAT)

**EPSON LQ400** £227.00 (£197.39 + VAT)

# **PRINTER RIBBONS** I X800 & EX800 Print Ribbon

Phone for full range 100 + original &		
Juki 6100 Print Ribbon	1.30	1.50
Taxan/Canon Ribbon		3.70
120D Print Ribbon		4.60
LC10 Print Ribbon		4.60

Compatible ribbons + Bulk discounts	
UPGRADES/8271	

Inc

2	ROMS/SOF	IWAR
VAT		Ex VAT
3.45	Inter-Word Rom	35.65
1.00	Inter-Base Rom	46.96
1.60	Wordwise Plus Rom	37.39
2.00	MEGA 3 Rom	71.30
2.00	Spell Master Rom	40.00
5.00	View 3 Rom	40.00
9.00	DTP-Acorn	
1.95	View-Store Rom	
3.00 1.85	OverView 1 & II	

Phone for BBC/Archimedes Software catalogue 100's of titles Inc. Edu.

MACTED/ADOUL

### Ex VAT .....3.00 ....38.26 27128A 250nS 12 5V ....4.00 ....45.22 ...45.22 100.00 52 52 115 179 14 155.65 13.00 128.70 .39.00 124.00 .55.00 .42.61 44.85 142.60 63.25 49.00 62.00 59.00 Master Keyboard

MONITO	RS	
	Ex VAT	Inc VAT
Taxan 770 + LR	398.26	458.00
Philips CM Stand	18.26	21.00
Philips BM7502 Green	62.61	72.00
Philips BM7522 Amber	60.00	69.00
Philips TV Tuner	60.00	69.00
Microvitec 1431		199.00
Microvitec 1451	216.52	249.00
(Prices inc. BBC	Cable)	

	Ex VAT	Inc VAT
Master Compacts from	330.43	380.00
Master 128K Micro	359.00	412.85
Archimedes A3000 2 Meg Ram .	617.39	710.00
Archimedes 410/1	952.17	1095.00
Master Cartridges	8.65	9.95
Reference Manuals	14.00	14.00
Master & B Dust Covers	3.00	3.45
BBC B's from	152.17	175.00

# PHILIPS CM8833 £234.00 (£203.48 + VAT)

<b>VOLTMACE JOYSTI</b>	CKS
Ex VAT	Inc VAT
Delta 14B	14.50
Delta 3B single	12.95
Delta 3B single	19.95
51/4 DISC DRIVE	9

DISKETTES	(100% Error	free)
(Lifetime warranty)	Ex VAT	Inc VAT
10 Banana Reversible	8.65	9.95
10 3.5" D/S 135tpi	5.63	6.50
50 3.5" D/S 135tpi	26.03	30.25
100 3.5" D/S 135tpi	52.00	59.80
10 96tpi D/S D/D in box	5.17	5.95
50 96tpi D/S D/D in boxes	17.17	19.75
100 96tpi D/S D/D in boxes	32.09	38.90
10 3M High Density 3.5"	25.00	28.75
10 3M High Density 5.25"	10.00	11.50
100 Disc Box 5.25" + lock	6.52	7.50

374 DISC DI	UIAES	•
	Ex VAT	Inc VAT
Cumana CSX100 40T		86.00
Cumana CSX400 40/80T		103.00
Cumana CDX 800S 40/80T	175.65	202.00
Cumana CD800S 40/80T	195.65	225.00
MD400A 400k No PSU 40/80T		90.00
MD400B 400k & PSU 40/80T		102.00
MD802C 800k No PSU 40/80T		180.00
MD802E 800k & PSU 40/80T		195.00
MD802D 800k & stand 40/80T		219.00
Phone for Hard discs		210.00

Phone for our 28 Page Catalogue

**EDUCATIONAL & GOVERNMENT ORDERS WELCOME** All products have a 30 day money back & 12 month warranty Prices subject to variation without prior notification
We are closed Saturday afternoons Postage 92p (80p + VAT) Securicor £6.90 (£6.00 + VAT)





Acorn Dept. 40-42 West Street, Porchester, Hants P016 9UW Tel 0705 325354

# **ACORN USER ADVERTISEMENT** PAGES - JULY 1990

4- Mation	132	Grange Soft	134
Advisory Unit for			
Microtechnology		HCCS Associates	41
in Education	32	Home Based Business	80
AJL Electronics	104	Human Computer Inter	face 40
Akom	134		
Alsystems	56	Ian Copestake Software	
Ampsound	21	Inch Laboratories	61
Apricote Studios Automatic Services	130	Integrex	13
Automatic Services	104	Intelligent Interfaces Irlam Instruments	132
BBC Acorn User Show	28	iriam instruments	IFC
BBD Computer Dust Cove		Logotron I td	125
Beebug Beebug	6,11	Logotron Ltd	125
Betula Image Services	134	Manar Court Supplies	104
Broomfield Electronics	125	Manor Court Supplies Marshall Cavendish	Inserts
Diodifficia Electroffics	123	ME Electronics	12
Calderglen Computers	133	Meadow Computers	80
Caligraph Ltd	123	Micro-Aid	12
Cambridge International		Micro-Vitec	29
Software	29	Microsnips	24
Cannon Computing	32	Mijas Software	125
Care Electronics	56	Minerva Software	IBC
Caspell Computer Service		Ivanior va Gortware	ше
Circle Software	32	Northwest Semerc	18, 134
CJE Micros	70	Norwich Computer Ser	The state of the s
Clares	63,88		vices o v
Colton Software	2	Oak Computers	22
CommunITel	130	Orion Computers	8
Computeck	124	Overseas Media Distrib	ution 1
Computer Concepts	14, 66		
Computer Depot	80	Panda Discs	134
Computerware	16	Pineapple Software	87
Contex Computing	80	Portobello Trading Comp	pany 84
Craddock Computers	115	PRES	4,5
CSS	84		
Cue Video	80	QD Enterprises	20
Dabhand Computing	76	Sabre Computers	115
Dabs Press	62	SGB Computer Service	
Data Store	132	Simtron	12
DGA Software	59	Software Bargains	25
Diamond Computing	33	Stwpd	115
Digiserve Ltd	18	Superior Software	OBC
Digital Services Ltd Dixon & Dixon	60 134	T C	
DVS		Tap Consortium	21
DVS	130	Technomatic	34/39
Eiffel Systems	134	Terrell Electronics Tools Gmbh	56
Electronic Font Foundry	59	Topologika	118
	Inserts	Topologika	134
	1100113	Universal Computer Supp	nort 134
Fact Systems Ltd	130	om order computer Supp	JUL 154
Fairhurst Computer	104	Watford Electronics	42-55
GMA	84	We Serve	135
			THE R. P. LEWIS CO., LANSING, S. P. LEWIS CO

# MOTION PICTURES

ELIZABETH BURNS speaks to Southport teacher, Jerry Murland, who uses the school's Arc in gym classes



erry Murland used his school's share of the latest Education Support Grant monies to purchase a Watford video digitiser to plug into their Archimedes 310. He says, 'I'll be honest, we fancied making some money at the Christmas Fair by taking pictures of people and printing them out using the computer.'

This was, he confesses, a good gimmick and a successful way of generating funds for Christ the King School in Southport, but it wasn't really what his local education authority had in mind when it handed over the cheque.

What Jerry needed was an educational use for the digitiser, preferably in a subject area which wasn't the traditional preserve of information technology and, if possible, involving pupils at the lower end of the secondary age range.

The solution he eventually came up with was to take the digitiser along to PE lessons in order to help gymnasts analyse their vaulting techniques.

'I wanted to film a sequence of frames as the gymnast performed a vault and superimpose the sequence to make one picture which could be used to evaluate the vault and to indicate where he or she was going wrong.'

Jerry found the Watford Digitiser very easy to use. Once it is installed and a suitable camera plugged in, the command *SEE produces instant and impressive results. It's then a simple matter to save pictures, transport them into art or graphics packages and play around with them.

Any video camera will do, according to Jerry, and the simpler it is the better. Christ the King School's camera had a phono plug and the podule has a bayonet socket, but soldering a new phono socket alongside was no problem.

The Christmas followed by the summer fairs had given Jerry some useful experience in processing the images. He explained that the digitiser works with 64 shades of grey and these are converted to 16 shades for mode 9 screens.

The initial problem was that no white showed up on the pictures and so a great deal of detail was lost.

However, the digitiser can ignore the

lightest shades and can spread the remaining ones across the full range. If you do this, the grey background turns white and the gymnast can then be seen quite clearly on the printout.

Jerry says, 'Adjusting the 'threshold' above which the light shades are ignored is just like changing the contrast control on the TV and results as good as a pen and ink sketch from a few feet can be produced.'

In fact the grey background on the picture shown here was removed using a different method. He continues, 'By using the pattern editor to read the lighter shades as pure white and to brighten up the darker shades, large black patches are avoided which, if nothing else, saves a great deal of wear on the printer ribbon!'

Another of the digitiser's facilities is the ability to superimpose one picture on top of another. Jerry used this to replace one frame by another only where it was darker. Therefore, when the gymnast was filmed against a light background, the background didn't register and the gymnast's legs, clothed in dark leggings, showed up clearly.

Jerry and his pupils were able to get useful information from the printouts. In the one shown here, for instance, they could see that the gymnast 'peaked' a little late and needed to get her body vertical quicker.

'When we tried this in a second year lesson,' says Jerry, 'we found it instructive to produce the multi-frame image for a skilful gymnast and discuss it with the class.

'We then tried the exercise with the rest of the class. Each pupil was given the opportunity to be filmed and to analyse the faults in technique. At virtually the first attempt we were able to demonstrate instant improvement.'

The software to drive this application was written by Jerry himself, using ideas from the programs which come with the digitiser. It is quite short and will run either 'live' with a camera or from a video tape.

At the press of a key, the digitiser starts 'grabbing' frames as the gymnast reaches the springboard and is about to vault. The Arc then grabs and stores frames as fast as it can until the memory is full. This is about nine full-size or more than 20 quarter-size frames. Jerry says half a dozen are usually enough for the purposes of analysis.

The future Olympic medallist can then sequence through the frames, choose the first and last, and the computer merges them to produce a multi-frame image.

Printing out presents no problems and not only have the gymnast's technique and prospects improved, she or he has a souvenir of the coaching session. Jerry concludes, 'The results, though a bit fuzzy, are proudly claimed by the people involved and produce effective displays.' The LEA is no doubt happier about the use its funding is being put to too!

# YOU TALKED WE LISTENED NOW IT'S HERE!

# //ULTSTORE

THE · DATABASE · OF · THE · FUTURE

£299 inc VAT

I. N. F. K

COMPUTER SOFTWARE AND SYSTEMS SPECIALISTS

MINERVA HOUSE · BARING CRESCENT · EXETER · EX1 1TL · TEL: (0392) 4377.56 · FAX: (0392) 421762

# TAGES



An urgent phone call from the National Security Minister....an Embassy has been overrun by terrorists. As Head of the Terrorist Combat Squad you are in control of all operations. First, you must place your crack marksmen in nearby buildings, avoiding infrared lights and the terrorists' deadly aim. Secondly, you must get your team of Specialist Paratroopers onto the Embassy roof

Then, after descending by rope, and protected by your marksmen, enter the Embassy through the windows and begin your search in silence. But beware, each door, each room, could be a death trap! You must get the hostages, and your men, out of the buildings without any loss of life, and this will depend on the cohesion and co-ordination of your team. NOW IT'S YOUR MOVE!

BRILLIANT GRAPHICS AND GAMEPLAY....SUPERB SOUND EFFECTS AND TUNES....KEYBOARD OR JOYSTICK/MOUSE CONTROL

BBC Micro Cassette 59 95

BBC Micro 51/1 Disc ... £11.95

(Compatible with the BBC B, B+ and Master 128 computers.)

BBC Master Compact 31/2 Disc...£14.95

Electron Cassette...£9.95

A3000/Archimedes 31/2 Disc...£19.95



**ACORNS**FT

Available from WHSMITH and all major dealers

LEASE MAKE CHEQUES





24 HOUR TELEPHONE ANSWERING SERVICE FOR ORDERS **OUR GUARANTEE** 

- All mail orders are despatched by first-class post
   Postage and packing is free
   Casseltes and discs that are faulty on receipt will be replaced immediately
  (This does not affect your statutory rights)

(Superior Software is a trading name of Superior Microcomputing Ltd.)

Dept. H2, P.O. Box 6, Brigg, S. Humberside DN20 9NH. Tel: (0652) 58585